

<pre> Beranda <?php session_start(); if (!isset(\$_SESSION['username'])) { header('Location: ../index.php'); exit(); } ?> <!DOCTYPE html> <html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial- scale=1.0"> <title>SISFO AKADEMIK</title> <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/b ootstrap/4.5.2/css/bootstrap.min.css"> <style> body { font-family: Arial, sans-serif; /* background-image: url(image/bg.jpeg); */ } .sidebar { height: 100%; </pre>	<pre> width: 250px; position: fixed; top: 0; left: 0; background-color: #111; padding-top: 20px; overflow-x: hidden; } .sidebar a, .dropdown-btn { padding: 10px 15px; text-decoration: none; font-size: 18px; color: white; display: block; border: none; background: none; text-align: left; cursor: pointer; outline: none; width: 100%; } .dropdown-btn i { float: right; /* Align the icon to the right */ margin-right: 10px; /* Space on the right */ </pre>
--	--

```

        margin-left: 5px; /* Space between
text and icon */

        transition: transform 0.3s ease; /*
Animation for rotation */
    }

```

```

.sidebar a:hover, .dropdown-
btn:hover {
    background-color: #575757;
}

```

```

.dropdown-container {
    display: none;
    background-color: #262626;
    padding-left: 8px;
}

```

```

.dropdown-container a {
    color: #818181;
}

```

```

.dropdown-container a:hover {
    color: #f1f1f1;
}

```

```

.content {
    margin-left: 260px;
    padding: 20px;
}

```

```

.card {

```

```

    margin-bottom: 20px;
}

```

```

.card .card-body {
    display: flex;
    align-items: center;
    justify-content: center;
}

```

```

.card .card-body .card-text {
    font-size: 24px;
    margin: 0;
}

```

```

</style>

```

```

</head>

```

```

<body>

```

```

<div class="sidebar">

```

```

    <div class="text-center mb-4">

```

```

        

```

```

        <p class="text-white mt-
2">Administrator</p>

```

```

        <p class="text-
success">Online</p>

```

```

    </div>

```

```

    <a href="#dashboard">Beranda</a>

```

```

    <!-- GURU -->

```

```

    <button class="dropdown-btn">Guru
    <i class="fa-solid fa-caret-
down"></i></button>

```

```

<div class="dropdown-container">
    <a
href="data_guru.php">Profil</a>
    <a
href="absen_guru.php">Absen</a>
</div>

<!-- SISWA -->

<button      class="dropdown-
btn">Siswa <i class="fa-solid fa-caret-
down"></i></button>

<div class="dropdown-container">
    <a
href="tbl_data_siswa.php">Profil
Siswa</a>

</div>

<!-- TENDIK -->

<button      class="dropdown-
btn">Tendik <i class="fa-solid fa-caret-
down"></i></button>

<div class="dropdown-container">
    <a
href="data_tendik.php">Profil</a>
    <a
href="absen_tendik.php">Absen</a>
</div>

<a href="profil_sekolah.php">Profil
Sekolah </a>

<a
href="jadwal_pelajaran.php">Jadwal
Pelajaran</a>

```

```

<a
href="dokumen.php">Dokumen</a>
    <a href="PPDB.php">PPDB</a>
    <a
href="ekstrakurikuler.php">Ekstrakurikul
er</a>
    <a href="index.php">Logout</a>
</div>

<div class="content">
    <h2 id="dashboard">Beranda</h2>

    <div class="row">
        <div class="col-md-3">
            <div class="card text-white bg-
primary mb-3">
                <div class="card-body">
                    <h5      class="card-
title">Siswa</h5>
                    <p      class="card-text">=
126</p>
                </div>
            </div>
        </div>
        <div class="col-md-3">
            <div class="card text-white bg-
success mb-3">
                <div class="card-body">
                    <h5      class="card-
title">Guru</h5>

```

```

8</p>
    <p    class="card-text">=
    </div>
    </div>
</div>
<div class="col-md-3">
    <div class="card text-white bg-
warning mb-3">
        <div class="card-body">
            <h5    class="card-
title">Tendik</h5>
            <p    class="card-text">=
4</p>
            </div>
        </div>
    </div>
    <div class="col-md-3">
        <div class="card text-white bg-
danger mb-3">
            <div class="card-body">
                <h5    class="card-
title">Jumlah ruagan</h5>
                <p    class="card-text">=
6</p>
            </div>
        </div>
    </div>
</div>
<div class="card">

```

```

    <div    class="card-header">Grafik
Kunjungan    Siswa,    Guru    dan
Superuser</div>

    <div class="card-body">
        <canvas
id="myChart"></canvas>
    </div>
</div>

<script>

document.addEventListener("DOMConte
ntLoaded", function() {

    var    dropdownButtons    =
document.querySelectorAll('.dropdown-
btn');

dropdownButtons.forEach(function(button
) {

    button.addEventListener('click',
function() {

        var    dropdownContent    =
this.nextElementSibling;

        if
(dropdownContent.style.display    ===
"block") {

dropdownContent.style.display = "none";

        } else {

dropdownContent.style.display = "block";

        }

    });

```

```

    });
});
</script>

<script
src="https://kit.fontawesome.com/72c479
6056.js"
crossorigin="anonymous"></script>

</body>
</html>

Data Guru
<?php
include ("../conn.php");
// Create a new teacher record
if ($_SERVER['REQUEST_METHOD']
== 'POST' && isset($_POST['create'])) {

    $nama = $_POST['nama'];

    $nip = $_POST['nip'];

    $status = $_POST['status'];

    $tempat_lahir = $_POST['tempat_lahir'];

    $tanggal_lahir =
$_POST['tanggal_lahir'];

    $jk = $_POST['jk'];

    $alamat = $_POST['alamat'];

    $email = $_POST['email'];

    $telepon = $_POST['telepon'];

    $foto =
addslashes(file_get_contents($_FILES['fot
o']['tmp_name']));

```

```

$sql = "INSERT INTO tbl_staf_guru
(Foto, nama, nip, status, Tempat_Lahir,
Tanggal_lahir, JK, alamat, email, telepon)

```

```

VALUES ('$foto', '$nama', '$nip',
'$status', '$tempat_lahir', '$tanggal_lahir',
'$jk', '$alamat', '$email', '$telepon')";

```

```

if ($conn->query($sql) === TRUE) {

    header('Location:
data_guru.php?message=Sukses tambah
data');

```

```

    exit();

} else {

    echo "Error: " . $sql . "<br>" . $conn-
>error;

}

}

```

```

// Update an existing teacher record
if ($_SERVER['REQUEST_METHOD']
== 'POST' && isset($_POST['update'])) {

    $id = $_POST['id'];

    $nama = $_POST['nama'];

    $nip = $_POST['nip'];

    $status = $_POST['status'];

    $tempat_lahir = $_POST['tempat_lahir'];

    $tanggal_lahir =
$_POST['tanggal_lahir'];

    $jk = $_POST['jk'];

    $alamat = $_POST['alamat'];

```

```

$email = $_POST['email'];

$telepon = $_POST['telepon'];

if ($_FILES['foto']['tmp_name']) {
    $foto =
    addslashes(file_get_contents($_FILES['foto']['tmp_name']));

    $sql = "UPDATE tbl_staf_guru SET
    Foto='$foto', nama='$nama', nip='$nip',
    status='$status',
    Tempat_Lahir='$tempat_lahir',

    Tanggal_lahir='$tanggal_lahir',
    JK='$jk', alamat='$alamat', email='$email',
    telepon='$telepon' WHERE id=$id";

    } else {

        $sql = "UPDATE tbl_staf_guru SET
        nama='$nama', nip='$nip', status='$status',
        Tempat_Lahir='$tempat_lahir',

        Tanggal_lahir='$tanggal_lahir',
        JK='$jk', alamat='$alamat', email='$email',
        telepon='$telepon' WHERE id=$id";

    }

    if ($conn->query($sql) === TRUE) {
        header('Location:
        data_guru.php?message=Sukses update
        data');

        exit();
    } else {
        echo "Error: " . $sql . "<br>" . $conn-
        >error;
    }
}

// Delete a teacher record
if ($_SERVER['REQUEST_METHOD']
== 'POST' && isset($_POST['delete'])) {
    $id = $_POST['id'];

    $sql = "DELETE FROM tbl_staf_guru
    WHERE id=$id";

    if ($conn->query($sql) === TRUE) {
        header('Location:
        data_guru.php?message=Sukses hapus
        data');

        exit();
    } else {
        echo "Error: " . $sql . "<br>" . $conn-
        >error;
    }
}

$sql = "SELECT * FROM tbl_staf_guru";
$result = $conn->query($sql);

$conn->close();
?>
<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="UTF-8">

```

```

    <meta name="viewport"
content="width=device-width, initial-
scale=1.0">

```

```

    <title>Biodata Guru</title>

```

```

    <!-- Bootstrap CSS -->

```

```

    <link
href="https://cdn.jsdelivr.net/npm/bootstra
p@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">

```

```

    <!-- Bootstrap Icons -->

```

```

    <link
href="https://cdn.jsdelivr.net/npm/bootstra
p-icons@1.10.0/font/bootstrap-
icons.min.css" rel="stylesheet">

```

```

    <style>

```

```

        body {

```

```

            background: linear-gradient(to right,
#f9f9f9, #e2e2e2);

```

```

            font-family: 'Arial', sans-serif;

```

```

            display: flex;

```

```

            justify-content: center;

```

```

            align-items: center;

```

```

            min-height: 100vh;

```

```

            margin: 0;

```

```

        }

```

```

        .container {

```

```

            background: #ffffff;

```

```

            padding: 20px;

```

```

            border-radius: 10px;

```

```

        box-shadow: 0 4px 8px rgba(0, 0, 0,
0.1);

```

```

        max-width: 1200px;

```

```

        width: 100%;

```

```

    }

```

```

    .alert {

```

```

        margin-bottom: 20px;

```

```

    }

```

```

    .btn-success {

```

```

        margin-bottom: 20px;

```

```

    }

```

```

    table {

```

```

        margin-bottom: 20px;

```

```

    }

```

```

    .img-fluid {

```

```

        max-width: 50px;

```

```

        height: auto;

```

```

    }

```

```

    .form-control {

```

```

        border-radius: 5px;

```

```

    }

```

```

    .modal-content {

```

```

    position: relative;
    width: 100%;
    max-width: 600px;
    margin: auto;
}

```

```

.modal-image {
    width: 100%;
    height: auto;
}

```

```

.close {
    position: absolute;
    top: 15px;
    right: 20px;
    font-size: 30px;
    font-weight: bold;
    color: #333;
}

```

```

.close:hover {
    color: #000;
    text-decoration: none;
    cursor: pointer;
}

```

```

.form-label {

```

```

    font-weight: bold;
}

```

```

.btn-primary {
    background-color: #007bff;
    border: none;
}

```

```

.btn-primary:hover {
    background-color: #0056b3;
}

```

```

.btn-info {
    background-color: #17a2b8;
    border: none;
}

```

```

.btn-info:hover {
    background-color: #138496;
}

```

```

.btn-danger {
    background-color: #dc3545;
    border: none;
}

```

```

.btn-danger:hover {

```

```

        background-color: #c82333;
    }
</style>
</head>

<body>
    <div class="container">
        <!-- Message Display -->
        <?php if (isset($_GET['message'])): ?>
            <div class="alert alert-success"
role="alert">
                <?php echo $_GET['message'];
?>
            </div>
        <?php endif; ?>

        <h1 class="mb-4 text-center">Data
Guru</h1>
        <a href="dashboard.php" class="btn
btn-success mb-4">
            <i class="bi bi-arrow-left"></i>
Kembali
        </a>

        <!-- Table -->
        <div class="table-responsive">
            <table class="table table-bordered
table-striped">
                <thead class="table-light">
                    <tr>
                        <th>Foto</th>
                        <th>Nama</th>
                        <th>NIP</th>
                        <th>Status</th>
                        <th>Tempat Lahir</th>
                        <th>Tanggal Lahir</th>
                        <th>Jenis Kelamin</th>
                        <th>Alamat</th>
                        <th>Email</th>
                        <th>Telepon</th>
                        <th>Actions</th>
                    </tr>
                </thead>
                <tbody>
                    <?php if ($result->num_rows
> 0): ?>
                        <?php while ($row = $result-
>fetch_assoc()): ?>
                            <tr>
                                <td></td>
                                <td><?php echo
$row['nama']; ?></td>
                                <td><?php echo
$row['nip']; ?></td>
                                <td><?php echo
$row['status']; ?></td>

```

```

<td><?php echo
$row['Tempat_Lahir']; ?></td>

<td><?php echo
$row['Tanggal_lahir']; ?></td>

<td><?php echo
$row['JK'] == 'P' ? 'Perempuan' : 'Laki-
Laki'; ?></td>

<td><?php echo
$row['alamat']; ?></td>

<td><?php echo
$row['email']; ?></td>

<td><?php echo
$row['telepon']; ?></td>

<td>

<form method="post"
action="edit_data_guru.php"
style="display:inline;">

<input
type="hidden" name="id" value="<?php
echo $row['id']; ?>">

<button
type="submit" name="edit" class="btn
btn-primary btn-sm">

<i class="bi bi-
pencil"></i> Edit

</button>

</form>

<form method="post"
action="data_guru.php"
style="display:inline;">

<input
type="hidden" name="id" value="<?php
echo $row['id']; ?>">

```

```

<button
type="submit" name="delete" class="btn
btn-danger btn-sm"

onclick="return
confirm('Apakah anda ingin menghapus
data ini?');">

<i class="bi bi-
trash"></i> Delete

</button>

</form>

</td>

</tr>

<?php endwhile; ?>

<?php else: ?>

<tr>

<td colspan="11"
class="text-center">No
records
found</td>

</tr>

<?php endif; ?>

</tbody>

</table>

</div>

<h2 class="mt-4">Tambah Data
Guru</h2>

<form method="post"
action="data_guru.php"
enctype="multipart/form-data"
class="border p-4 bg-light rounded">

<div class="mb-3">

```

```

        <label for="nama" class="form-label">Nama:</label>

        <input type="text" name="nama"
class="form-control" required>

    </div>

    <div class="mb-3">

        <label for="nip" class="form-label">NIP:</label>

        <input type="text" name="nip"
class="form-control" required>

    </div>

    <div class="mb-3">

        <label for="status" class="form-label">Status:</label>

        <input type="text" name="status"
class="form-control" required>

    </div>

    <div class="mb-3">

        <label for="tempat_lahir"
class="form-label">Tempat Lahir:</label>

        <input type="text"
name="tempat_lahir" class="form-control" required>

    </div>

    <div class="mb-3">

        <label for="tanggal_lahir"
class="form-label">Tanggal
Lahir:</label>

        <input type="date"
name="tanggal_lahir" class="form-control" required>

    </div>

    <div class="mb-3">

```

```

        <label for="jk" class="form-label">Jenis Kelamin:</label>

        <select name="jk" class="form-select" required>

            <option
value="P">Perempuan</option>

            <option value="L">Laki-
Laki</option>

        </select>

    </div>

    <div class="mb-3">

        <label for="alamat" class="form-label">Alamat:</label>

        <textarea name="alamat"
class="form-control" required></textarea>

    </div>

    <div class="mb-3">

        <label for="email" class="form-label">Email:</label>

        <input type="email"
name="email" class="form-control"
required>

    </div>

    <div class="mb-3">

        <label for="telepon" class="form-label">Telepon:</label>

        <input type="text"
name="telepon" class="form-control"
required>

    </div>

    <div class="mb-3">

        <label for="foto" class="form-label">Foto:</label>

```

```

        <input type="file" name="foto"
class="form-control" accept="image/*">

    </div>

        <button type="submit"
name="create" class="btn btn-primary">

        <i class="bi bi-plus"></i>
Tambah Guru

    </button>

</form>

</div>

<!-- Bootstrap JS -->

                                <script
src="https://cdn.jsdelivr.net/npm/bootstrap
@5.3.0/dist/js/bootstrap.bundle.min.js"></
script>

</body>

</html>

Data Siswa

<?php
include ("../conn.php");

// Create a new student record
if ($_SERVER['REQUEST_METHOD']
== 'POST' && isset($_POST['create'])) {

    $nama = $_POST['nama'];

    $jk = $_POST['jk'];

    $nis = $_POST['nis'];

    $kls = $_POST['kelas'];

    $tempat_lahir = $_POST['tempat_lahir'];

    $tanggal_lahir = $_POST['tanggal_lahir'];

    $data_ortu = $_POST['Data_ortu'];

    $alamat = $_POST['alamat'];

    $no_hp = $_POST['no_hp'];

    $asal_sekolah = $_POST['asal_sekolah'];

    $sql = "INSERT INTO tbl_data_siswa
(Nama, JK, NIS, Kelas, Tempat_lahir,
Tanggal_lahir, Data_ortu, No_hp, Alamat ,
Asal_sekolah)

        VALUES      ('$nama',      '$jk',
'$nis','$kls',              '$tempat_lahir',
'$tanggal_lahir' , '$data_ortu', '$no_hp',
'$alamat', '$asal_sekolah')";

    if ($conn->query($sql) === TRUE) {

        header('Location:
tbl_data_siswa.php?message=Sukses
tambah data');

        exit();

    } else {

        echo "Error: " . $sql . "<br>" . $conn-
>error;

    }

}

// Update an existing student record
if ($_SERVER['REQUEST_METHOD']
== 'POST' && isset($_POST['update'])) {

```

```

        $id = $_POST['id'];
        $nama = $_POST['nama'];
        $jk = $_POST['jk'];
        $nis = $_POST['nis'];
        $kls = $_POST['kelas'];

        $tempat_lahir = $_POST['tempat_lahir'];
        $tanggal_lahir = $_POST['tanggal_lahir'];
        $data_ortu = $_POST['Data_ortu'];
        $no_hp = $_POST['no_hp'];
        $alamat = $_POST['alamat'];
        $asal_sekolah = $_POST['asal_sekolah'];

        $sql = "UPDATE tbl_data_siswa SET
        Nama='$nama', JK='$jk', NIS='$nis',
        Kelas='$kls',
        Tempat_lahir='$tempat_lahir',
        Tanggal_lahir='$tanggal_lahir',Data_ortu
        ='$data_ortu',
        No_hp='$no_hp',Alamat='$alamat',
        Asal_sekolah='$asal_sekolah' WHERE
        id=$id";

        if ($conn->query($sql) === TRUE) {
            header('Location:
            tbl_data_siswa.php?message=Sukses
            update data');
            exit();
        } else {
            echo "Error: " . $sql . "<br>" . $conn-
            >error;
        }
    }

    // Delete a student record
    if ($_SERVER['REQUEST_METHOD']
    == 'POST' && isset($_POST['delete'])) {
        $id = $_POST['id'];

        $sql = "DELETE FROM tbl_data_siswa
        WHERE id=$id";

        if ($conn->query($sql) === TRUE) {
            header('Location:
            tbl_data_siswa.php?message=Sukses
            hapus data');
            exit();
        } else {
            echo "Error: " . $sql . "<br>" . $conn-
            >error;
        }
    }

    $sql = "SELECT * FROM
    tbl_data_siswa";
    $result = $conn->query($sql);

    $conn->close();
?>
<!DOCTYPE html>
<html lang="en">

```

<pre> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial- scale=1.0"> <title>Data Siswa</title> <!-- Bootstrap CSS --> <link href="https://cdn.jsdelivr.net/npm/bootstrap p@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet"> <!-- Bootstrap Icons --> <link href="https://cdn.jsdelivr.net/npm/bootstrap p-icons@1.10.0/font/bootstrap-icons.css" rel="stylesheet"> <style> body { background: url('https://source.unsplash.com/random/1 920x1080?school,education') no-repeat center center fixed; background-size: cover; color: #333; } .container { background-color: rgba(255, 255, 255, 0.9); padding: 20px; </pre>	<pre> border-radius: 8px; margin-top: 20px; } .back-button { margin-bottom: 20px; } .btn-success { background-color: #28a745; border: none; } .btn-success:hover { background-color: #218838; } table { margin-bottom: 20px; } .form-control, .form-select, .btn- primary { border-radius: 5px; } .form-control, .form-select { margin-bottom: 15px; </pre>
--	---

```

    }

    .alert {
        margin-bottom: 20px;
    }
</style>
</head>

<body>
    <div class="container">
        <!-- Message Display -->
        <?php if (isset($_GET['message'])):
?>
            <div class="alert alert-success"
role="alert">
                <?php echo $_GET['message'];
?>
            </div>
            <?php endif; ?>

            <h1 class="mb-4">Data Siswa</h1>
            <button class="btn btn-success mb-4"
onclick="location.href='dashboard.php'">
                <i class="bi bi-arrow-left-
circle"></i> Kembali
            </button>

            <!-- Table -->
            <div class="table-responsive">

```

```

        <table class="table table-bordered
table-striped">
            <thead class="table-light">
                <tr>
                    <th>Nama</th>
                    <th>Jenis Kelamin</th>
                    <th>NIS</th>
                    <th>Kelas</th>
                    <th>Tempat Lahir</th>
                    <th>Tanggal Lahir</th>
                    <th>Nama Orang Tua</th>
                    <th>No_hp</th>
                    <th>Alamat</th>
                    <th>Asal_sekolah</th>
                    <th>Actions</th>
                </tr>
            </thead>
            <tbody>
                <?php if ($result->num_rows
> 0): ?>
                    <?php while ($row =
$result->fetch_assoc()): ?>
                        <tr>
                            <td><?php echo
$row['Nama']; ?></td>
                            <td><?php echo
$row['JK'] == 'P' ? 'Perempuan' : 'Laki-
Laki'; ?></td>
                            <td><?php echo
$row['NIS']; ?></td>

```

```

        <td><?php
$row['Kelas']; ?></td>
        <td><?php
$row['Tempat_lahir']; ?></td>
        <td><?php
$row['Tanggal_lahir']; ?></td>
        <td><?php
$row['Data_ortu']; ?></td>
        <td><?php
$row['No_hp']; ?></td>
        <td><?php
$row['Alamat']; ?></td>
        <td><?php
$row['Asal_sekolah']; ?></td>
    <td>

    <form
method="post"
action="edit_data_siswa.php"
style="display:inline;">

        <input
type="hidden" name="id" value="<?php
echo $row['id']; ?>">

        <button
type="submit" name="edit" class="btn
btn-primary btn-sm">

        <i class="bi bi-
pencil"></i> Edit

    </button>

</form>

    <form
method="post"
action="tbl_data_siswa.php"
style="display:inline;">

        <input
type="hidden" name="id" value="<?php
echo $row['id']; ?>">

        <button
type="submit" name="delete" class="btn
btn-danger btn-sm"
onclick="return confirm('Apakah anda
ingin menghapus data ini?');">

        <i class="bi bi-
trash"></i> Delete

    </button>

</form>

</td>

</tr>

<?php endwhile; ?>
<?php else: ?>
<tr>
    <td colspan="8"
class="text-center">No
found</td>

</tr>

<?php endif; ?>

</tbody>

</table>

</div>

    <h2 class="mt-4">Tambah Data
Siswa</h2>

    <form
method="post"
action="tbl_data_siswa.php"
class="border p-4 bg-light">

```

```

        <div class="mb-3">
            <label for="nama" class="form-label">Nama:</label>
            <input type="text"
name="nama" class="form-control"
required>
        </div>
        <div class="mb-3">
            <label for="jk" class="form-label">Jenis Kelamin:</label>
            <select name="jk" class="form-select" required>
                <option value="L">Laki-
Laki</option>
                <option
value="P">Perempuan</option>
            </select>
        </div>
        <div class="mb-3">
            <label for="nis" class="form-label">NIS:</label>
            <input type="text" name="nis"
class="form-control" required>
        </div>
        <div class="mb-3">
            <label for="kls" class="form-label">Kelas:</label>
            <select name="kelas"
class="form-select" required>
                <option value="Kelas
1">Kelas 1</option>
                <option value="Kelas
2">Kelas 2</option>
                <option value="Kelas
3">Kelas 3</option>
                <option value="Kelas
4">Kelas 4</option>
                <option value="Kelas
5">Kelas 5</option>
                <option value="Kelas
6">Kelas 6</option>
            </select>
        </div>
        <div class="mb-3">
            <label for="tempat_lahir"
class="form-label">Tempat Lahir:</label>
            <input type="text"
name="tempat_lahir" class="form-control"
required>
        </div>
        <div class="mb-3">
            <label for="tanggal_lahir"
class="form-label">Tanggal
Lahir:</label>
            <input type="date"
name="tanggal_lahir" class="form-control"
required>
        </div>
        <div class="mb-3">
            <label for="nis" class="form-label">Nama Orang Tua:</label>
            <input type="text"
name="Data_ortu" class="form-control"
required>
        </div>
        <div class="mb-3">

```

```

        <label for="nis" class="form-label">No_hp:</label>

        <input type="text"
name="no_hp" class="form-control"
required>

    </div>

    <div class="mb-3">

        <label for="alamat"
class="form-label">Alamat:</label>

        <textarea name="alamat"
class="form-control" required></textarea>

    </div>

    <div class="mb-3">

        <label for="nis" class="form-label">Asal_sekolah:</label>

        <input type="text"
name="asal_sekolah" class="form-control" required>

    </div>

    <button type="submit"
name="create" class="btn btn-primary">

        <i class="bi bi-person-plus"></i> Tambah Siswa

    </button>

</form>

</div>

<!-- Bootstrap JS -->

<script
src="https://cdn.jsdelivr.net/npm/bootstrap
@5.3.0/dist/js/bootstrap.bundle.min.js"></script>

</body>

```

```

</html>

<?php
include ("../conn.php");

// Memastikan ID diterima dengan benar
if ($_SERVER['REQUEST_METHOD']
== 'POST' && isset($_POST['id'])) {

    $id = $_POST['id'];

    $sql = "SELECT * FROM
tbl_data_siswa WHERE id=$id";

    $result = $conn->query($sql);

    if ($result && $result->num_rows > 0) {

        $row = $result->fetch_assoc();

    } else {

        die("Data tidak ditemukan atau query
gagal: " . $conn->error);

    }

} else {

    die("ID tidak ditemukan.");

}

$conn->close();

?>

<!DOCTYPE html>

<html lang="en">

<head>

```

```

<meta charset="UTF-8">

<meta                name="viewport"
content="width=device-width,    initial-
scale=1.0">

<title>Edit Student</title>

<!-- Bootstrap CSS -->

<link
href="https://cdn.jsdelivr.net/npm/bootstra
p@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">

<!-- Bootstrap Icons -->

<link
href="https://cdn.jsdelivr.net/npm/bootstra
p-icons@1.10.0/font/bootstrap-icons.css"
rel="stylesheet">

<style>

    body {

        background:
url('https://source.unsplash.com/random/1
920x1080?education,school')    no-repeat
center center fixed;

        background-size: cover;

        color: #333;

    }

    .container {

        background-color: rgba(255, 255,
255, 0.9);

        padding: 30px;

        border-radius: 8px;

        margin-top: 50px;

        max-width: 600px;

        box-shadow: 0 4px 8px rgba(0, 0, 0,
0.2);

    }

    .form-control,    .form-select,    .btn-
primary {

        border-radius: 5px;

    }

    .btn-primary {

        background-color: #007bff;

        border: none;

    }

    .btn-primary:hover {

        background-color: #0056b3;

    }

    h2 {

        margin-bottom: 20px;

    }

    .back-button {

        /* margin-top: 20px; */

        /* padding: px 20px; */

        /* font-size: 16px; */

        color: #fff;

        background-color: #28a745;

```

```

border: none;
border-radius: 5px;
cursor: pointer;
height: 38px;
}

.back-button:hover {
background-color: #218838;
}
</style>
</head>

<body>
<div class="container">
<h2><i class="bi bi-pencil-square"></i> Edit Student</h2>
<form method="post"
action="tbl_data_siswa.php">
<input type="hidden" name="id"
value="<?php echo $row['id']; ?>">
<div class="mb-3">
<label for="nama" class="form-label">Nama:</label>
<input type="text"
name="nama" class="form-control"
value="<?php echo $row['Nama']; ?>"
required>
</div>
<div class="mb-3">
<label for="jk" class="form-label">Jenis Kelamin:</label>

```

```

<select name="jk" class="form-select" required>
<option value="L" <?php if
($row['JK'] == 'L') echo 'selected';
?>>Laki-Laki</option>
<option value="P" <?php if
($row['JK'] == 'P') echo 'selected';
?>>Perempuan</option>
</select>
</div>
<div class="mb-3">
<label for="nis" class="form-label">NIS:</label>
<input type="text" name="nis"
class="form-control" value="<?php echo
$row['NIS']; ?>" required>
</div>
<div class="mb-3">
<label for="kls" class="form-label">Kelas:</label>
<select name="kelas"
class="form-select" required>
<option value="Kelas 1"
<?php if ($row['Kelas'] == 'Kelas 1') echo
'selected'; ?>>Kelas 1</option>
<option value="Kelas 2"
<?php if ($row['Kelas'] == 'Kelas 2') echo
'selected'; ?>>Kelas 2</option>
<option value="Kelas 3"
<?php if ($row['Kelas'] == 'Kelas 3') echo
'selected'; ?>>Kelas 3</option>
<option value="Kelas 4"
<?php if ($row['Kelas'] == 'Kelas 4') echo
'selected'; ?>>Kelas 4</option>

```

```

        <option value="Kelas 5"
<?php if ($row['Kelas'] == 'Kelas 5') echo
'selected'; ?>>Kelas 5</option>

        <option value="Kelas 6"
<?php if ($row['Kelas'] == 'Kelas 6') echo
'selected'; ?>>Kelas 6</option>

    </select>

</div>

<div class="mb-3">

    <label for="tempat_lahir"
class="form-label">Tempat Lahir:</label>

    <input type="text"
name="tempat_lahir" class="form-
control" value="<?php echo
$row['Tempat_lahir']; ?>" required>

</div>

<div class="mb-3">

    <label for="tanggal_lahir"
class="form-label">Tanggal
Lahir:</label>

    <input type="date"
name="tanggal_lahir" class="form-
control" value="<?php echo
$row['Tanggal_lahir']; ?>" required>

</div>

<div class="mb-3">

    <label for="nis" class="form-
label">Nama orang tua :</label>

    <input type="text"
name="Data_ortu" class="form-control"
value="<?php echo $row['Data_ortu']; ?>"
required>

</div>

<div class="mb-3">

```

```

        <label for="nis" class="form-
label">No hp:</label>

        <input type="text"
name="no_hp" class="form-control"
value="<?php echo $row['No_hp']; ?>"
required>

</div>

<div class="mb-3">

    <label for="alamat"
class="form-label">Alamat:</label>

    <textarea name="alamat"
class="form-control" required><?php echo
$row['Alamat']; ?></textarea>

</div>

<div class="mb-3">

    <label for="nis" class="form-
label">Asal sekolah:</label>

    <input type="text"
name="asal_sekolah" class="form-
control" value="<?php echo
$row['Asal_sekolah']; ?>" >

</div>

    <button type="submit"
name="update" class="btn btn-primary">

        <i class="bi bi-save"></i>
Update

    </button>

    <button type="button"
class="back-button"
onclick="history.back()">

        <i class="bi bi-arrow-left-
circle"></i> Kembali

    </button>

</form>

```

```

</div>

<!-- Bootstrap JS -->

<script
src="https://cdn.jsdelivr.net/npm/bootstrap
@5.3.0/dist/js/bootstrap.bundle.min.js"></
script>
</body>

</html>

Data Tendik
<?php
include("../conn.php");
// Memastikan ID diterima dengan benar
if ($_SERVER['REQUEST_METHOD']
== 'POST' && isset($_POST['id']) &&
isset($_POST['edit'])) {

    $id = $_POST['id'];

    $sql = "SELECT * FROM tbl_tendik
WHERE id=$id";

    $result = $conn->query($sql);

    if ($result && $result->num_rows > 0) {
        $row = $result->fetch_assoc();
    } else {
        die("Data tidak ditemukan atau query
gagal: " . $conn->error);
    }
} else {

    die("ID tidak ditemukan.");
}

$conn->close();
?>
<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta
        name="viewport"
content="width=device-width,
initial-
scale=1.0">

    <title>Edit Teacher</title>

    <link rel="stylesheet" href="style.css">

</head>

<body>

    <div class="container">

        <h2>Edit Teacher</h2>

        <form
            method="post"
action="data_tendik.php"
enctype="multipart/form-data">

            <input type="hidden" name="id"
value="<?php echo $row['id']; ?>">

            <label for="nama">Nama:</label>

            <input type="text" name="nama"
value="<?php echo $row['nama']; ?>"
required><br>

            <label for="status">Status:</label>

```

```

        <input type="text" name="status"
value="<?php echo $row['status']; ?>"
required><br>

```

```

        <label
for="pend_terakhir">Pendidikan
terakhir:</label>

```

```

        <input type="text"
name="pend_terakhir" value="<?php echo
$row['pend_terakhir']; ?>" required><br>

```

```

        <label
for="agama">Agama:</label>

```

```

        <input type="text" name="agama"
value="<?php echo $row['agama']; ?>"
required><br>

```

```

        <label for="email">Email:</label>

```

```

        <input type="email" name="email"
value="<?php echo $row['email']; ?>"
required><br>

```

```

        <label for="jk">Jenis
Kelamin:</label>

```

```

        <select name="jk" required>

```

```

            <option value="P" <?php if
($row['JK'] == 'P')

```

```

                echo 'selected';
?>>Perempuan</option>

```

```

            <option value="L" <?php if
($row['JK'] == 'L')

```

```

                echo 'selected'; ?>>Laki-
Laki</option>

```

```

        </select><br>

```

```

        <label
for="no_hp">No_hp:</label>

```

```

        <textarea name="no_hp"
required><?php echo $row['no_hp'];
?></textarea><br>

```

```

        <label for="email">Email:</label>

```

```

        <input type="email" name="email"
value="<?php echo $row['email']; ?>"
required><br>

```

```

        <label for="Alamat" class="form-
label">Alamat:</label>

```

```

        <input type="text" name="alamat"
class="form-control" required>

```

```

        <label for="foto">Foto:</label>

```

```

        <input type="file" name="foto"
accept="image/*"><br>

```

```

        <button type="submit"
name="update">Update</button>

```

```

        <button type="button"
class="back-button"
onclick="history.back()">

```

```

        <i class="bi bi-arrow-left-
circle"></i> Kembali

```

```

        </button>

```

```

    </form>

```

```

</div>

```

```

</body>

```

```

</html>

```

```

Jadwal Pelajaran

```

```

<?php

```

```

include ("../conn.php");

```

```

// Tangani upload file

```

```

if ($_SERVER['REQUEST_METHOD']
== 'POST' &&
isset($_FILES['fileUpload'])) {

    $fileName =
$_FILES['fileUpload']['name'];

    $fileData =
file_get_contents($_FILES['fileUpload']['t
mp_name']);

    // Periksa apakah file data dibaca dengan
    benar
    if ($fileData === false) {
        die("Gagal membaca file.");
    }

    // Prepare statement untuk memasukkan
    data
    $stmt = $conn->prepare("INSERT
    INTO tb_jadwal (nama_file, file_data)
    VALUES (?, ?)");
    if ($stmt === false) {
        die("Prepare failed: " . $conn->error);
    }

    // Bind parameter menggunakan 's' untuk
    string (file name) dan 'b' untuk blob (file
    data)
    $null = NULL;
    $stmt->bind_param("sb", $fileName,
    $null);
    $stmt->send_long_data(1, $fileData);

    // Eksekusi query
    if ($stmt->execute()) {
        header("Location: " .
        $_SERVER['PHP_SELF']); // Refresh
        halaman
        exit();
    } else {
        echo "Gagal mengunggah file: " .
        $stmt->error;
    }
    $stmt->close();
}

// Tangani penghapusan file
if ($_SERVER['REQUEST_METHOD']
== 'POST' && isset($_POST['delete'])) {
    $fileName = $_POST['delete'];
    $fileName = $conn-
    >real_escape_string($fileName);

    $query = "DELETE FROM tb_jadwal
    WHERE nama_file='$fileName'";
    if ($conn->query($query)) {
        header("Location: " .
        $_SERVER['PHP_SELF']); // Refresh
        halaman
        exit();
    } else {
    }
}

```

```

// Tangani pencarian file
if (isset($_GET['search'])) {
    $search = $_GET['search'];
    $search = $conn->real_escape_string($search);

    $query = "SELECT nama_file FROM
tb_jadwal WHERE nama_file LIKE
'%" . $search . "%'";

    $result = $conn->query($query);

    $files = [];
    if ($result) {
        while ($row = $result->fetch_assoc()) {
            $files[] = $row['nama_file'];
        }
    }

    header('Content-Type:
application/json');
    echo json_encode($files);
    exit();
}

// Tangani unduhan file
if (isset($_GET['file'])) {
    $fileName = $_GET['file'];

    $fileName = $conn->real_escape_string($fileName);

    $query = "SELECT file_data FROM
tb_jadwal WHERE
nama_file='" . $fileName . "'";

    $result = $conn->query($query);

    if ($result && $row = $result->fetch_assoc()) {
        header('Content-Type:
application/pdf');

        header('Content-Disposition:
attachment; filename="' . $fileName . '"');

        echo $row['file_data'];
        exit();
    } else {
        echo "File tidak ditemukan.";
        exit();
    }
}

$conn->close();
?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">

```

```

        <meta name="viewport"
content="width=device-width, initial-
scale=1.0">

```

```

        <title>Upload dan Download
File</title>

```

```

        <!-- Bootstrap CSS -->

```

```

                                <link
href="https://cdn.jsdelivr.net/npm/bootstrap
p@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">

```

```

        <!-- Bootstrap Icons -->

```

```

                                <link
href="https://cdn.jsdelivr.net/npm/bootstra
p-icons@1.10.0/font/bootstrap-icons.css"
rel="stylesheet">

```

```

        <!-- Tailwind CSS -->

```

```

                                <link
href="https://cdn.jsdelivr.net/npm/tailwind
css@2.2.19/dist/tailwind.min.css"
rel="stylesheet">

```

```

        <style>

```

```

            body {

```

```

                                background:
url('https://source.unsplash.com/random/1
920x1080?nature,background') no-repeat
center center fixed;

```

```

                background-size: cover;

```

```

            }

```

```

            .container {

```

```

                background-color: rgba(255, 255,
255, 0.9);

```

```

                margin-top: 250px;

```

```

                padding: 30px;

```

```

                border-radius: 8px;
                box-shadow: 0 4px 8px rgba(0, 0, 0,
0.2);

```

```

                width: 70%;

```

```

                /* Set width to 70% of the viewport
width */

```

```

                max-width: 800px;

```

```

                /* Optional: Limit the maximum
width */

```

```

            }

```

```

            .back-button,

```

```

            .delete-button,

```

```

            .search-button,

```

```

            .upload-button {

```

```

                font-size: 16px;

```

```

                border-radius: 5px;

```

```

                cursor: pointer;

```

```

            }

```

```

            .back-button {

```

```

                margin-top: 10px;

```

```

                padding: 10px;

```

```

                color: #fff;

```

```

                background-color: #28a745;

```

```

            }

```

```

            .back-button:hover {

```

```

                background-color: #218838;

```

```

}

.delete-button {
  background-color: #dc3545;
  color: white;
  padding: 8px 12px;
  margin-left: 8px;
}

.delete-button:hover {
  background-color: #c82333;
}

.search-button,
.upload-button {
  margin-top: 10px;
  padding: 10px;
  color: #fff;
  border: none;
}

.search-button {
  background-color: #007bff;
}

.search-button:hover {
  background-color: #0056b3;
}
}

.upload-button {
  background-color: #28a745;
}

.upload-button:hover {
  background-color: #218838;
}

.form-control {
  border-radius: 5px;
}
</style>
</head>

<body class="d-flex justify-content-center align-items-center vh-100">
  <div class="container">
    <h1 class="text-2xl font-bold mb-6 text-center"><i class="bi bi-file-earmark-arrow-up"></i> Upload dan Download
      File</h1>

    <form id="uploadForm" action="" method="post" enctype="multipart/form-data" class="mb-6">

    <div class="mb-4">

```

```

        <label for="fileUpload"
class="form-label">Pilih file PDF untuk
diunggah:</label>

```

```

        <input type="file"
id="fileUpload"      name="fileUpload"
accept=".pdf"      required      class="form-
control">

```

```

    </div>

```

```

        <button type="submit"
class="upload-button w-100"><i class="bi
bi-upload"></i> Upload</button>

```

```

        <button type="button" class="back-
button      w-100"
onclick="location.href='dashboard.php'">
<i

```

```

        class="bi bi-arrow-left"></i>
Kembali</button>

```

```

    </form>

```

```

    <form id="searchForm" class="mb-
6">

```

```

        <div class="mb-4">

```

```

            <label for="search" class="form-
label">Cari nama file:</label>

```

```

            <input type="text" id="search"
name="search"      required      class="form-
control">

```

```

        </div>

```

```

            <button type="button"
onclick="searchFiles()"      class="search-
button      w-100"><i      class="bi      bi-
search"></i> Cari

```

```

            File</button>

```

```

    </form>

```

```

    <div id="fileList" class="file-list">

```

```

        <!-- File list will be dynamically
inserted here -->

```

```

    </div>

```

```

</div>

```

```

    <!-- Bootstrap JS and dependencies -->

```

```

        <script
src="https://cdn.jsdelivr.net/npm/bootstrap
@5.3.0/dist/js/bootstrap.bundle.min.js"></
script>

```

```

    <script>

```

```

        document.getElementById('uploadFo
rm').addEventListener('submit', function
(event) {

```

```

            event.preventDefault();

```

```

            var formData = new FormData(this);

```

```

            fetch("", {
                method: 'POST',
                body: formData
            })

```

```

            .then(response => response.text())

```

```

            .then(data => {

```

```

                if (data.includes('File berhasil
diunggah')) {

```

```

                    alert('File berhasil
diunggah!');

```

```

                    window.location.reload();

```

```

                } else {

```

```

        alert('Gagal mengunggah
file.');
```

```

    }
  })
  .catch(error => {
    console.error('Error:', error);
    alert('Terjadi kesalahan.');
```

```

  });

  function searchFiles() {
    const searchTerm =
document.getElementById('search').value;
    fetch(`?search=${encodeURIComponent(
searchTerm)}`)
      .then(response =>
response.json())
      .then(data => {
        const fileList =
document.getElementById('fileList');
        fileList.innerHTML = "";
        if (data.length > 0) {
          data.forEach(file => {
            const div =
document.createElement('div');
            div.className = 'file-item
d-flex justify-content-between align-items-
center mb-4';
            div.innerHTML = `
              <span>${file}</span>
              <button
onclick="downloadFile('${file}')"
class="btn btn-primary"><i class="bi bi-
download"></i> Download</button>
              <button
onclick="deleteFile('${file}')"
class="delete-button"><i class="bi bi-
trash"></i> Hapus</button>
            `;
            fileList.appendChild(div);
          });
        } else {
          fileList.innerHTML = '<p
class="text-center text-gray-500">Tidak
ada file ditemukan.</p>';
        }
      })
      .catch(error =>
console.error('Error:', error));
    }

    function downloadFile(fileName) {
      window.location.href =
`?file=${encodeURIComponent(fileName
)}`;
    }

    function deleteFile(fileName) {
      if (confirm('Anda yakin ingin
menghapus file ini?')) {
        const formData = new
FormData();

```

```

        formData.append('delete',
fileName);

        fetch(", {
            method: 'POST',
            body: formData
        })
            .then(response =>
response.text())
            .then(data => {
                if (data.includes('Berhasil'))
{
                    alert('Berhasil menghapus
file.');
```

```

                    window.location.reload();
                } else {
                    alert('File gagal dihapus!');
                }
            })
            .catch(error =>
console.error('Error:', error));
        }
    }

    // Load file list on page load
    document.addEventListener('DOMContentLoaded', function () {
        searchFiles(); // Optionally, load the
file list on page load if needed
    });

```

```

</script>
</body>

</html>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
    <title>Profil Sekolah</title>
    <link
href="https://cdn.jsdelivrivr.net/npm/bootstra
p@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
    <!-- Bootstrap Icons -->
    <link
href="https://cdn.jsdelivrivr.net/npm/bootstra
p-icons@1.10.0/font/bootstrap-
icons.min.css" rel="stylesheet">
    <link rel="stylesheet" href="style.css">
<style>
    body {
        font-family: Arial, sans-serif;
        background-color: #f4f4f4;
        padding: 20px;
    }

```

```

        h1 {
            color: #007BFF;
        }
    </style>
</head>

<body>
    <h1>Profil Sekolah</h1>

    <p>Selamat datang di halaman profil
    sekolah. Di sini Anda bisa menemukan
    informasi tentang sekolah kami.</p>

    <p>NAMA KEPALA SEKOLAH : H
    MUHAMMAD AMNIN S.Ag.,M.Pd </p>

    <p>JENI SEKOLAH : NEGERI </p>

    <p>NPSN : 40305650 </p>

    <p>ALAMAT SEKOLAH : JL.MUH
    DJUNAID NOMOR 3 DESA TETEAJI
    </p>

    <p>KECAMATAN : TELLU LIMPOE
    </p>

    <p>KOTA : SIDRAP </p>

    <p>PROVINSI      :      SULAWESI
    SELATAN </p>

    <P>EMAIL          :
    sdnteteaji2@gmail.com</P>

    <a href="dashboard.php" class="btn
    btn-success mb-4">

        <i class="bi bi-arrow-left"></i>
    Kembali

    </a>
</body>

</html>

Dokumen
<?php
include ("../conn.php");

// Handle file upload

if ($_SERVER['REQUEST_METHOD']
== 'POST') {

    if (isset($_FILES["fileUpload"])) {

        $target_file
        =
        $_FILES["fileUpload"]["tmp_name"];

        $fileType
        =
        strtolower(pathinfo($_FILES["fileUpload"
        ][ "name"], PATHINFO_EXTENSION));

        // Periksa apakah format file yang
        diizinkan

        if ($fileType != "xlsx" && $fileType
        != "xls" && $fileType != "pdf" &&
        $fileType != "doc" && $fileType !=
        "docx") {

            $upload_message = "<p>Maaf,
            hanya file Excel (XLSX atau XLS), PDF,
            dan Word (DOC atau DOCX) yang
            diizinkan.</p>";

        } else {

            $file_data
            =
            file_get_contents($target_file);

            $stmt = $conn->prepare("INSERT
            INTO file_dokumen (nama_file, file_data)
            VALUES (?, ?)");

```

```

    }

    if (!$stmt) {
        die("Error preparing statement: "
        . $conn->error);
    }

    $nama_file =
    basename($_FILES["fileUpload"]["name"]
    );

    $stmt->bind_param("sb",
    $nama_file, $file_data);

    $stmt->send_long_data(1,
    $file_data);

    if ($stmt->execute()) {
        // Set success message

        $_SESSION['upload_message']
        = "<p>File berhasil diunggah.</p>";

        // Redirect to the same page to
        prevent form resubmission

        header("Location: "
        . $_SERVER['PHP_SELF']);

        exit;
    } else {
        $upload_message = "<p>Maaf,
        terjadi kesalahan saat menyimpan file: " .
        $stmt->error . "</p>";
    }

    $stmt->close();
}

}

// Display the message if available
if
(isset($_SESSION['upload_message'])) {
    echo $_SESSION['upload_message'];

    unset($_SESSION['upload_message']); //
    Clear the message after displaying
}

if
($_SERVER['REQUEST_METHOD'] ==
'POST' && isset($_POST['delete'])) {
    $file = urldecode($_POST['file']);

    $stmt = $conn->prepare("DELETE
    FROM file_dokumen WHERE nama_file
    = ?");

    if (!$stmt) {
        die("Error preparing statement: " .
        $conn->error);
    }

    $stmt->bind_param("s", $file);

    if ($stmt->execute()) {
        echo "Berhasil menghapus file: " .
        $file;
    }
}

```

```

    } else {
        echo "Gagal menghapus file: " .
        $stmt->error;
    }

    $stmt->close();
    exit; // Pastikan tidak ada output yang
    dikirim setelah penghapusan
}

}

// Handle file download
if ($_SERVER['REQUEST_METHOD']
== 'GET') {
    if (isset($_GET['file'])) {
        $file = urldecode($_GET['file']);

        $stmt = $conn->prepare("SELECT
file_data FROM file_dokumen WHERE
nama_file = ?");

        if (!$stmt) {
            die("Error preparing statement: " .
$conn->error);
        }

        $stmt->bind_param("s", $file);
        $stmt->execute();
        $stmt->store_result();
        $stmt->bind_result($file_data);

```

```

    if ($stmt->num_rows > 0) {
        $stmt->fetch();

        // Set MIME type based on file
        extension

        $file_extension = pathinfo($file,
PATHINFO_EXTENSION);
        $mime_type = "";
        switch ($file_extension) {
            case 'xlsx':
            case 'xls':

                $mime_type =
'application/vnd.openxmlformats-
officedocument.spreadsheetml.sheet';
                break;
            case 'pdf':
                $mime_type =
'application/pdf';
                break;
            case 'doc':
            case 'docx':
                $mime_type =
'application/vnd.openxmlformats-
officedocument.wordprocessingml.docum
ent';
                break;
        }

        header('Content-Description: File
Transfer');

```

```

        header('Content-Type:      ' .
$mime_type);

        header('Content-Disposition:
attachment; filename=' . basename($file));

        header('Expires: 0');

        header('Cache-Control:      must-
revalidate');

        header('Pragma: public');

        header('Content-Length:      ' .
strlen($file_data));

        echo $file_data;

        exit;
    } else {

        $upload_message = "<p>File tidak
ditemukan.</p>";

    }

    $stmt->close();
}

```

```

if (isset($_GET['search'])) {

    $search_term = '%' . $_GET['search']
. '%';

    $stmt = $conn->prepare("SELECT
nama_file FROM file_dokumen WHERE
nama_file LIKE ?");

    if (!$stmt) {

        die("Error preparing statement: " .
$conn->error);

    }

```

```

        $stmt->bind_param("s",
$search_term);

        $stmt->execute();

        $result = $stmt->get_result();

        $files = [];

        while ($row = $result->fetch_assoc())
        {

            $files[] = $row['nama_file'];

        }

        $stmt->close();

        echo json_encode($files);

        exit;

    }

    if (isset($_GET['list'])) {

        $stmt = $conn->prepare("SELECT
nama_file FROM file_dokumen");

        if (!$stmt) {

            die("Error preparing statement: " .
$conn->error);

        }

        $stmt->execute();

        $result = $stmt->get_result();

        $files = [];

        while ($row = $result->fetch_assoc())
        {

            $files[] = $row['nama_file'];

```

```

    }
    $stmt->close();
    echo json_encode($files);
    exit;
}
}

$conn->close();
?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">

    <meta
        name="viewport"
        content="width=device-width, initial-
        scale=1.0">

    <title>Upload      dan      Download
    File</title>

    <!-- Bootstrap CSS -->

    <link
        href="https://cdn.jsdelivr.net/npm/bootstra
        p@5.3.0/dist/css/bootstrap.min.css"
        rel="stylesheet">

    <!-- Bootstrap Icons -->

    <link
        href="https://cdn.jsdelivr.net/npm/bootstra
        p-icons@1.10.0/font/bootstrap-icons.css"
        rel="stylesheet">

    <!-- Tailwind CSS -->

```

```

<link
    href="https://cdn.jsdelivr.net/npm/tailwind
    css@2.2.19/dist/tailwind.min.css"
    rel="stylesheet">

<style>

    body {

        background:
            url('https://source.unsplash.com/random/1
            920x1080?nature,background') no-repeat
            center center fixed;

        background-size: cover;

        font-family: Arial, sans-serif;

        display: flex;

        justify-content: center;

        align-items: center;

        /* height: 100vh; */

        margin: 0;

    }

    .container {

        background-color: rgba(255, 255,
        255, 0.9);

        padding: 30px;

        border-radius: 8px;

        box-shadow: 0 4px 8px rgba(0, 0, 0,
        0.2);

        max-width: 800px;

        height: auto;

    }

    h1 {

```

```

margin-bottom: 20px;
text-align: center;
font-size: 24px;
}

```

```

label {
  display: block;
  margin-bottom: 8px;
}

```

```

input[type="text"],
input[type="file"] {
  width: 100%;
  padding: 10px;
  margin-bottom: 15px;
  border: 1px solid #ccc;
  border-radius: 4px;
}

```

```

button {
  padding: 10px 15px;
  border: none;
  border-radius: 5px;
  cursor: pointer;
  width: 100%;
}

```

```

.upload-button {
  background-color: #28a745;
  color: white;
  margin-bottom: 10px;
}

```

```

.upload-button:hover {
  background-color: #218838;
}

```

```

.back-button {
  background-color: #007bff;
  color: white;
}

```

```

.back-button:hover {
  background-color: #0056b3;
}

```

```

.search-button {
  background-color: #007bff;
  color: white;
}

```

```

.search-button:hover {
  background-color: #0056b3;
}

```

```

.delete-button {
    background-color: #dc3545;
    color: white;
    margin-left: 8px;
}

.delete-button:hover {
    background-color: #c82333;
}

.file-list {
    margin-top: 20px;
}

table {
    width: 100%;
    border-collapse: collapse;
}

th,
td {
    padding: 10px;
    border: 1px solid #ccc;
    text-align: left;
}

td {
    vertical-align: middle;
}

.btn-group {
    display: flex;
    justify-content: space-between;
}

.file-name {
    width: 70%;
}

.btn-actions {
    width: 30%;
    text-align: right;
}
</style>
</head>

<body>
    <div class="container">
        <h1><i class="bi bi-file-earmark-
        arrow-up"></i> Upload dan Download
        File</h1>
        <?php if (isset($upload_message))
            echo $upload_message; ?>
        <form action="" method="post"
        enctype="multipart/form-data">

```

```

        <label for="fileUpload">Pilih file
        untuk diunggah (PDF, Word,
        Excel):</label>

```

```

        <input type="file" id="fileUpload"
        name="fileUpload" required>

```

```

        <button type="submit"
        class="upload-button"><i class="bi bi-
        upload"></i> Upload</button>

```

```

        <button type="button"
        class="back-button"
        onclick="location.href='dashboard.php'">
        <i

```

```

        class="bi bi-arrow-left"></i>
        Kembali</button>

```

```

    </form>

```

```

    <form id="searchForm"
    class="download-form">

```

```

        <label for="search">Cari nama
        file:</label>

```

```

        <input type="text" id="search"
        name="search" required>

```

```

        <button type="button"
        onclick="searchFiles()" class="search-
        button"><i class="bi bi-search"></i> Cari

```

```

        File</button>

```

```

    </form>

```

```

    <div id="fileList" class="file-
    list"></div>

```

```

</div>

```

```

<!-- Bootstrap JS and dependencies -->

```

```

    <script
    src="https://cdn.jsdelivr.net/npm/bootstrap
    @5.3.0/dist/js/bootstrap.bundle.min.js"></
    script>

```

```

    <script>

```

```

        function searchFiles() {
            const searchTerm =
            document.getElementById('search').value;

```

```

            fetch(`?search=${encodeURIComponent(s
            earchTerm)})` )

```

```

                .then(response =>
                response.json())

```

```

                .then(data => {
                    const fileList =
                    document.getElementById('fileList');

```

```

                    fileList.innerHTML = "";

```

```

                    if (data.length > 0) {

```

```

                        let table = `

```

```

                            <table>

```

```

                                <thead>

```

```

                                    <tr>

```

```

                                        <th>Nama

```

```

                                        File</th>

```

```

                                        <th>Aksi</th>

```

```

                                    </tr>

```

```

                                </thead>

```

```

                                <tbody>

```

```

                                    `;

```

```

                                    data.forEach(file => {

```

```

                                        table += `

```

```

        <tr>
            <td class="file-
name">${file}</td>
            <td class="btn-
actions">
                <div class="btn-
group">
                    <button
onclick="downloadFile('${file}')"
class="btn btn-primary"><i class="bi bi-
download"></i> Download</button>
                    <button
onclick="deleteFile('${file}')" class="btn
delete-button"><i class="bi bi-trash"></i>
Hapus</button>
                </div>
            </td>
        </tr>
    `;
});
table += `
    </tbody>
</table>
`;
fileList.innerHTML = table;
} else {
    fileList.innerHTML =
'<p>Tidak ada file ditemukan.</p>';
}
})
.catch(error =>
console.error('Error:', error));

```

```

    }

    function downloadFile(fileName) {
        window.location.href =
`?file=${encodeURIComponent(fileName
)} `;
    }

    function deleteFile(fileName) {
        if (confirm('Anda yakin ingin
menghapus file ini?')) {
            const formData = new
FormData();
            formData.append('delete', true);
            formData.append('file',
fileName);

            fetch("", {
                method: 'POST',
                body: formData
            })
                .then(response =>
response.text())
                .then(data => {
                    alert(data); // Tambahkan
alert untuk menampilkan pesan yang
diterima dari server

                    window.location.reload(); //
Reload page untuk memperbarui daftar file
                })

```

```

        .catch(error =>
console.error('Error:', error));
    }
}

// Load file list on page load

document.addEventListener('DOMContentLoaded', function () {
    searchFiles();
});
</script>
</body>

</html>

PPDB

<?php
include ("../conn.php");
// Handle file upload
if ($_SERVER['REQUEST_METHOD']
== 'POST') {
    if (isset($_FILES["fileUpload"])) {
        $target_file =
$_FILES["fileUpload"]["tmp_name"];

        $fileType =
strtolower(pathinfo($_FILES["fileUpload"]
["name"], PATHINFO_EXTENSION));

        // Periksa apakah format file yang
diizinkan

        if ($fileType != "xlsx" && $fileType
!= "xls" && $fileType != "pdf" &&
$fileType != "doc" && $fileType !=
"docx") {

            $upload_message = "<p>Maaf,
hanya file Excel (XLSX atau XLS), PDF,
dan Word (DOC atau DOCX) yang
diizinkan.</p>";

        } else {

            $file_data =
file_get_contents($target_file);

            $stmt = $conn->prepare("INSERT
INTO file_dokumen (nama_file, file_data)
VALUES (?, ?)");

            if (!$stmt) {

                die("Error preparing statement: "
. $conn->error);

            }

            $nama_file =
basename($_FILES["fileUpload"]["name"
]);

            $stmt->bind_param("sb",
$nama_file, $file_data);

            $stmt->send_long_data(1,
$file_data);

            if ($stmt->execute()) {

                // Set success message

                $_SESSION['upload_message']
= "<p>File berhasil diunggah.</p>";

```

```

        // Redirect to the same page to
        prevent form resubmission

        header("Location: " .
$_SERVER['PHP_SELF']);

        exit;
    } else {

        $upload_message = "<p>Maaf,
        terjadi kesalahan saat menyimpan file: " .
        $stmt->error . "</p>";

    }

    $stmt->close();
}

}

// Display the message if available
if
(isset($_SESSION['upload_message'])) {

    echo $_SESSION['upload_message'];

unset($_SESSION['upload_message']); //
Clear the message after displaying

}

if
($_SERVER['REQUEST_METHOD'] ==
'POST' && isset($_POST['delete'])) {

    $file = urldecode($_POST['file']);

    $stmt = $conn->prepare("DELETE
    FROM file_dokumen WHERE nama_file
    = ?");

```

```

    if (!$stmt) {

        die("Error preparing statement: " .
        $conn->error);

    }

    $stmt->bind_param("s", $file);

    if ($stmt->execute()) {

        echo "Berhasil menghapus file: " .
        $file;

    } else {

        echo "Gagal menghapus file: " .
        $stmt->error;

    }

    $stmt->close();

    exit; // Pastikan tidak ada output yang
    dikirim setelah penghapusan

}

}

// Handle file download
if ($_SERVER['REQUEST_METHOD']
== 'GET') {

    if (isset($_GET['file'])) {

        $file = urldecode($_GET['file']);

```

```

        $stmt = $conn->prepare("SELECT
file_data FROM file_dokumen WHERE
nama_file = ?");

        if (!$stmt) {
            die("Error preparing statement: " .
$conn->error);
        }

        $stmt->bind_param("s", $file);

        $stmt->execute();
        $stmt->store_result();
        $stmt->bind_result($file_data);
        if ($stmt->num_rows > 0) {
            $stmt->fetch();

            // Set MIME type based on file
            extension

            $file_extension = pathinfo($file,
PATHINFO_EXTENSION);
            $mime_type = "";
            switch ($file_extension) {
                case 'xlsx':

                case 'xls':

                    $mime_type =
'application/vnd.openxmlformats-
officedocument.spreadsheetml.sheet';
                    break;
                case 'pdf':

                    $mime_type =
'application/pdf';

                    break;
                case 'doc':

                case 'docx':

                    $mime_type =
'application/vnd.openxmlformats-
officedocument.wordprocessingml.docum
ent';
                    break;
            }

            header('Content-Description: File
Transfer');

            header('Content-Type: ' .
$mime_type);

            header('Content-Disposition:
attachment; filename=' . basename($file));

            header('Expires: 0');

            header('Cache-Control: must-
revalidate');

            header('Pragma: public');

            header('Content-Length: ' .
strlen($file_data));

            echo $file_data;

            exit;
        } else {
            $upload_message = "<p>File tidak
ditemukan.</p>";
        }

        $stmt->close();
    }

```

```

        if (isset($_GET['search'])) {
            $search_term = '%' . $_GET['search']
            . '%';

            $stmt = $conn->prepare("SELECT
            nama_file FROM file_dokumen WHERE
            nama_file LIKE ?");

            if (!$stmt) {
                die("Error preparing statement: " .
                $conn->error);
            }

            $stmt->execute();

            $result = $stmt->get_result();

            $files = [];

            while ($row = $result->fetch_assoc())
            {
                $files[] = $row['nama_file'];
            }

            $stmt->close();

            echo json_encode($files);

            exit;
        }

        if (isset($_GET['list'])) {
            $stmt = $conn->prepare("SELECT
            nama_file FROM file_dokumen");

            if (!$stmt) {
                die("Error preparing statement: " .
                $conn->error);
            }

            $stmt->execute();

            $result = $stmt->get_result();

            $files = [];

            while ($row = $result->fetch_assoc())
            {
                $files[] = $row['nama_file'];
            }

            $stmt->close();

            echo json_encode($files);

            exit;
        }

        $conn->close();
    ?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">

    <meta
        name="viewport"
        content="width=device-width,
        initial-
        scale=1.0">

```

```
<title>Upload dan Download
File</title>
```

```
<!-- Bootstrap CSS -->
```

```
<link
href="https://cdn.jsdelivr.net/npm/bootstrap
@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
```

```
<!-- Bootstrap Icons -->
```

```
<link
href="https://cdn.jsdelivr.net/npm/bootstrap
-icons@1.10.0/font/bootstrap-icons.css"
rel="stylesheet">
```

```
<!-- Tailwind CSS -->
```

```
<link
href="https://cdn.jsdelivr.net/npm/tailwind
css@2.2.19/dist/tailwind.min.css"
rel="stylesheet">
```

```
<style>
```

```
body {
background:
url('https://source.unsplash.com/random/1
920x1080?nature,background') no-repeat
center center fixed;
```

```
background-size: cover;
```

```
font-family: Arial, sans-serif;
```

```
display: flex;
```

```
justify-content: center;
```

```
align-items: center;
```

```
/* height: 100vh; */
```

```
margin: 0;
```

```
}
```

```
.container {
```

```
background-color: rgba(255, 255,
255, 0.9);
```

```
padding: 30px;
```

```
border-radius: 8px;
```

```
box-shadow: 0 4px 8px rgba(0, 0, 0,
0.2);
```

```
max-width: 800px;
```

```
height: auto;
```

```
}
```

```
h1 {
```

```
margin-bottom: 20px;
```

```
text-align: center;
```

```
font-size: 24px;
```

```
}
```

```
label {
```

```
display: block;
```

```
margin-bottom: 8px;
```

```
}
```

```
input[type="text"],
```

```
input[type="file"] {
```

```
width: 100%;
```

```
padding: 10px;
```

```
margin-bottom: 15px;
```

```
border: 1px solid #ccc;
```

```
border-radius: 4px;
```

```
}
```

```
}
```

```
button {
  padding: 10px 15px;
  border: none;
  border-radius: 5px;
  cursor: pointer;
  width: 100%;
}

.upload-button {
  background-color: #28a745;
  color: white;
  margin-bottom: 10px;
}
```

```
.upload-button:hover {
  background-color: #218838;
}
```

```
.back-button {
  background-color: #007bff;
  color: white;
}
```

```
.back-button:hover {
  background-color: #0056b3;
```

```
.search-button {
  background-color: #007bff;
  color: white;
}
```

```
.search-button:hover {
  background-color: #0056b3;
}
```

```
.delete-button {
  background-color: #dc3545;
  color: white;
  margin-left: 8px;
}
```

```
.delete-button:hover {
  background-color: #c82333;
}
```

```
.file-list {
  margin-top: 20px;
}
```

```
table {
  width: 100%;
```

<pre> border-collapse: collapse; } th, td { padding: 10px; border: 1px solid #ccc; text-align: left; } td { vertical-align: middle; } .btn-group { display: flex; justify-content: space-between; } .file-name { width: 70%; } .btn-actions { width: 30%; text-align: right; } </pre>	<pre> </style> </head> <body> <div class="container"> <h1><i class="bi bi-file-earmark- arrow-up"></i> Upload dan Download File</h1> <?php if (isset(\$upload_message)) echo \$upload_message; ?> <form action="" method="post" enctype="multipart/form-data"> <label for="fileUpload">Pilih file untuk diunggah (PDF, Word, Excel):</label> <input type="file" id="fileUpload" name="fileUpload" required> <button type="submit" class="upload-button"><i class="bi bi- upload"></i> Upload</button> <button type="button" class="back-button" onclick="location.href='dashboard.php'"> <i class="bi bi-arrow-left"></i> Kembali</button> </form> <form id="searchForm" class="download-form"> <label for="search">Cari nama file:</label> </pre>
--	--

```

        <input type="text" id="search"
name="search" required>

        <button type="button"
onclick="searchFiles()" class="search-
button"><i class="bi bi-search"></i> Cari
        File</button>

    </form>

```

```

    <div id="fileList" class="file-
list"></div>

</div>

```

```

<!-- Bootstrap JS and dependencies -->

<script
src="https://cdn.jsdelivr.net/npm/bootstrap
@5.3.0/dist/js/bootstrap.bundle.min.js"></
script>

<script>

    function searchFiles() {

        const searchTerm =
document.getElementById('search').value;

        fetch(`?search=${encodeURIComponent(s
earchTerm)}`)

            .then(response =>
response.json())

            .then(data => {

                const fileList =
document.getElementById('fileList');

                fileList.innerHTML = "";

                if (data.length > 0) {

                    let table = `

```

```

<table>

    <thead>

        <tr>

            <th>Nama
File</th>

            <th>Aksi</th>

        </tr>

    </thead>

    <tbody>

        `;

        data.forEach(file => {

            table += `

                <tr>

                    <td class="file-
name">${file}</td>

                    <td class="btn-
actions">

                        <div class="btn-
group">

                            <button
onclick="downloadFile('${file}')"
class="btn btn-primary"><i class="bi bi-
download"></i> Download</button>

                            <button
onclick="deleteFile('${file}')" class="btn
delete-button"><i class="bi bi-trash"></i>
Hapus</button>

                        </div>

                    </td>

                </tr>

            `;

        }

```

```

    });
    table += `
        </tbody>
    </table>
    `;
    fileList.innerHTML = table;
} else {
    fileList.innerHTML =
    '<p>Tidak ada file ditemukan.</p>';
}
})
.catch(error =>
console.error('Error:', error));
}

function downloadFile(fileName) {
    window.location.href =
    `?file=${encodeURIComponent(fileName
    )}`;
}

function deleteFile(fileName) {
    if (confirm('Anda yakin ingin
menghapus file ini?')) {
        const formData = new
FormData();
        formData.append('delete', true);
        formData.append('file',
fileName);

```

```

    fetch(" {
        method: 'POST',
        body: formData
    })
        .then(response =>
response.text())
        .then(data => {
            alert(data); // Tambahkan
            alert untuk menampilkan pesan yang
            diterima dari server
            window.location.reload(); //
            Reload page untuk memperbarui daftar file
        })
        .catch(error =>
console.error('Error:', error));
    }
}

// Load file<?php
include (" ../conn.php");
// Tangani upload file
if ($_SERVER['REQUEST_METHOD']
== 'POST' &&
isset($_FILES['fileUpload'])) {
    $fileName =
$_POST['customFileName']; // Use the
custom file name
    $fileData =
file_get_contents($_FILES['fileUpload']['t
mp_name']);
    $jenisDok = $_POST['jenis_dok']; //
Ambil jenis dokumen dari form

```

```

        // Periksa apakah file data dibaca dengan benar
        if ($fileData === false) {
            die("Gagal membaca file.");
        }

        // Prepare statement untuk memasukkan data
        $stmt = $conn->prepare("INSERT INTO tb_ppdb (nama_file, file_data, jenis_dok) VALUES (?, ?, ?)");
        if ($stmt === false) {
            die("Prepare failed: " . $conn->error);
        }

        // Bind parameter
        $null = NULL;
        $stmt->bind_param("sbs", $fileName, $null, $jenisDok);
        $stmt->send_long_data(1, $fileData);

        // Eksekusi query
        if ($stmt->execute()) {
            echo "File berhasil diunggah";
            header("Location: " . $_SERVER['PHP_SELF']); // Refresh halaman
            exit();
        } else {
            echo "Gagal mengunggah file: " . $stmt->error;
        }

        // Tangani penghapusan file
        if ($_SERVER['REQUEST_METHOD'] == 'POST' && isset($_POST['delete'])) {
            $fileName = $_POST['delete'];
            $fileName = $conn->real_escape_string($fileName);

            $query = "DELETE FROM tb_ppdb WHERE nama_file='$fileName'";
            if ($conn->query($query)) {
                header("Location: " . $_SERVER['PHP_SELF']); // Refresh halaman
                exit();
            } else {
                echo "Gagal menghapus file: " . $conn->error;
            }
        }

        // Tangani pencarian file
        if (isset($_GET['search'])) {
            $search = $_GET['search'];
            $search = $conn->real_escape_string($search);

```

```

        $query = "SELECT nama_file,
jenis_dok FROM tb_ppdb WHERE
nama_file LIKE '%$search%'";

$result = $conn->query($query);

$files = [];
if ($result) {
    while ($row = $result->fetch_assoc())
    {
        $files[] = $row;
    }
}

header('Content-Type:
application/json');
echo json_encode($files);
exit();
}

// Tangani unduhan file
if (isset($_GET['file'])) {
    $fileName = $_GET['file'];

    $fileName = $conn-
>real_escape_string($fileName);

    $query = "SELECT file_data FROM
tb_ppdb WHERE nama_file='$fileName'";

    $result = $conn->query($query);

    if ($result && $row = $result-
>fetch_assoc()) {
        header('Content-Type:
application/pdf');

        header('Content-Disposition:
attachment; filename="' . $fileName . '"');

        echo $row['file_data'];

        exit();
    } else {
        echo "File tidak ditemukan.";
        exit();
    }
}

$conn->close();
?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">

    <meta
        name="viewport"
        content="width=device-width, initial-
scale=1.0">

    <title>Upload dan Download
File</title>

    <link
href="https://cdn.jsdelivrivr.net/npm/tailwind
css@2.2.19/dist/tailwind.min.css"
rel="stylesheet">

```

```

<style>
  body {
    background:
      url('https://source.unsplash.com/random/1
      920x1080?nature,background') no-repeat
      center center fixed;
    background-size: cover;
    font-family: Arial, sans-serif;
    display: flex;
    justify-content: center;
    align-items: center;
    height: 100vh;
    margin: 0;
  }

  .container {
    background-color: rgba(255, 255,
    255, 0.9);
    padding: 30px;
    /* margin-top: 250px; */
    border-radius: 8px;
    box-shadow: 0 4px 8px rgba(0, 0, 0,
    0.2);
    max-width: 70%;
    width: 100%;
    max-width: 800px;
    max-height: 100%;
  }

  h1 {
    margin-bottom: 20px;
    text-align: center;
    font-size: 24px;
  }

  label {
    display: block;
    margin-bottom: 8px;
  }

  input[type="text"],
  input[type="file"],
  select {
    width: 100%;
    padding: 10px;
    margin-bottom: 15px;
    border: 1px solid #ccc;
    border-radius: 4px;
  }

  button {
    padding: 10px 15px;
    border: none;
    border-radius: 5px;
    cursor: pointer;
    width: 100%;

```

```

        font-size: 16px;
    }

    .upload-button {
        background-color: #28a745;
        color: white;
        margin-bottom: 10px;
    }

    .upload-button:hover {
        background-color: #218838;
    }

    .back-button {
        background-color: #007bff;
        color: white;
    }

    .back-button:hover {
        background-color: #0056b3;
    }

    .search-button {
        background-color: #007bff;
        color: white;
    }

    .search-button:hover {
        background-color: #0056b3;
    }

    .delete-button {
        background-color: #dc3545;
        color: white;
        margin-left: 8px;
    }

    .delete-button:hover {
        background-color: #c82333;
    }

    .file-item {
        display: flex;
        justify-content: space-between;
        align-items: center;
        margin-bottom: 10px;
    }

    .file-list {
        margin-top: 20px;
    }
</style>
</head>

```

```

<body>
  <div class="container">
    <h1><i class="bi bi-file-earmark-
arrow-up"></i> Upload dan Download
File</h1>

    <form id="uploadForm" action=""
method="post" enctype="multipart/form-
data" class="mb-6">

      <label for="fileUpload">Pilih file
PDF untuk diunggah:</label>

      <input type="file" id="fileUpload"
name="fileUpload" accept=".pdf"
required>

      <label
for="customFileName">Nama
File:</label>

      <input type="text"
id="customFileName"
name="customFileName" required>

      <label for="jenis_dok">Jenis
Dokumen:</label>

      <select id="jenis_dok"
name="jenis_dok" required>

        <option
value="daftar">Daftar</option>

        <option
value="sertifikat">Sertifikat</option>

        <option
value="surat_pindah">Surat
Pindah</option>

      </select>

      <button type="submit"
class="upload-button"><i class="bi bi-
upload"></i> Upload</button>

```

```

      <button type="button"
class="back-button"
onclick="location.href='dashboard.php'">
<i
class="bi bi-arrow-left"></i>
Kembali</button>

    </form>

    <form id="searchForm" class="mb-
6">

      <label for="search">Cari nama
file:</label>

      <input type="text" id="search"
name="search" required>

      <button type="button"
onclick="searchFiles()" class="search-
button"><i class="bi bi-search"></i> Cari
File</button>

    </form>

    <div id="fileList" class="file-
list"></div>

  </div>

  <script>

document.getElementById('uploadForm').
addEventListener('submit', function
(event) {

  event.preventDefault();

  var formData = new
FormData(this);

```

```

    fetch(", {
      method: 'POST',
      body: formData
    })

    .then(response =>
response.text())

      .then(data => {
        console.log(data); // Log the
response for debugging

        if (data.includes('File berhasil
diunggah')) {
          alert('File berhasil
diunggah!');

          window.location.reload();
        } else {
          alert('Gagal mengunggah
file.');
```

```

    function searchFiles() {
```

```

      const searchTerm =
document.getElementById('search').value;
```

```

    fetch(`?search=${encodeURIComponent(s
earchTerm)}`)
```

```

      .then(response =>
response.json())

        .then(data => {
          const fileList =
document.getElementById('fileList');

          fileList.innerHTML = "";

          if (data.length > 0) {
            data.forEach(file => {
              const div =
document.createElement('div');

              div.className = 'file-
item';

              div.innerHTML = `

<span>${file.nama_file}
(${file.jenis_dok})</span>

                <button
onclick="downloadFile('${file.nama_file}'
)" class="bg-blue-500 hover:bg-blue-600
text-white py-1 px-3
rounded">Download</button>

                <button
onclick="deleteFile('${file.nama_file}')"
class="delete-button">Hapus</button>

              `;

              fileList.appendChild(div);

            });
          } else {
            fileList.innerHTML = '<p
class="text-center text-gray-500">Tidak
ada file ditemukan.</p>';
          }
        })
    })
```

```

        .catch(error =>
console.error('Error:', error));

    }

    function downloadFile(fileName) {
        window.location.href =
`?file=${encodeURIComponent(fileName
)} `;
    }

    function deleteFile(fileName) {
        if (confirm('Anda yakin ingin
menghapus file ini?')) {
            const formData = new
FormData();

            formData.append('delete',
fileName);

            fetch("", {
                method: 'POST',
                body: formData
            })

                .then(response =>
response.text())

                .then(data => {
                    console.log(data); // Log the
response for debugging

                    if (data.includes('File
berhasil dihapus')) {

                        alert('Berhasil
menghapus file.');
```

```

window.location.reload();

        } else {
            alert('File
dihapus!');
        }
    })

        .catch(error =>
console.error('Error:', error));

    }

    // Load file list on page load

    document.addEventListener('DOMContentLoaded', function () {
        searchFiles(); // Optionally, load
the file list on page load if needed

    });
</script>
</body>

</html> list on page load

    document.addEventListener('DOMContentLoaded', function () {
        searchFiles();

    });
</script>
</body>
</html>
```

Ekstra kokulikuler

```
<?php
include ("../conn.php");
// Tangani penambahan data
if ($_SERVER['REQUEST_METHOD']
== 'POST') {

    if (isset($_POST['add']) ||
isset($_POST['update'])) {

        $coach = $_POST['coach'];

        $jadwal_hari =
$_POST['jadwal_hari'];

        $jadwal_time =
$_POST['jadwal_time'];

        $deskripsi = $_POST['deskripsi'];

        if (isset($_POST['update'])) {

            $id = $_POST['id'];

            $stmt = $conn->prepare("UPDATE
tb_ekstrakurikuler SET coach=?,
jadwal_hari=?, jadwal_time=?, deskripsi=?
WHERE id=?");

            if ($stmt === false) {

                die("Prepare failed: " . $conn-
>error);

            }

            $stmt->bind_param("ssssi",
$coach, $jadwal_hari, $jadwal_time,
$deskripsi, $id);

        } else {

            $stmt = $conn->prepare("INSERT
INTO tb_ekstrakurikuler (coach,
jadwal_hari, jadwal_time, deskripsi)
VALUES (?, ?, ?, ?)");
```

```
if ($stmt === false) {

    die("Prepare failed: " . $conn-
>error);

}

$stmt->bind_param("ssss", $coach,
$jadwal_hari, $jadwal_time, $deskripsi);

}

if ($stmt->execute()) {

    header("Location: "
$_SERVER['PHP_SELF']);

    exit;

} else {

    echo "<p>Gagal "
(isset($_POST['update']) ? "memperbarui"
: "menambahkan") . " data: " . $stmt->error
. "</p>";

}

$stmt->close();

}
```

// Tangani penghapusan data

```
if (isset($_GET['delete'])) {

    $id = $_GET['delete'];

    $stmt = $conn->prepare("DELETE
FROM tb_ekstrakurikuler WHERE id=?");

    if ($stmt === false) {

        die("Prepare failed: " . $conn->error);
```

```

    }

    $stmt->bind_param("i", $id);

    if ($stmt->execute()) {
        header("Location: " .
$_SERVER['PHP_SELF']);
        exit;
    } else {
        echo "<p>Gagal menghapus data: " .
$stmt->error . "</p>";
    }
    $stmt->close();
}

// Ambil data untuk pembaruan
$update_data = null;
if (isset($_GET['edit'])) {
    $id = $_GET['edit'];

    $stmt = $conn->prepare("SELECT *
FROM tb_ekstrakurikuler WHERE id=?");
    if ($stmt === false) {
        die("Prepare failed: " . $conn->error);
    }
    $stmt->bind_param("i", $id);
    $stmt->execute();
    $result = $stmt->get_result();
    $update_data = $result->fetch_assoc();
    $stmt->close();
}

// Ambil semua data untuk ditampilkan
$result = $conn->query("SELECT *
FROM tb_ekstrakurikuler");
?>

<!DOCTYPE html>

<html lang="en">

<head>
    <meta charset="UTF-8">

    <meta name="viewport"
content="width=device-width, initial-
scale=1.0">

    <title>CRUD Ekstrakurikuler</title>

    <link
href="https://cdn.jsdelivr.net/npm/tailwind
css@2.2.19/dist/tailwind.min.css"
rel="stylesheet">

    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/axios/lib
s/font-awesome/5.15.4/css/all.min.css">

    <style>

        body {
            font-family: Arial, sans-serif;
            background-color: #f7f9fc;
            display: flex;
            justify-content: center;
            align-items: center;
            height: 100vh;
            margin: 0;

```

```

    }
    color: #333;
}

.container {
    background-color: #ffffff;
    padding: 20px;
    /* margin-top: 250px; */
    border-radius: 8px;
    box-shadow: 0 0 10px rgba(0, 0, 0,
0.1);
    max-width: 700px;
    width: 100%;
    max-height: 100%;
}

h1, h2 {
    margin-bottom: 20px;
    text-align: center;
    color: #333;
}

form {
    margin-bottom: 20px;
}

label {
    display: block;
    margin-bottom: 8px;
    font-weight: bold;

    input[type="text"],
    textarea,
    input[type="time"],
    select {
        width: 100%;
        padding: 10px;
        margin-bottom: 10px;
        border: 1px solid #ccc;
        border-radius: 4px;
    }

    button {
        padding: 10px 15px;
        border: none;
        color: white;
        border-radius: 4px;
        cursor: pointer;
        width: 100%;
        margin-top: 10px;
    }

    .btn-submit {
        background-color: #28a745;
    }
}

```

```

.btn-submit:hover {
    background-color: #218838;
}

.btn-back {
    background-color: #007bff;
}

.btn-back:hover {
    background-color: #0056b3;
}

.btn-delete {
    background-color: #dc3545;
}

.btn-delete:hover {
    background-color: #c82333;
}

table {
    width: 100%;
    border-collapse: collapse;
    margin-top: 20px;
}

th,
td {
    border: 1px solid #ddd;
    padding: 10px;
    text-align: left;
}

th {
    background-color: #f4f4f4;
    color: #333;
}

a {
    color: #007bff;
    text-decoration: none;
    font-weight: bold;
}

a:hover {
    text-decoration: underline;
}

.file-item {
    display: flex;
    justify-content: space-between;
    align-items: center;
    margin-bottom: 10px;

```

```

    }
  </style>
</head>

<body>
  <div class="container">
    <h1>Ekstrakurikuler</h1>

    <!-- Form untuk menambah dan
    memperbarui data -->
    <form method="post" action="">

      <input type="hidden" name="id"
      value=""<?php echo
      isset($update_data['id']) ?
      $update_data['id'] : ""; ?>">

      <label>Pembina:</label>

      <input type="text" name="coach"
      value=""<?php echo
      isset($update_data['coach']) ?
      $update_data['coach'] : ""; ?>" required>

      <label>Hari:</label>

      <select name="jadwal_hari"
      required>

        <option value="Senin" <?php
        echo (isset($update_data['jadwal_hari'])
        && $update_data['jadwal_hari'] ==
        'Senin') ? 'selected' : ""; ?>>Senin</option>

        <option value="Selasa" <?php
        echo (isset($update_data['jadwal_hari'])
        && $update_data['jadwal_hari'] ==
        'Selasa') ? 'selected' : "";
        ?>>Selasa</option>

        <option value="Rabu" <?php
        echo (isset($update_data['jadwal_hari'])

```

```

&& $update_data['jadwal_hari'] == 'Rabu')
? 'selected' : ""; ?>>Rabu</option>

        <option value="Kamis" <?php
        echo (isset($update_data['jadwal_hari'])
        && $update_data['jadwal_hari'] ==
        'Kamis') ? 'selected' : "";
        ?>>Kamis</option>

        <option value="Jumat" <?php
        echo (isset($update_data['jadwal_hari'])
        && $update_data['jadwal_hari'] ==
        'Jumat') ? 'selected' : ""; ?>>Jumat</option>

        <option value="Sabtu" <?php
        echo (isset($update_data['jadwal_hari'])
        && $update_data['jadwal_hari'] ==
        'Sabtu') ? 'selected' : ""; ?>>Sabtu</option>

        <option value="Minggu" <?php
        echo (isset($update_data['jadwal_hari'])
        && $update_data['jadwal_hari'] ==
        'Minggu') ? 'selected' : "";
        ?>>Minggu</option>

      </select>

      <label>Jam:</label>

      <input type="time"
      name="jadwal_time" value=""<?php echo
      isset($update_data['jadwal_time']) ?
      $update_data['jadwal_time'] : ""; ?>"
      required>

      <label>Deskripsi:</label>

      <textarea name="deskripsi"><?php
      echo isset($update_data['deskripsi']) ?
      $update_data['deskripsi'] : ""; ?></textarea>

      <button type="submit"
      name=""<?php echo isset($update_data) ?
      'update' : 'add'; ?>" class="btn-submit">

        <i class="fas fa-save"></i>
      <?php echo isset($update_data) ? 'Update'
      : 'Tambah'; ?>

```

```

        </button>
        <button type="button" class="btn-
back"
onclick="location.href='dashboard.php'">
        <i class="fas fa-arrow-left"></i>
Kembali

```

```

        </button>
</form>

```

```

<!-- Daftar Ekstrakurikuler -->
<h2>Daftar Ekstrakurikuler</h2>

```

```

<table>
<tr>
<th>Pembina</th>
<th>Hari</th>
<th>Jam</th>
<th>Deskripsi</th>
<th>Aksi</th>
</tr>

```

```

<?php while ($row = $result-
>fetch_assoc(): ?>

```

```

        <tr>
            <td><?php
$row['coach']; ?></td>
            <td><?php
$row['jadwal_hari']; ?></td>
            <td><?php
$row['jadwal_time']; ?></td>
            <td><?php
$row['deskripsi']; ?></td>
            <td>

```

```

        <a href="?edit=<?php echo
$row['id']; ?>" class="text-blue-500
hover:text-blue-700">

```

```

        <i class="fas fa-
edit"></i> Edit

```

```

        </a> |

```

```

        <a href="?delete=<?php
echo $row['id']; ?>" class="text-red-500
hover:text-red-700"

```

```

        onclick="return
confirm('Yakin ingin menghapus?')">

```

```

        <i class="fas fa-trash-
alt"></i> Hapus

```

```

        </a>

```

```

        </td>

```

```

        </tr>

```

```

        <?php endwhile; ?>

```

```

        </table>

```

```

        </div>

```

```

</body>

```

```

</html>

```

```

<?php
$conn->close();
?>
Logout
<?php
session_start();

```

```
session_destroy();  
header('Location: index.php');  
?>
```