

LAMPIRAN

LISTING PROGRAM

LISTING**JASA**

```

<!DOCTYPE html>
<html lang="en">
<?php
include("../connection/connect.
php");
error_reporting(0);
session_start();

if (isset($_POST['submit'])) {
    if (empty($_POST['d_name'])
    || empty($_POST['about']) ||
    $_POST['price'] == '' ||
    $_POST['res_name'] == '') {
        $error = '<div
class="alert alert-danger
alert-dismissible fade show">

        <button type="button"
class="close" data-
dismiss="alert" aria-
label="Close"><span aria-
hidden="true">&times;</span></b
utton>

        <strong>Max Image Size is
1024kb!</strong> Try different
Image.

        </
div>';
    } else {

        $sql = "INSERT
INTO
dishes(rs_id,title,slogan,price
,img) VALUE('" .
$_POST['res_name'] . "','" .
$_POST['d_name'] . "','" .
$_POST['about'] . "','" .
$_POST['price'] . "','" . $fnew
. "'""); // store the submitted
data into the database :images
        mysqli_query($d
b, $sql);

        move_uploaded_f
ile($temp, $store);

        $success
= '<div class="alert alert-
success alert-dismissible fade
show">

        <button type="button"
class="close" data-
dismiss="alert" aria-
label="Close"><span aria-
hidden="true">&times;</span></b
utton>

        New Dish Added Successfully.

```

```



```

```

<div
class="col-lg-12">
    <div
class="card card-outline-
primary">
        <div
class="card-header">
            <h4
class="m-b-0 text-
white">Tambahkan Jasa</h4>
        </div>
        <div
class="card-body">
            <form action='' method='post'
enctype="multipart/form-data">
                <div class="form-body">
                    <hr>
                    <div class="row p-t-20">
                        <div class="col-md-6">
                            <div class="form-
group">
                                <label
class="control-label">Nama
Jasa</label>
                                <input
type="text" name="d_name"
class="form-control">
                            </div>
                        </div>
                        <div class="col-md-6">
                            <div class="form-
group has-danger">
                                <label
class="control-
label">Image</label>
                                <input
type="file" name="file"
id="lastName" class="form-
control form-control-danger"
placeholder="12n">
                            </div>
                        </div>
                    </div>
                    <div class="row">

```



```

if (isset($_POST['submit'])) {

    if (empty($_POST['c_name'])
    || empty($_POST['res_name']) ||
    $_POST['email'] == '' ||
    $_POST['phone'] == '' ||
    $_POST['url'] == '' ||
    $_POST['o_hr'] == '' ||
    $_POST['c_hr'] == '' ||
    $_POST['o_days'] == '' ||
    $_POST['address'] == '') {

        $error = '<div
class="alert alert-danger
alert-dismissible fade show">

        <button type="button"
class="close" data-
dismiss="alert" aria-
label="Close"><span aria-
hidden="true">&times;</span></b
utton>

        <strong>All fields Must be
Fillup!</strong>

    div>';

    } else {

        $fname =
$_FILES['file']['name'];
        $temp =
$_FILES['file']['tmp_name'];
        $fsize =
$_FILES['file']['size'];
        $extension =
explode('.', $fname);
        $extension =
strtolower(end($extension));
        $fnew = uniqid() . '.'
        . $extension;

        $store = "Res_img/" .
basename($fnew);

        if ($extension == 'jpg'
|| $extension == 'png' ||
$extension == 'gif') {
            if ($fsize >=
1000000) {

```

```

        $error
= '<div class="alert alert-
danger alert-dismissible fade
show">

        <button type="button"
class="close" data-
dismiss="alert" aria-
label="Close"><span aria-
hidden="true">&times;</span></b
utton>

        <strong>Max Image Size is
1024kb!</strong> Try different
Image.

    </
div>';

    } else {

        $res_name =
$_POST['res_name'];

        $sql = "INSERT
INTO
kategori(c_id,title,email,phone
,url,o_hr,c_hr,o_days,address,i
mage) VALUE('" .
$_POST['c_name'] . "','" .
$res_name . "','" .
$_POST['email'] . "','" .
$_POST['phone'] . "','" .
$_POST['url'] . "','" .
$_POST['o_hr'] . "','" .
$_POST['c_hr'] . "','" .
$_POST['o_days'] . "','" .
$_POST['address'] . "','" .
$fnew . "')"; // store the
submitted data into the database
:images

        mysqli_query($d
b, $sql);

        move_uploaded_f
ile($temp, $store);

        $success
= '<div class="alert alert-
success alert-dismissible fade
show">

        <button type="button"
class="close" data-
dismiss="alert" aria-

```

```
label="Close"><span aria-
hidden="true">&times;</span></b
utton>
```

```
    New Restaurant Added
    Successfully.
```

```
                                </
div>';
```

```
        }
    } elseif ($extension ==
'') {
        $error = ' <div
class="alert alert-danger
alert-dismissible fade show">
```

```
    <button type="button"
class="close" data-
dismiss="alert" aria-
label="Close"><span aria-
hidden="true">&times;</span></b
utton>
```

```
    <strong>select image</strong>

                                </
div>';
```

```
        } else {

            $error = ' <div
class="alert alert-danger
alert-dismissible fade show">
```

```
    <button type="button"
class="close" data-
dismiss="alert" aria-
label="Close"><span aria-
hidden="true">&times;</span></b
utton>
```

```
    <strong>invalid
extension!</strong>png, jpg,
Gif are accepted.

                                </
div>';
```

```
        }
    }
}

?>
```

```
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-
Compatible" content="IE=edge">
    <meta name="viewport"
content="width=device-width,
initial-scale=1">
    <meta name="description"
content="">
    <meta name="author"
content="">
    <link rel="icon"
type="image/png" sizes="16x16"
href="images/favicon.png">
    <title>Add Kategori</title>
    <link
href="css/lib/bootstrap/bootstr
ap.min.css" rel="stylesheet">
    <link href="css/helper.css"
rel="stylesheet">
    <link href="css/style.css"
rel="stylesheet">
</head>
```

```
<body>

    <div class="preloader">
        <svg class="circular"
viewBox="25 25 50 50">
            <circle
class="path" cx="50" cy="50"
r="20" fill="none" stroke-
width="2" stroke-
miterlimit="10" />
        </svg>
    </div>
```

```
    <div id="main-wrapper">

        <?php
            include
'inc/navupdate.php'; // atau
require 'footer.php';
        ?>
```

```
        <?php
            include
'inc/sidebar.php'; // atau
require 'footer.php';
        ?>
```

```
    <div class="page-
wrapper">
```

```

        <div
class="container-fluid">

        <?php echo
$error;
        echo $success;
?>

        <div
class="col-lg-12">
            <div
class="card card-outline-
primary">
                <div
class="card-header">
                    <h4
class="m-b-0 text-
white">Tambahkan Kategori</h4>
                </div>
                <div
class="card-body">
                    <fo
rm action='' method='post'
enctype="multipart/form-data">

                    <div class="form-body">

                        <hr>

                        <div class="row p-t-20">
                            <div class="col-md-6">

                                <div class="form-
group">

                                    <label
class="control-label">Nama
Kategori</label>

                                    <input
type="text" name="res_name"
class="form-control">

                                </div>

                            </div>

                            <div class="col-md-6">

```

```

        <div class="form-
group has-danger">

            <label
class="control-label">Email
Bisnis</label>

            <input
type="text" name="email"
class="form-control form-
control-danger">

        </div>

    </div>

    <div class="row p-t-20">
        <div class="col-md-6">

            <div class="form-
group">

                <label
class="control-label">Phone
</label>

                <input
type="text" name="phone"
class="form-control">

            </div>

        </div>

        <div class="col-md-6">

            <div class="form-
group has-danger">

                <label
class="control-label">Website
URL</label>

                <input
type="text" name="url"
class="form-control form-
control-danger">

            </div>

```



```

        </div>

    </div>

    <div class="row">

        <div class="col-md-6">

            <div class="form-
group">

                <label
class="control-label">Open
Hours</label>

                <select
name="o_hr" class="form-control
custom-select" data-
placeholder="Choose a
Category">

                    <option>--
Select your Hours--</option>

                    <option
value="6am">6am</option>

                    <option
value="7am">7am</option>

                    <option
value="8am">8am</option>

                    <option
value="9am">9am</option>

                    <option
value="10am">10am</option>

                    <option
value="11am">11am</option>

                    <option
value="12pm">12pm</option>

                </select>

            </div>

        </div>

        <div class="col-md-6">

            <div class="form-
group">

                <label
class="control-label">Close
Hours</label>

                <select
name="c_hr" class="form-control
custom-select" data-
placeholder="Choose a
Category">

                    <option>--
Select your Hours--</option>

                    <option
value="3pm">3pm</option>

                    <option
value="4pm">4pm</option>

                    <option
value="5pm">5pm</option>

                    <option
value="6pm">6pm</option>

                    <option
value="7pm">7pm</option>

                    <option
value="8pm">8pm</option>

                    <option
value="9pm">9pm</option>

                    <option
value="10pm">10pm</option>

                    <option
value="11pm">11pm</option>

                    <option
value="12am">12am</option>

                    <option
value="1am">1am</option>

                    <option
value="2am">2am</option>

                    <option
value="3am">3am</option>

```

```

        </select>

    </div>
</div>

<div class="col-md-6">

    <div class="form-
group">

        <label
class="control-label">Open
Days</label>

        <select
name="o_days" class="form-
control custom-select" data-
placeholder="Choose a Category"
tabindex="1">

            <option>--
Select your Days--</option>

            <option
value="Mon-Tue">Mon-
Tue</option>

            <option
value="Mon-Wed">Mon-
Wed</option>

            <option
value="Mon-Thu">Mon-
Thu</option>

            <option
value="Mon-Fri">Mon-
Fri</option>

            <option
value="Mon-Sat">Mon-
Sat</option>

            <option
value="24hr-x7">24hr-
x7</option>

        </select>

    </div>
</div>

<div class="col-md-6">

    <div class="form-
group has-danger">

        <label
class="control-
label">Image</label>

        <input
type="file" name="file"
id="lastName" class="form-
control form-control-danger"
placeholder="12n">

    </div>

</div>

<div class="col-md-
12">

    <div class="form-
group">

        <label
class="control-label">Pilih
Vendor</label>

        <select
name="c_name" class="form-
control custom-select" data-
placeholder="Choose a Category"
tabindex="1">

            <option>--
Pilih Vendor--</option>

            <?php
$ssql = "select * from vendor";

            $res =
mysqli_query($db, $ssql);

            while
($row =
mysqli_fetch_array($res)) {

                echo '
<option value="' . $row['c_id']
. '">' . $row['c_name'] .
'</option>';

```

```

        }
    }
    ?>
    </select>
</div>
</div>

</div>

    <h3 class="box-title m-t-40">Lokasi Kategori atau Vendor</h3>

    <hr>

    <div class="row">

        <div class="col-md-12">

            <div class="form-group">

                <textarea
name="address" type="text"
style="height:100px;"
class="form-control"></textarea>

            </div>

        </div>

    </div>

</div>

    </div>
</div>
<div
class="form-actions">

    <input type="submit" name="submit"
class="btn btn-primary"
value="Save">

    <a
href="add_kategori.php"

class="btn btn-
inverse">Cancel</a>

</div>
</form>
</div>
</div>
</div>
<div>
<div>
</div>
</div>
</div>
<script
src="js/lib/jquery/jquery.min.js"></script>
<script
src="js/lib/bootstrap/js/popper.min.js"></script>
<script
src="js/lib/bootstrap/js/bootstrap.min.js"></script>
<script
src="js/jquery.slimscroll.js"></script>
<script
src="js/sidebarmenu.js"></script>
<script src="js/lib/sticky-kit-master/dist/sticky-kit.min.js"></script>
<script
src="js/custom.min.js"></script>
</body>
</html>

VENDOR
<!DOCTYPE html>
<html lang="en">
<?php
include("../connection/connect.php");
error_reporting(0);
session_start();

if (isset($_POST['submit'])) {

```

```

        if
        (empty($_POST['c_name'])) {
            $error = '<div
class="alert alert-danger
alert-dismissible fade show">

        <button type="button"
class="close" data-
dismiss="alert" aria-
label="Close"><span aria-
hidden="true">&times;</span></b
utton>

        <strong>field
Required!</strong>

        </div>';
        } else {

            $check_cat =
mysqli_query($db, "SELECT
c_name FROM vendor where c_name
='\" . $_POST['c_name'] . '\"
");

            if
            (mysqli_num_rows($check_cat) >
            0) {
                $error = '<div
class="alert alert-danger
alert-dismissible fade show">

                <button type="button"
class="close" data-
dismiss="alert" aria-
label="Close"><span aria-
hidden="true">&times;</span></b
utton>

                <strong>Category already
exist!</strong>

                </div>';
            } else {

                $mql = "INSERT INTO
vendor(c_name) VALUES('\" .
$_POST['c_name'] . '\")";

```

```

        mysqli_query($db,
        $mql);

        $success
        = '<div class="alert alert-
success alert-dismissible fade
show">

        <button type="button"
class="close" data-
dismiss="alert" aria-
label="Close"><span aria-
hidden="true">&times;</span></b
utton>

        New Category Added
Successfully.</br></div>';
    }
}

?>

<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-
Compatible" content="IE=edge">
    <meta name="viewport"
content="width=device-width,
initial-scale=1">
    <meta name="description"
content="">
    <meta name="author"
content="">
    <title>Add Category</title>
    <link
href="css/lib/bootstrap/bootstr
ap.min.css" rel="stylesheet">
    <link href="css/helper.css"
rel="stylesheet">
    <link href="css/style.css"
rel="stylesheet">

</head>

<body>
    <div class="preloader">
        <svg class="circular"
viewBox="25 25 50 50">
            <circle
class="path" cx="50" cy="50"
r="20" fill="none" stroke-
width="2" stroke-
miterlimit="10" />
        </svg>

```



```


ID</th>

 Nama Vendor</th>   Tanggal</th>   Hapus Atau Edit</th> | | |


```



```

<div
class="container-fluid">
    <div
class="row">
        <div
class="col-12">
            <div class="card card-outline-
primary">
                <div class="card-header">
                    <h4 class="m-b-0 text-
white">Semua Jasa</h4>
                </div>
                <div class="table-responsive
m-t-40">
                    <table id="example23"
class="display nowrap
table table-hover table-striped
table-bordered"
cellspacing="0"
width="100%">
                        <thead class="thead-
dark">
                            <tr>
                                <th>Kategori</
th>
                                <th>Jasa</th>
                                <th>Deskripsi<
/th>
                                <th>Harga</th>
                                <th>Image</th>
                                <th>Hapus Atau
Edit</th>
                            </tr>
                        </thead>
                        <tbody>
                            <?php
                                $sql = "SELECT *
FROM dishes order by d_id
desc";
                                $query =
mysqli_query($db, $sql);
                                if
(!mysqli_num_rows($query) > 0)
{
                                    echo '<td
colspan="11"><center>No
Menu</center></td>';
                                } else {
                                    while ($rows =
mysqli_fetch_array($query)) {
                                        $mql =
"select * from kategori where
rs_id='" . $rows['rs_id'] .
"'";
                                        $newquery
= mysqli_query($db, $mql);
                                        $fetch =
mysqli_fetch_array($newquery);
                                        echo
'<tr><td>' . $fetch['title'] .
'</td>

```



```
<td>' . $rows['title'] .  
'</td>  
  
    <td>' . $rows['slogan'] .  
'</td>  
  
    <td>Rp.' .  
number_format($rows['price']) .  
'</td>  
  
        </td></tr>;  
            }  
                }  
                    ?>  
  
    <td><div class="col-md-3  
col-lg-8 m-b-10">  
  
        <center>></center>  
  
    </div></td>  
  
        </div></td>  
            </div>  
                </div>  
                    </div>  
                        </div>  
                            </div>  
                                </div>  
                                    <div class="footer"> ©  
2023 - Online Fotografi &  
Videografi System </div>
```

```

    <script
src="js/lib/jquery/jquery.min.js"></script>
    <script
src="js/lib/bootstrap/js/popper.min.js"></script>
    <script
src="js/lib/bootstrap/js/bootstrap.min.js"></script>
    <script
src="js/jquery.slimscroll.js"></script>
    <script
src="js/sidebarMenu.js"></script>
    <script src="js/lib/sticky-kit-master/dist/sticky-kit.min.js"></script>
    <script
src="js/custom.min.js"></script>
    <script
src="js/lib/datatables/datatables.min.js"></script>
    <script
src="js/lib/datatables/cdn.datatables.net/buttons/1.2.2/js/dataTables.buttons.min.js"></script>
    <script
src="js/lib/datatables/cdn.datatables.net/buttons/1.2.2/js/buttons.flash.min.js"></script>
    <script
src="js/lib/datatables/cdnjs.cloudflare.com/ajax/libs/jszip/2.5.0/jszip.min.js"></script>
    <script
src="js/lib/datatables/cdn.rawgit.com/bpampuch/pdfmake/0.1.18/build/pdfmake.min.js"></script>
    <script
src="js/lib/datatables/cdn.rawgit.com/bpampuch/pdfmake/0.1.18/build/vfs_fonts.js"></script>
    <script
src="js/lib/datatables/cdn.datatables.net/buttons/1.2.2/js/buttons.html5.min.js"></script>
    <script
src="js/lib/datatables/datatables-init.js"></script>
</body>

</html>

```

```

ORDER
<!DOCTYPE html>
<html lang="en">
<?php
include("../connection/connect.php");
error_reporting(0);
session_start();

?>

<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="">
    <meta name="author" content="">
    <link rel="icon" type="image/png" sizes="16x16" href="images/favicon.png">
    <title>All Orders</title>
    <link href="css/lib/bootstrap/bootstrap.min.css" rel="stylesheet">
    <link href="css/helper.css" rel="stylesheet">
    <link href="css/style.css" rel="stylesheet">

</head>

<body>

    <div class="preloader">
        <svg class="circular" viewBox="25 25 50 50">
            <circle class="path" cx="50" cy="50" r="20" fill="none" stroke-width="2" stroke-miterlimit="10" />
        </svg>
    </div>

    <div id="main-wrapper">

        <?php
        include
'inc/navupdate.php'; // atau
require 'footer.php';

?>

```



```

"fa fa-cog fa-spin" aria-
hidden="true"></span>

<td>' . $rows['title'] .
'</td>

Diproses!<
/button></td>

<?php
}

if
($status == "closed") {
?>

<td> <button
type="button" class="btn btn-
primary"><span

class=
"fa fa-check-circle" aria-
hidden="true"></span>

Diterima!<
/button></td>

<?php
$status =
$rows['status'];

if
($status == "" or $status ==
"NULL") {
?>

<td> <button
type="button" class="btn btn-
info"><span class="fa fa-bars"

aria-
hidden="true"></span>
Ditunggu!</button></td>

<?php
}

if
($status == "in process") { ?>

<td> <button
type="button" class="btn btn-
warning"><span

class=

echo

```



```

        <script
src="js/lib/datatables/cdn.rawg
it.com/bpampuch/pdfmake/0.1.18/
build/pdfmake.min.js"></script>
        <script
src="js/lib/datatables/cdn.rawg
it.com/bpampuch/pdfmake/0.1.18/
build/vfs_fonts.js"></script>
        <script
src="js/lib/datatables/cdn.data
tables.net/buttons/1.2.2/js/but
tons.html5.min.js"></script>
        <script
src="js/lib/datatables/cdn.data
tables.net/buttons/1.2.2/js/but
tons.print.min.js"></script>

</body>

</html>

LOGIN
<!DOCTYPE html>
<html lang="en">
<?php
include("connection/connect.php
");
error_reporting(0);
session_start();
?>

<head>
    <meta charset="UTF-8">
    <title>Login</title>

    <link rel="stylesheet"
href="https://cdnjs.cloudflare.
com/ajax/libs/meyer-
reset/2.0/reset.min.css">

    <link rel='stylesheet
prefetch'
href='https://fonts.googleapis.
com/css?family=Roboto:400,100,3
00,500,700,900|RobotoDraft:400,
100,300,500,700,900'>
    <link rel='stylesheet
prefetch'
href='https://maxcdn.bootstrapcdn.
com/font-
awesome/4.3.0/css/font-
awesome.min.css'>

    <link rel="stylesheet"
href="css/login.css">

```

```

        <style type="text/css">
            #buttn {
                color: #fff;
                background-color:
#5c4ac7;
            }
        </style>

        <meta name="viewport"
content="width=device-width,
initial-scale=1, shrink-to-
fit=no">
        <link
href="css/bootstrap.min.css"
rel="stylesheet">
        <link href="css/font-
awesome.min.css"
rel="stylesheet">
        <link
href="css/animation.min.css"
rel="stylesheet">
        <link
href="css/animate.css"
rel="stylesheet">
        <link href="css/style.css"
rel="stylesheet">

</head>

<body>
    <?php
        include
'include/navbar.php'; // atau
require 'footer.php';
    ?>
    <?php
        include
'include/bottom.php'; // atau
require 'footer.php';
    ?>
    <div style=" background-
image:
url('images/img/bg.jpg');">

        <?php
            include("connection/con
nect.php");
            error_reporting(0);
            session_start();
            if
(isset($_POST['submit'])) {
                $username =
$_POST['username'];
                $password =
$_POST['password'];

```

```

        if
        (!empty($_POST["submit"])) {
            $loginquery =
            "SELECT * FROM users WHERE
            username='$username' &&
            password='" . md5($password) .
            "'"; //selecting matching
            records
            $result =
            mysqli_query($db, $loginquery);
            //executing
            $row =
            mysqli_fetch_array($result);

            if
            (is_array($row)) {
                $SESSION["
                user_id"] = $row['u_id'];
                header("ref
                resh:1;url=index.php");
                $message =
                "Login Berhasil";
            } else {
                $message =
                "Invalid Username or
                Password!";
            }
        }
        ?>

        <div class="pen-title">
        < </div>

        <div
        class="module form-module">
            <div
            class="toggle">

                </div>
                <div
                class="form">

                    <h2>Log
                    in to your account</h2>

                    <span
                    style="color:red;"><?php echo
                    $message; ?></span>

                    <span
                    style="color:green;"><?php echo
                    $success; ?></span>

                    <form
                    action="" method="post">

                        <in
                        put type="text"
                        placeholder="Username"
                        name="username" />

```

```

                        <in
                        put type="password"
                        placeholder="Password"
                        name="password" />

                        <in
                        put type="submit" id="buttn"
                        name="submit" value="Login" />
                    </form>
                </div>

                <div
                class="cta">Not registered?<a
                href="registration.php"
                style="color:#5c4ac7;"> Create
                an
                ount</a></div>
            </div>
            <script
            src='http://cdnjs.cloudflare.co
            m/ajax/libs/jquery/2.1.3/jquery
            .min.js'></script>

            <div
            class="container-fluid pt-3">
                <p></p>
            </div>

            <?php
            include
            'include/footer.php'; // atau
            require 'footer.php';
            ?>
        </body>

        </html>

        CHECKOUT
        <!DOCTYPE html>
        <html lang="en">
        <?php
        include("connection/connect.php
        ");
        include_once 'product-
        action.php';
        error_reporting(0);
        session_start();

        function function_alert()
        {
            echo "<script>alert('Thank
            you. Your Order has been
            placed!');</script>";

```

```

        echo
"<script>window.location.replac
e('your_orders.php');</script>"
;
}

if
(empty($_SESSION["user_id"])) {
    header('location:login.php'
);
} else {

    foreach
($_SESSION["cart_item"] as
$item) {
        $item_total +=
($item["price"] *
$item["quantity"]);
        if ($_POST['submit']) {
            $SQL = "insert into
users_orders(u_id,title,quantit
y,price) values('" .
$_SESSION["user_id"] . "','" .
$item["title"] . "','" .
$item["quantity"] . "','" .
$item["price"] . "')";
            mysqli_query($db,
$SQL);

            unset($_SESSION["ca
rt_item"]);
            unset($item["title"
]);
            unset($item["quanti
ty"]);
            unset($item["price"
]);

            $success = "Thank
you. Your order has been
placed!";

            function_alert();
        }
    }
?>

<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-
Compatible" content="IE=edge">
    <meta name="viewport"
content="width=device-width,
initial-scale=1, shrink-to-
fit=no">
    <meta name="description"
content="">

```

```

    <meta name="author"
content="">
    <link rel="icon" href="#">
    <title>Checkout</title>
    <link
href="css/bootstrap.min.css"
rel="stylesheet">
    <link href="css/font-
awesome.min.css"
rel="stylesheet">
    <link
href="css/animation.min.css"
rel="stylesheet">
    <link
href="css/animate.css"
rel="stylesheet">
    <link href="css/style.css"
rel="stylesheet">
</head>

<body>
    <div class="site-wrapper">
        <?php
            include
'include/navbar.php'; // atau
require 'footer.php';
            ?>
        <?php
            include
'include/bottom.php'; // atau
require 'footer.php';
            ?>
        <div class="page-
wrapper">
            <div class="top-
links">
                <div
class="container">
                    <ul
class="row links">

                        <li
class="col-xs-12 col-sm-4 link-
item"><span>1</span><a
href="jasa.php">Pilih
Vendor</a></li>

                        <li
class="col-xs-12 col-sm-4 link-
item"><span>2</span><a
href="#">Pilih Jasa</a>
                        </li>
                        <li
class="col-xs-12 col-sm-4 link-
item active"><span>3</span><a
href="checkout.php">Pesanan dan

```



```

<li> <label
class="custom-control custom-
radio m-b-20"> <input
me="mod" id="radioStacked1" na
checked value="COD"
pe="radio" class="custom- ty
control-input"> <span
ass="custom-control- cl
indicator"></span> <span
ass="custom-control- cl
description">Cash on
Delivery</span>
</li> </label>
</li>
<li> <label
class="custom-control custom-
radio m-b-10"> <input
me="mod" type="radio" na
value="paypal"
ass="custom-control-input" cl
<span
ass="custom-control- cl
indicator"></span> <span
ass="custom-control- cl
description">Bank BRI</span>
</label>
<div
id="paypalInfo"
style="display:none;">
<!--
Informasi rekening PayPal akan
ditampilkan di sini -->
ormasi Rekening Bank BRI:</p>
<p>Nama
Pemilik Rekening: [Nama
Pemilik]</p>
<p>Nomor
Rekening: [Nomor
Rekening]</p>
</div>
</li>
<li> <label
class="custom-control custom-
radio m-b-10"> <input
me="mod" type="radio" na
value="playstore"
ass="custom-control-input" cl
<span
ass="custom-control- cl
indicator"></span> <span
ass="custom-control- cl
description">Bank BSI</span>
</label>
</li>
<div
id="playstoreInfo"
style="display: none;">
<p>Informasi
Rekening Bank BSI:</p>
<p>Nama
Bank: [Nama Bank]</p>
<p>Nomor
Rekening: [Nomor Rekening]</p>
</div>
</div>

```



```

        <script
src="js/animsition.min.js"></sc
ript>
        <script src="js/bootstrap-
slider.min.js"></script>
        <script
src="js/jquery.isotope.min.js">
</script>
        <script
src="js/headroom.js"></script>
        <script
src="js/foodpicky.min.js"></scr
ipt>

</body>

</html>

<?php
}
?>

LOGIN

<!DOCTYPE html>
<html lang="en">
<?php
include("connection/connect.php
");
error_reporting(0);
session_start();
?>

<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-
Compatible" content="IE=edge">
    <meta name="viewport"
content="width=device-width,
initial-scale=1, shrink-to-
fit=no">
    <meta name="description"
content="">
    <meta name="author"
content="">
    <link rel="icon" href="#">
    <title>Restaurants</title>
    <link
href="css/bootstrap.min.css"
rel="stylesheet">

```

```

        <link href="css/font-
awesome.min.css"
rel="stylesheet">
        <link
href="css/animsition.min.css"
rel="stylesheet">
        <link
href="css/animate.css"
rel="stylesheet">
        <link href="css/style.css"
rel="stylesheet">
</head>

<body>

        <?php
        include
'include/navbar.php'; // atau
require 'footer.php';
        ?>
        <?php
        include
'include/bottom.php'; // atau
require 'footer.php';
        ?>
        <div class="page-wrapper">
            <div class="top-links">
                <div
class="container">
                    <ul class="row
links">

                        <li
class="col-xs-12 col-sm-4 link-
item active"><span>1</span><a
href="#">Pilih Vendor</a></li>
                        <li
class="col-xs-12 col-sm-4 link-
item"><span>2</span><a
href="#">Pilih Jasa</a></li>
                        <li
class="col-xs-12 col-sm-4 link-
item"><span>3</span><a
href="#">Pesan dan
Bayar</a></li>

```



```

class="col-sm-12 col-md-12 col-
lg-4 text-xs-center">

<div class="right-content bg-
white">

    <div class="right-
review"

        <a
href="dishes.php?res_id=' .
$rows['rs_id'] . '" class="btn
btn-purple">View Menu</a>
</div>

    </div>

    <!-- end:right info -->

</div>

div>';

}

?

>

</d

iv>

    </div>
</div>

    </div>
</div>

</div>
</section>

<?php
include
'include/footer.php'; // atau
require 'footer.php';

```

```

?>

<script
src="js/jquery.min.js"></script
>

<script
src="js/tether.min.js"></script
>

<script
src="js/bootstrap.min.js"></scr
ipt>

<script
src="js/ansition.min.js"></sc
ript>

<script src="js/bootstrap-
slider.min.js"></script>

<script
src="js/jquery.isotope.min.js">
</script>

<script
src="js/headroom.js"></script>

<script
src="js/foodpicky.min.js"></scr
ipt>
</body>

</html>

REGISTRATION

<!DOCTYPE html>
<html lang="en">
<?php

session_start();
error_reporting(0);
include("connection/connect.php
");
if (isset($_POST['submit'])) {
    if (
        empty($_POST['firstname
']) ||
        empty($_POST['lastname'
]) ||

```

```

        empty($_POST['email'])
    ||
        empty($_POST['phone'])
    ||
        empty($_POST['password'
]) ||
        empty($_POST['cpassword
']) ||
        empty($_POST['cpassword
'])
    ) {
        $message = "All fields
must be Required!";
    } else {

        $check_username =
mysqli_query($db, "SELECT
username FROM users where
username = '" .
$_POST['username'] . "' ");
        $check_email =
mysqli_query($db, "SELECT email
FROM users where email = '" .
$_POST['email'] . "' ");

        if ($_POST['password']
!= $_POST['cpassword']) {

            echo
"<script>alert('Password not
match');</script>";
        } elseif
(strlen($_POST['password']) <
6) {
            echo
"<script>alert('Password Must
be >=6');</script>";
        } elseif
(strlen($_POST['phone']) < 10)
{
            echo
"<script>alert('Invalid phone
number!');</script>";

            } elseif
(!filter_var($_POST['email'],
FILTER_VALIDATE_EMAIL)) {
                echo
"<script>alert('Invalid email
address please type a valid
email!');</script>";
            } elseif
(mysqli_num_rows($check_usernam
e) > 0) {
                echo
"<script>alert('Username
Already exists!');</script>";
            } elseif
(mysqli_num_rows($check_email)
> 0) {
                echo
"<script>alert('Email Already
exists!');</script>";
            } else {

                $mql = "INSERT INTO
users(username,f_name,l_name,em
ail,phone,password,address)
VALUES('" . $_POST['username']
. "','" . $_POST['firstname'] .
 "','" . $_POST['lastname'] .
 "','" . $_POST['email'] . "','"
. $_POST['phone'] . "','" .
md5($_POST['password']) . "','"
. $_POST['address'] . "')";
                mysqli_query($db,
$mql);

                header("refresh:0.1
;url=login.php");
            }
        }
    }

?>

```

```

<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-
Compatible" content="IE=edge">
  <meta name="viewport"
content="width=device-width,
initial-scale=1, shrink-to-
fit=no">
  <meta name="description"
content="">
  <meta name="author"
content="">
  <link rel="icon" href="#">
  <title>Registration</title>
  <link
href="css/bootstrap.min.css"
rel="stylesheet">
  <link href="css/font-
awesome.min.css"
rel="stylesheet">
  <link
href="css/animation.min.css"
rel="stylesheet">
  <link
href="css/animate.css"
rel="stylesheet">
  <link href="css/style.css"
rel="stylesheet">
</head>

<body>
  <div style=" background-
image:
url('images/img/bg.jpg');">
    <?php
      include
'include/navbar.php'; // atau
require 'footer.php';
    ?>
    <?php
      include
'include/bottom.php'; // atau
require 'footer.php';
    ?>

    <div class="page-
wrapper">

      <div
class="container">
        <ul>

        </ul>
      </div>

      <section
class="contact-page inner-
page">

        <div
class="container ">
          <div
class="row ">
            <div
class="col-md-12">
              <div
class="widget">

                <div class="widget-body">

                  <form action=""
method="post">

                    <div class="row">

                      <div class="form-
group col-sm-12">

                        <label
for="exampleInputEmail1">User-
Name</label>

                        <input
class="form-control"
type="text" name="username"

                        id="exampl
e-text-input">

```



```

</div>

<div class="form-
group col-sm-6">

    <label
for="exampleInputEmail1">First
Name</label>

    <input
class="form-control"
type="text" name="firstname"

        id="exampl
e-text-input">

    </div>

    <div class="form-
group col-sm-6">

        <label
for="exampleInputEmail1">Last
Name</label>

        <input
class="form-control"
type="text" name="lastname"

            id="exampl
e-text-input-2">

        </div>

        <div class="form-
group col-sm-6">

            <label
for="exampleInputEmail1">Email

                Address</l
abel>

            <input

type="text" class="form-
control" name="email"

                id="exampl
eInputEmail1" aria-
describedby="emailHelp">

            </div>

            <div class="form-
group col-sm-6">

                <label
for="exampleInputEmail1">Phone

                    number</la
bel>

                <input
class="form-control"
type="text" name="phone"

                    id="exampl
e-tel-input-3">

                </div>

                <div class="form-
group col-sm-6">

                    <label
for="exampleInputPassword1">Pas
sword</label>

                    <input
type="password" class="form-
control" name="password"

                        id="exampl
eInputPassword1">

                    </div>

                    <div class="form-
group col-sm-6">

```

```

<label
for="exampleInputPassword1">Con
firm

password</
label>

<input
type="password" class="form-
control" name="cpassword"

id="exampl
eInputPassword2">

</div>

<div class="form-
group col-sm-12">

<label
for="exampleTextarea">Delivery
Address</l
abel>

<textarea
class="form-control"
id="exampleTextarea"
name="address"

rows="3"><
/textarea>

</div>

</div>

<div class="row">

<div class="col-
sm-4">

<p> <input
type="submit" value="Register"
name="submit"

class=
"btn theme-btn"> </p>

</div>

</form>

</div>

</div>

</div>

<?php
include
'inlude/footer.php'; // atau
require 'footer.php';
?>

</div>

<script
src="js/jquery.min.js"></script
>

<script
src="js/tether.min.js"></script
>

<script
src="js/bootstrap.min.js"></scr
ipt>

```

```
        <script
src="js/animsition.min.js"></sc
ript>
        <script
src="js/bootstrap-
slider.min.js"></script>
        <script
src="js/jquery.isotope.min.js">
</script>
        <script
src="js/headroom.js"></script>
        <script
src="js/foodpicky.min.js"></scr
ipt>
</body>

</html>
```