

# **LAMPIRAN**

```

Lampiran_script

//model durian

<?php

namespace App\Models;

use
Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
class Durian extends Model

{
    use HasFactory;

    protected $fillable = ['nama_durian', 'gambar',
'deskripsi'];
}

//model hama

<?php

class Hama extends Model

{
    use HasFactory;

    protected $fillable = ['nama_hama', 'gambar',
'definisi', 'gejala', 'pengendalian'];
}

//model home

<?php

class Home extends Model

{
    use HasFactory;

    protected $fillable = ['gambar', 'about', 'manfaat',
'standar'];
}

//model budidaya

<?php

class PanduanBudidaya extends Model

{
    use HasFactory;

    protected $fillable = ['judul', 'artikel', 'file'];
}
}

//model penyakit

<?php

class Penyakit extends Model

{
    use HasFactory;

    protected $fillable = ['nama_penyakit', 'gambar',
'definisi', 'gejala', 'pengendalian'];
}

//model tips

<?php

class Tips extends Model

{
    use HasFactory;

    protected $fillable = ['judul', 'artikel'];
}

//model user

<?php

class User extends Authenticatable

{
    use HasApiTokens, HasFactory, Notifiable;

    * The attributes that are mass assignable.

    * @var array<int, string>

    protected $fillable = [ 'name', 'email',
'password', ];

    * The attributes that should be hidden for
serialization.

    * @var array<int, string>

    protected $hidden = [
        'password',
        'remember_token',
    ];

    * @var array<string, string>

    protected $casts = [

```

```

'email_verified_at' => 'datetime',
'password' => 'hashed',
];

public function isAdmin()
{
    return $this->role === 'admin';
}

//migrations users
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
return new class extends Migration
{
    * Run the migrations.

    public function up(): void
    {
        Schema::create('users', function (Blueprint
$table) {
            $table->id();
            $table->string('name');
            $table->string('email')->unique();
            $table->timestamp('email_verified_at')-
>nullable();
            $table->string('password');
            $table->rememberToken();
            $table->timestamps();
        });
    }

    * Reverse the migrations.

    public function down(): void
    {
        Schema::dropIfExists('users');
    }
}

//migrations password
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;
return new class extends Migration
{
    * Run the migrations.

    public function up(): void
    {
        Schema::create('password_reset_tokens', function (Blueprint
$table) {
            $table->string('email')->primary();
            $table->string('token');
            $table->timestamp('created_at')->nullable();
        });
    }

    * Reverse the migrations.

    public function down(): void
    {
        Schema::dropIfExists('password_reset_tokens');
    }
}

//migrations durians
<?php
return new class extends Migration
{
    * Run the migrations.

    public function up(): void
    {
        Schema::create('durians', function (Blueprint
$table) {
            $table->id();
            $table->string('nama_durian');
            $table->string('gambar')->nullable();
            $table->text('deskripsi');
            $table->timestamps();
        });
    }

    * Reverse the migrations.

    public function down(): void
    {
        Schema::dropIfExists('durians');
    }
}

```

```

public function down(): void
{
    Schema::dropIfExists('durians');

}

//migration panduan

<?php

return new class extends Migration
{
    * Run the migrations.

    public function up(): void
    {

        Schema::create('panduan_budidayas', function
(Blueprint $table) {
            $table->id();
            $table->string('judul');
            $table->text('artikel');
            $table->string('file')->nullable();
            $table->timestamps();
        });
    }

    * Reverse the migrations.

    public function down(): void
    {
        Schema::dropIfExists('panduan_budidayas');
    }
}

//migrations hamas

<?php

return new class extends Migration
{
    * Run the migrations.

    public function up(): void
    {

        Schema::create('hamas', function (Blueprint
$table) {
            $table->id();
            $table->string('nama_hama');
            $table->string('gambar')->nullable();
            $table->text('definisi');
            $table->text('gejala');
            $table->text('pengendalian');
            $table->timestamps();
        });
    }

    * Reverse the migrations.

    public function down(): void
    {
        Schema::dropIfExists('hamas');
    }
}

```

```

    });

//migrations tips

<?php

return new class extends Migration
{
    * Run the migrations.

    public function up(): void
    {

        Schema::create('tips', function (Blueprint $table) {
            $table->id();
            $table->string('judul');
            $table->text('artikel');
            $table->timestamps();
        });
    }

    * Reverse the migrations.

    public function down(): void
    {
        Schema::dropIfExists('tips');
    }
};

//migrations job tables

<?php

return new class extends Migration
{
    * Run the migrations.

    public function up(): void
    {

        Schema::create('failed_jobs', function (Blueprint $table) {
            $table->id();
            $table->string('uuid')->unique();
            $table->text('connection');
            $table->text('queue');
        });
    }

    * Reverse the migrations.

    public function down(): void
    {
        Schema::dropIfExists('failed_jobs');
    }
};

//migrations personal

<?php

return new class extends Migration
{
    * Run the migrations.

    public function up(): void
    {

        Schema::create('personal_access_tokens', function (Blueprint $table) {
            $table->id();
            $table->morphs('tokenable');
            $table->string('name');
            $table->string('token', 64)->unique();
            $table->text('abilities')->nullable();
            $table->timestamp('last_used_at')->nullable();
            $table->timestamp('expires_at')->nullable();
            $table->timestamps();
        });
    }

    * Reverse the migrations.

    public function down(): void
    {
        Schema::dropIfExists('personal_access_tokens');
    }
};

```

```

//admin

//create hama

<!-- resources/views/durians/create.blade.php -->

@extends('layouts.app')

@section('content')

    <!-- Begin Page Content -->

    <div class="container-fluid">
        <!-- Page Heading -->
        <div class="d-sm-flex align-items-center justify-content-between mb-4">
            <h1 class="h3 mb-0 text-gray-800">Hama</h1>
        <!-- Content Row -->
        <div class="row">
            <!-- Area Chart -->
            <div class="col-xl-12 col-lg-12">
                <div class="card shadow mb-4">
                    <!-- Card Header - Dropdown -->
                    <div class="card-header py-3 d-flex flex-row align-items-center justify-content-between">
                        <h6 class="m-0 font-weight-bold text-primary">Tambah Hama</h6>
                    <!-- Card Body -->
                    <div class="card-body">
                        <div>
                            <form action="{{ route('hama.store') }}" method="POST" enctype="multipart/form-data">
                                @csrf
                                <div class="form-group">
                                    <label for="nama_hama">Nama Hama:</label>
                                    <input type="text" id="nama_hama" name="nama_hama" class="form-control" required>
                                </div>
                                <div class="form-group">
                                    <label for="definisi">Definisi:</label>
                                    <textarea id="definisi" name="definisi" class="form-control" rows="3" required></textarea>
                                </div>
                                <div class="form-group">
                                    <label for="gejala">Gejala:</label>
                                    <textarea id="gejala" name="gejala" class="form-control" rows="3" required></textarea>
                                </div>
                                <div class="form-group">
                                    <label for="pengendalian">Pengendalian:</label>
                                    <textarea id="pengendalian" name="pengendalian" class="form-control" rows="3" required></textarea>
                                </div>
                                <div class="form-group">
                                    <label for="gambar">Gambar:</label>
                                    <input type="file" id="gambar" name="gambar" class="form-control-file" accept="image/*" required>
                                </div>
                                <button type="submit" class="btn btn-primary">Simpan</button>
                            </form>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
<!-- End of Main Content -->
<!-- Scroll to Top Button-->
<a class="scroll-to-top rounded" href="#page-top">
    <i class="fas fa-angle-up"></i>
</a>
<!-- Logout Modal-->
<div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">

```

```

<h5 class="modal-title"
id="exampleModalLabel">Ready to Leave?</h5>
<button class="close" type="button" data-
dismiss="modal" aria-label="Close">
<span aria-hidden="true">>X</span>
</button>
</div>
<div class="modal-body">Select "Logout"
below if you are ready to end your current
session.</div>
<div class="modal-footer">
<button class="btn btn-secondary"
type="button" data-
dismiss="modal">Cancel</button>
<a class="btn btn-primary"
href="login.html">Logout</a>
</div>
</div>
</div>
</div>
</div>
@endsection
//edit hama
@extends('layouts.app')
@section('content')

<div class="container-fluid">

<div class="d-sm-flex align-items-center
justify-content-between mb-4">
<h1 class="h3 mb-0 text-gray-
800">Hama</h1>
</div>

<div class="row">

<div class="col-xl-12 col-lg-12">
<div class="card shadow mb-4">

<div class="card-header py-3 d-flex flex-row
align-items-center justify-content-between">
<h6 class="m-0 font-weight-bold text-
primary">Edit Hama</h6>
</div>

<div class="card-body">
<div>
<form action="{{ route('hama.update', $hama->id) }}"
method="POST" enctype="multipart/form-
data">
@csrf
@method(PUT)
<div class="form-group">
<label for="nama_hama">Nama
Hama</label><input type="text" class="form-
control" id="nama_hama" name="nama_hama"
value="{{ $hama->nama_hama }}" required></div>
<div class="form-group">
<label for="definisi">Definisi</label>
<textarea class="form-control" id="definisi"
name="definisi" rows="3" required>{{ $hama-
>definisi }}</textarea></div>
<div class="form-group">
<label for="gejala">Gejala</label>
<textarea class="form-control" id="gejala"
name="gejala" rows="3" required>{{ $hama-
>gejala }}</textarea>
</div><div class="form-group">
<label for="pengendalian">Pengendalian</label>
<textarea class="form-control" id="pengendalian"
name="pengendalian" rows="3" required>{{ $hama-
>pengendalian }}</textarea></div>
<div class="form-group">
<label for="gambar">Gambar</label><br>
@if ($hama->gambar)
nama_hama }}"
width="100"><br><br>

```

```

@else
<p>Gambar tidak tersedia</p>
@endif
<input type="file" id="gambar" name="gambar"
accept="image/*">
</div>
<button type="submit" class="btn btn-primary">Simpan Perubahan</button>
<a href="{{ route('durians.index') }}" class="btn btn-secondary">Kembali</a>
</form>
</div>
</div>
</div>
</div>
<!-- End of Main Content -->
<!-- Scroll to Top Button-->
<a class="scroll-to-top rounded" href="#page-top">
<i class="fas fa-angle-up"></i>
</a>
<!-- Logout Modal-->
<div class="modal fade" id="logoutModal"
tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel"
aria-hidden="true">
<div class="modal-dialog" role="document">
<div class="modal-content">
<div class="modal-header">
<h5 class="modal-title"
id="exampleModalLabel">Ready to Leave?</h5>
<button class="close" type="button" data-
dismiss="modal" aria-label="Close">
<span aria-hidden="true">&amptimes</span>
</button>
</div>

```

<div class="modal-body">Select "Logout" below if you are ready to end your current session.</div>
<div class="modal-footer">
<button class="btn btn-secondary" type="button" data-
dismiss="modal">Cancel</button>
<a class="btn btn-primary" href="login.html">Logout</a>
</div>
</div>
</div>
</div>
<!-- Content Row -->
<div class="row">
<!-- Area Chart -->
<div class="col-xl-12 col-lg-12">
<div class="card shadow mb-4">
<!-- Card Header - Dropdown --><div
class="card-header py-3 d-flex flex-row align-items-center justify-content-between">
<h6 class="m-0 font-weight-bold text-
primary">Daftar Hama</h6>
</div>
<!-- Card Body -->

```

<div class="card-body">
    @endif</td>
    <td>
        <a href="{{ route('hama.edit', $hama->id) }}" class="btn btn-warning mb-3">Edit</a>
        <form action="{{ route('hama.destroy', $hama->id) }}" method="POST" style="display:inline;">
            @csrf
            @method('DELETE')
            <button type="submit" class="btn btn-danger mb-3" onclick="return confirm('Apakah Anda yakin ingin menghapus data ini?')">Hapus</button>
        </form>
    </td>
</tr>
@endforeach
</tbody>
</table>
</div>
</div>
@endsection
//create jenis
<!-- resources/views/durians/create.blade.php -->
@extends('layouts.app')
@section('content')
    <!-- Begin Page Content -->
    <div class="container-fluid">
        <!-- Page Heading -->
        <div class="d-sm-flex align-items-center justify-content-between mb-4">
            <h1 class="mb-0 text-gray-800">Jenis</h1>
        </div>
        <!-- Content Row -->

```

```

<div class="row">
    <!-- Area Chart -->
    <div class="col-xl-12 col-lg-12">
        <div class="card shadow mb-4">
            <!-- Card Header - Dropdown -->
            <div class="card-header py-3 d-flex flex-row align-items-center justify-content-between">
                <h6 class="m-0 font-weight-bold text-primary">Tambah Jenis Durian</h6>
            </div>
            <!-- Card Body -->
            <div class="card-body">
                <div>
                    <form action="{{ route('durians.store') }}" method="POST" enctype="multipart/form-data" class="container mt-5">
                        @csrf
                        <div class="form-group">
                            <label for="nama_durian">Nama Durian:</label>
                            <input type="text" id="nama_durian" name="nama_durian" class="form-control" required></div>
                        <div class="form-group">
                            <label for="deskripsi">Deskripsi:</label>
                            <textarea id="deskripsi" name="deskripsi" class="form-control" rows="4" required></textarea></div>
                        <div class="form-group">
                            <label for="gambar">Gambar:</label>
                            <input type="file" id="gambar" name="gambar" class="form-control-file" accept="image/*"></div>
                            <button type="submit" class="btn btn-primary">Simpan</button>
                        </div>
                    </form>
                </div>
            </div>
        </div>
    </div>
    </div>
    <!-- End of Main Content -->
    <!-- Scroll to Top Button-->
    <a class="scroll-to-top rounded" href="#page-top">
        <i class="fas fa-angle-up"></i>
    </a>
    <!-- Logout Modal-->
    <div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <h5 class="modal-title" id="exampleModalLabel">Ready to Leave?</h5>
                    <button class="close" type="button" data-dismiss="modal" aria-label="Close">
                        <span aria-hidden="true">×</span>
                    </button>
                </div>
                <div class="modal-body">Select "Logout" below if you are ready to end your current session.</div>
                <div class="modal-footer">
                    <button class="btn btn-secondary" type="button" data-dismiss="modal">Cancel</button>
                    <a class="btn btn-primary" href="login.html">Logout</a>
                </div>
            </div>
        </div>
    </div>
    <!--endsection -->
    //edit jenis
    @extends('layouts.app')
    @section('content')

```

```

<div class="container-fluid">
    <div class="d-sm-flex align-items-center justify-content-between mb-4">
        <h1 class="h3 mb-0 text-gray-800">Jenis</h1></div>
        <div class="row">
            <div class="col-xl-12 col-lg-12">
                <div class="card shadow mb-4">
                    <div class="card-header py-3 d-flex flex-row align-items-center justify-content-between">
                        <h6 class="m-0 font-weight-bold text-primary">Edit Jenis Durian</h6>
                    <div class="card-body">
                        <div>
                            <form action="{{ route('durians.update', $durian->id) }}" method="POST" enctype="multipart/form-data">
                                @csrf
                                @method('PUT')
                                <div class="form-group">
                                    <label for="nama_durian">Nama Durian</label>
                                    <input type="text" class="form-control" id="nama_durian" name="nama_durian" value="{{ $durian->nama_durian }}" required>
                                </div>
                                <div class="form-group">
                                    <label for="deskripsi">Deskripsi</label>
                                    <textarea class="form-control" id="deskripsi" name="deskripsi" rows="3" required>{{ $durian->deskripsi }}</textarea>
                                </div>
                                <div class="form-group">
                                    <label for="gambar">Gambar</label><br>
                                    @if ($durian->gambar)
                                        nama_durian }}" width="100"><br><br>
                                    <input type="checkbox" name="hapus_gambar" value="1"> Hapus Gambar
                                    @else
                                        <p>Gambar tidak tersedia</p>
                                    @endif
                                </div>
                            </form>
                        </div>
                    <div class="card-footer">
                        <input type="file" id="gambar" name="gambar" accept="image/*">
                        <button type="submit" class="btn btn-primary">Simpan Perubahan</button>
                        <a href="{{ route('durians.index') }}" class="btn btn-secondary">Kembali</a>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
<!-- End of Main Content -->
<!-- Scroll to Top Button-->
<a class="scroll-to-top rounded" href="#page-top">
    <i class="fas fa-angle-up"></i>
</a>
<!-- Logout Modal-->
<div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title" id="exampleModalLabel">Ready to Leave?</h5>
                <button class="close" type="button" data-dismiss="modal" aria-label="Close">
                    <span aria-hidden="true">X</span>
                </button>
            </div>
            <div class="modal-body">Select "Logout" below if you are ready to end your current session.</div>
        </div>
    </div>
</div>

```

```

<div class="modal-footer">
    <button class="btn btn-secondary" type="button" data-dismiss="modal">Cancel</button>
    <a class="btn btn-primary" href="login.html">Logout</a>
</div>
</div>
</div>
</div>
@endsection
//index jenis
@extends('layouts.app')
@section('content')
    <!-- Begin Page Content -->
    <div class="container-fluid">
        <!-- Page Heading -->
        <div class="d-sm-flex align-items-center justify-content-between mb-4">
            <h1 class="h3 mb-0 text-gray-800">Jenis</h1>
        <!-- Content Row -->
        <div class="row">
            <!-- Area Chart -->
            <div class="col-xl-12 col-lg-12">
                <div class="card shadow mb-4">
                    <!-- Card Header - Dropdown -->
                    <div>
                        class="card-header py-3 d-flex flex-row align-items-center justify-content-between">
                            <h6 class="m-0 font-weight-bold text-primary">Daftar Jenis Durian</h6>
                        </div>
                    <!-- Card Body -->
                    <div class="card-body">

```

```

<div>
@if ($message = Session::get('success'))
<div class="alert alert-success">
<p>{{ $message }}</p>
</div>
@endif
<a href="{{ route('durians.create') }}" class="btn btn-success mb-3">Tambah Durian</a>
<table class="table table-bordered">
<thead>
<tr>
<th>Nama</th>
<th>Deskripsi</th>
<th>Gambar</th>
<th>Aksi</th>
</tr>
</thead>
<tbody>
@foreach ($durians as $durian)
<tr>
<td>{{ $durian->nama_durian }}</td>
<td>{{ Str::limit($durian->deskripsi, 50) }}</td>
<td>@if ($durian->gambar)
nama_durian }}" width="100">
@else
<p></p>
@endif</td>
<td>
<a href="{{ route('durians.edit', $durian->id) }}" class="btn btn-warning mb-3">Edit Durian</a>
<form action="{{ route('durians.destroy', $durian->id) }}" method="POST" style="display:inline;">
@csrf
@method('DELETE')

```

```
<button type="submit" class="btn btn-danger mb-3"
    onclick="return confirm('Apakah Anda yakin ingin
    menghapus data ini?')>Hapus</button>

</form>
</td>
</tr>
@endforeach
</tbody>
</table>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<!-- End of Main Content -->
<!-- Scroll to Top Button-->
<a class="scroll-to-top rounded" href="#page-top">
    <i class="fas fa-angle-up"></i>
</a>
</div>
@endsection
//create panduan
@extends('layouts.app')
@section('content')
<!-- Begin Page Content -->
<div class="container-fluid">
<!-- Page Heading -->
<div class="d-sm-flex align-items-center justify-
    content-between mb-4">
    <h1 class="h3 mb-0 text-gray-
        800">Panduan</h1></div>
<!-- Content Row -->
<div class="row">
<!-- Area Chart -->
<div class="col-xl-12 col-lg-12">
<div class="card shadow mb-4">
    <!-- Card Header - Dropdown -->
    <div class="card-header py-3 d-flex flex-row align-
        items-center justify-content-between">
        <h6 class="m-0 font-weight-bold text-
            primary">Tambah Panduan</h6>
    </div>
    <!-- Card Body -->
    <div class="card-body">
        <div>
            <form action="{{ route('panduan-budidaya.store')
}} method="POST" enctype="multipart/form-data"
            class="p-4 border rounded">
                @csrf
                <div class="form-group mb-3">
                    <label for="judul" class="form-label">Judul</label>
                    <input type="text" id="judul" name="judul"
                        class="form-control" required>
                </div>
                <div class="form-group mb-3">
                    <label for="artikel" class="form-
                        label">Artikel</label>
                    <input id="artikel" type="hidden" name="artikel">
                    <trix-editor input="artikel"></trix-editor>
                </div>
                <div class="form-group mb-3">
                    <label for="file" class="form-label">File</label>
                    <input type="file" id="file" name="file"
                        class="form-control" accept="image/*,video/*">
                </div>
                <button type="submit" class="btn btn-
                    primary">Simpan</button>
            </form>
        </div>
        </div>
        </div>
        </div>
    </div>
</div>
```

```

<!-- End of Main Content -->
<!-- Scroll to Top Button-->
<a class="scroll-to-top rounded" href="#page-top">
    <i class="fas fa-angle-up"></i></a>
<!-- Logout Modal-->
<div class="modal fade" id="logoutModal"
    tabindex="-1" role="dialog" aria-
    labelledby="exampleModalLabel"
    aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title"
                    id="exampleModalLabel">Ready to Leave?</h5>
                <button class="close" type="button" data-
                    dismiss="modal" aria-label="Close">
                    <span aria-hidden="true">x</span>
                </button></div>
                <div class="modal-body">Select "Logout"
                    below if you are ready to end your current
                    session.</div>
            <div class="modal-footer">
                <button class="btn btn-secondary" type="button"
                    data-dismiss="modal">Cancel</button>
                <a class="btn btn-primary"
                    href="login.html">Logout</a>
            </div>
        </div>
    </div>
</div>
@endsection
//edit panduan
@extends('layouts.app')
@section('content')
    <div class="container-fluid">
        <div class="d-sm-flex align-items-center
            justify-content-between mb-4">
            <h1 class="h3 mb-0 text-gray-
                800">Panduan</h1>
            <div class="row">
                <div class="col-xl-12 col-lg-12">
                    <div class="card shadow mb-4">
                        <div class="card-header py-3 d-flex flex-row align-
                            items-center justify-content-between">
                            <h6 class="m-0 font-weight-bold text-primary">Edit
                                Panduan</h6>
                        <div class="card-body">
                            <div>
                                <form action="{{ route('panduan-budidaya.update',
                                    $panduan->id) }}" method="POST"
                                    enctype="multipart/form-data">
                                    @csrf
                                    @method('PUT')
                                    <div class="form-group">
                                        <label for="judul">Judul</label>
                                        <input type="text" class="form-control" id="judul"
                                            name="judul" value="{{ $panduan->judul }}"
                                            required>
                                    <div class="form-group">
                                        <label for="artikel">Artikel</label>
                                        <input id="artikel" type="hidden" name="artikel">
                                        <trix-editor input="artikel" required>{!! $panduan-
                                            >artikel !!}</trix-editor>
                                    <div class="form-group">
                                        <label for="gambar">Gambar</label>
                                        <br>
                                        @if(in_array(pathinfo($panduan->file,
                                            PATHINFO_EXTENSION), ['mp4', 'mkv', 'mov']))
                                            <video width="300" controls>
                                                <source src="{{ asset('assets/file/panduan/' .
                                                    $panduan->file) }}" alt="{{ $panduan->judul }}">
                                            </video>
                                        @elseif(in_array(pathinfo($panduan->file,
                                            PATHINFO_EXTENSION), ['jpeg', 'jpg', 'png',
                                            'gif']))

```

```

judul }}" width="100">
@else
<p></p>
@endif
<input type="file" id="file" name="file"
accept="image/*,video/*"></div>
<button type="submit" class="btn btn-primary">Simpan Perubahan</button>
<a href="{{ route('panduan-budidaya.index') }}"
class="btn btn-secondary">Kembali</a>
</form>
</div>
</div>
</div>
</div>
</div>
<a class="scroll-to-top rounded" href="#page-top">
<i class="fas fa-angle-up"></i></a>
<div class="modal fade" id="logoutModal"
tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel">
aria-hidden="true">
<div class="modal-dialog" role="document">
<div class="modal-content">
<div class="modal-header">
<h5 class="modal-title"
id="exampleModalLabel">Ready to Leave?</h5>
<button class="close" type="button" data-
dismiss="modal" aria-label="Close">
<span aria-hidden="true">&times;</span>
</button>
</div>
<div class="modal-body">Select "Logout"
below if you are ready to end your current
session.</div>
<div class="modal-footer">
<button class="btn btn-secondary" type="button"
data-dismiss="modal" aria-label="Cancel">Cancel</button>
<a class="btn btn-primary"
href="login.html">Logout</a>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<!-- Begin Page Content -->
<div class="container-fluid">
<!-- Page Heading -->
<div class="d-sm-flex align-items-center justify-
content-between mb-4">
<h1 class="h3 mb-0 text-gray-
800">Panduan</h1></div>
<div class="row">
<div class="col-xl-12 col-lg-12">
<div class="card shadow mb-4">
<div class="card-header py-3 d-flex flex-row align-
items-center justify-content-between">
<h6 class="m-0 font-weight-bold text-
primary">Panduan Budidaya Durian</h6></div>
<div class="card-body">
<div>
<a href="{{ route('panduan-budidaya.create') }}"
class="btn btn-success mb-3">Tambah Panduan</a>
</div>
<@if ($message = Session::get('success'))>
<div class="alert alert-success">
<p>{{ $message }}</p>
</div>
<@endif>

```

```

<table class="table table-bordered">
    @csrf
    <thead>
        <tr>
            <th>Judul</th>
            <th>Artikel</th>
            <th>File</th>
            <th>Aksi</th>
        </tr>
    </thead>
    <tbody>
        @foreach ($panduans as $panduan)
            <tr>
                <td>{{ $panduan->judul }}</td>
                <td>{!!Str::limit($panduan->artikel, 100 )!!}</td>
                <td>
                    @if(in_array(pathinfo($panduan->file, PATHINFO_EXTENSION), ['mp4', 'mkv']))
                        <video width="300" controls><source src="{{ asset('assets/file/panduan/' . $panduan->file) }}" alt="{{ $panduan->judul }}"/>
                    @elseif(in_array(pathinfo($panduan->file, PATHINFO_EXTENSION), ['jpeg', 'jpg', 'png', 'gif']))
                        judul }}" width="100"/>
                    @else
                        <p></p>
                    @endif
                </td>
                <td>
                    <a href="{{ route('panduan-budidaya.edit', $panduan->id) }}" class="btn btn-warning mb-3">Edit Panduan</a>
                    <form action="{{ route('panduan-budidaya.destroy', $panduan->id) }}" method="POST" style="display:inline;">
                        <button type="submit" class="btn btn-danger mb-3" onclick="return confirm('Apakah Anda yakin ingin menghapus data ini?')">Hapus</button>
                    </form>
                </td>
            </tr>
        @endforeach
    </tbody>
</table>
</div>
</div>
</div>
</div>
</div>
</div>
<a class="scroll-to-top rounded" href="#page-top">
    <i class="fas fa-angle-up"></i>
</a>
<div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title" id="exampleModalLabel">Ready to Leave?</h5>
                <button class="close" type="button" data-dismiss="modal" aria-label="Close">
                    <span aria-hidden="true"></span>
                </button>
            </div>
            <div class="modal-body">Select "Logout" below if you are ready to end your current session.</div>
            <div class="modal-footer">

```

```

        <button class="btn btn-secondary"
type="button" data-
dismiss="modal">Cancel</button>

        <a class="btn btn-primary"
href="login.html">Logout</a>

    </div>
</div>
</div>
</div>
</div>
</div>
@endsection

//create penyakit

@extends('layouts.app')
@section('content')

    <div class="container-fluid">
        <div class="d-sm-flex align-items-center
justify-content-between mb-4">
            <h1 class="mb-0 text-gray-
800">Penyakit</h1>
        </div>
        <div class="row">
            <div class="col-xl-12 col-lg-12">
                <div class="card shadow mb-4">
                    <div class="card-header py-3 d-flex flex-row align-
items-center justify-content-between">
                        <h6 class="m-0 font-weight-bold text-
primary">Tambah Data Penyakit</h6>
                    </div>
                    <div class="card-body">
                        <div>
<form action="{{ route('penyakit.store') }}"
method="POST" enctype="multipart/form-data"
class="container mt-5">
    @csrf
    <div class="form-group">
        <label for="nama_penyakit">Nama
        Penyakit:</label>
        <input type="text" id="nama_penyakit"
name="nama_penyakit" class="form-control"
required></div>
        <div class="form-group">
            <label for="definisi">Definisi:</label>
            <textarea id="definisi" name="definisi"
class="form-control" rows="4"
required></textarea></div>
        <div class="form-group">
            <label for="gejala">Gejala:</label>
            <textarea id="gejala" name="gejala" class="form-
control" rows="4" required></textarea></div>
        <div class="form-group">
            <label for="pengendalian">Pengendalian:</label>
            <textarea id="pengendalian" name="pengendalian"
class="form-control" rows="4" required></textarea>
        </div>
        <div class="form-group">
            <label for="gambar">Gambar:</label>
            <input type="file" id="gambar" name="gambar"
class="form-control-file" accept="image/*"
required></div>
        <button type="submit" class="btn btn-
primary">Simpan</button>
    </div>
</div>
</div>
</div>
</div>
</div>
</div>
<a class="scroll-to-top rounded" href="#page-top">
    <i class="fas fa-angle-up"></i>
</a>
<div class="modal fade" id="logoutModal"
tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel"
aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">

```

```

<div class="modal-header">
    <h5 class="modal-title"
        id="exampleModalLabel">Ready to Leave?</h5>
    <button class="close" type="button" data-
        dismiss="modal" aria-label="Close">
        <span aria-hidden="true">&times;</span>
    </button>
</div>

<div class="modal-body">Select "Logout"
below if you are ready to end your current
session.</div>

<div class="modal-footer">
    <button class="btn btn-secondary"
        type="button" data-
        dismiss="modal">Cancel</button>
    <a class="btn btn-primary"
        href="logout.html">Logout</a>
</div>
</div>
</div>
</div>
</div>
@endsection
//edit penyakit
@extends('layouts.app')
@section('content')
<div class="container-fluid">
<div class="d-sm-flex align-items-center justify-
    content-between mb-4">
    <h1 class="h3 mb-0 text-gray-
        800">Penyakit</h1>
<div class="row">
    <div class="col-xl-12 col-lg-12">
        <div class="card shadow mb-4">
            <div class="card-header py-3 d-flex flex-row align-
                items-center justify-content-between">
                <h6 class="m-0 font-weight-bold text-primary">Edit
                    Data Penyakit</h6>
            </div>
            <div class="card-body">
                <div>
                    <form action="{{ route('penyakit.update',
                        $penyakit->id) }}" method="POST"
                        enctype="multipart/form-data">
                        @csrf
                        @method('PUT')
                    <div class="form-group">
                        <label for="nama_penyakit">Nama
                            penyakit</label>
                        <input type="text" class="form-control"
                            id="nama_penyakit" name="nama_penyakit"
                            value="{{ $penyakit->nama_penyakit }}"
                            required>
                    </div>
                    <div class="form-group">
                        <label for="definisi">Definisi</label>
                        <textarea class="form-control" id="definisi"
                            name="definisi" rows="3" required>{{ $penyakit-
                                >definisi }}</textarea>
                    <div class="form-group">
                        <label for="gejala">Gejala</label>
                        <textarea class="form-control" id="gejala"
                            name="gejala" rows="3" required>{{ $penyakit-
                                >gejala }}</textarea>
                    <div class="form-group">
                        <label for="pengendalian">Pengendalian</label>
                        <textarea class="form-control" id="pengendalian"
                            name="pengendalian" rows="3" required>{{ $penyakit-
                                >pengendalian }}</textarea>
                    </div>
                    <div class="form-group">
                        <label for="gambar">Gambar</label>
                        @if ($penyakit->gambar)
                            nama_penyakit }}" width="100">
                        @else
                            <p>Gambar tidak tersedia</p>
                        @endif
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

```

```

<input type="file" id="gambar" name="gambar"
accept="image/*">
</div>
<button type="submit" class="btn btn-primary">Simpan Perubahan</button>
<a href="{{ route('durians.index') }}" class="btn btn-secondary">Kembali</a>
</form>
</div>
</div>
</div>
</div>
<a class="scroll-to-top rounded" href="#page-top">
<i class="fas fa-angle-up"></i>
</a>
<div class="modal fade" id="logoutModal"
tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel">
aria-hidden="true">
<div class="modal-dialog" role="document">
<div class="modal-content">
<div class="modal-header">
<h5 class="modal-title"
id="exampleModalLabel">Ready to Leave?</h5>
<button class="close" type="button" data-
dismiss="modal" aria-label="Close">
<span aria-hidden="true">×</span>
</button>
</div>
<div class="modal-body">Select "Logout"
below if you are ready to end your current
session.</div>
<div class="modal-footer">
<button class="btn btn-secondary"
type="button" data-
dismiss="modal">Cancel</button>
<a class="btn btn-primary"
href="login.html">Logout</a>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
@endsection
//index penyakit
@extends('layouts.app')
@section('content')
<div class="container-fluid">
<div class="d-sm-flex align-items-center
justify-content-between mb-4">
<h1 class="h3 mb-0 text-gray-
800">Penyakit</h1>
</div>
<div class="row">
<div class="col-xl-12 col-lg-12">
<div class="card shadow mb-4">
<div class="card-header py-3 d-flex flex-row align-
items-center justify-content-between">
<h6 class="m-0 font-weight-bold text-
primary">Daftar Penyakit</h6>
</div>
<div class="card-body">
<div>
<a href="{{ route('penyakit.create') }}"
class="btn btn-primary mb-3">Tambah Penyakit</a>
</div>
@if ($message = Session::get('success'))
<div class="alert alert-success">
<p>{{ $message }}</p>
</div>
@endif
<table class="table table-bordered">
<thead>
<tr>
<th>>Nama</th>

```

```

<th>Definisi</th> </tr>
<th>Gejala</th> @endforeach
<th>Pengendalian</th> </tbody>
<th>Gambar</th> </table>
<th>Aksi</th> </div>
</tr> </div>
</thead> </div>
<tbody> </div>
@foreach ($penyakits as $penyakit) </div>
<tr>
<td>{{ $penyakit->nama_penyakit }}</td>
<td>{{ Str::limit($penyakit->definisi, 50) }}</td>
<td>{{ Str::limit($penyakit->gejala, 50) }}</td>
<td>{{ Str::limit($penyakit->pengendalian, 50) }}</td>
<td>@if ($penyakit->gambar)

width="100">
@else
<p>Gambar tidak tersedia</p>
@endif</td>
<td>
<a href="{{ route('penyakit.edit', $penyakit->id) }}"
class="btn btn-warning mb-3">Edit</a>
<form action="{{ route('penyakit.destroy', $penyakit->id) }}"
method="POST"
style="display:inline;">
@csrf
@method('DELETE')
<button type="submit" class="btn btn-danger mb-3"
onclick="return confirm('Apakah Anda yakin ingin menghapus data ini?')>Hapus</button>
</form>
</td>

```

```

</div>
</div>
</div>
@endsection
//cretae tips

<div class="d-sm-flex align-items-center justify-
content-between mb-4">
    <h1 class="h3 mb-0 text-gray-
800">Tips</h1>
    </div>
    <div class="row">
        <div class="col-xl-12 col-lg-12">
            <div class="card shadow mb-4">
                <div class="card-header py-3 d-flex flex-row align-
items-center justify-content-between">
                    <h6 class="m-0 font-weight-bold text-
primary">Tambah Data Tips</h6>
                    </div>
                    <div class="card-body">
                        <div>
                            <form action="{{ route('tips.store') }}"
method="POST" enctype="multipart/form-data">
                                @csrf
                                <div class="form-group">
                                    <label for="judul">Judul:</label>
                                    <input type="text" id="judul" name="judul"
class="form-control" required></div>
                                <div class="form-group">
                                    <label for="artikel" class="form-
label">Artikel:</label>
                                    <input id="artikel" type="hidden" name="artikel">
                                    <trix-editor input="artikel" class="trix-
content"></trix-editor></div><button type="submit"
class="btn btn-primary">Simpan</button>
                            </form>
                        </div>
                    </div>
                </div>
            </div>
            <a class="scroll-to-top rounded" href="#page-top">
                <i class="fas fa-angle-up"></i>
            </a>
            <div class="modal fade" id="logoutModal"
tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel"
aria-hidden="true">
                <div class="modal-dialog" role="document">
                    <div class="modal-content">
                        <div class="modal-header">
                            <h5 class="modal-title"
id="exampleModalLabel">Ready to Leave?</h5>
                            <button class="close" type="button" data-
dismiss="modal" aria-label="Close">
                                <span aria-hidden="true">×</span>
                            </button>
                        </div>
                        <div class="modal-body">Select "Logout"
below if you are ready to end your current
session.</div>
                        <div class="modal-footer">
                            <button class="btn btn-secondary"
type="button" data-
dismiss="modal">Cancel</button>
                            <a class="btn btn-primary"
href="login.html">Logout</a>
                        </div>
                    </div>
                </div>
            </div>
            <@endsection
//edit tips

<div class="d-sm-flex align-items-center justify-
content-between mb-4">

```

```

        <h1 class="h3 mb-0 text-gray-
800">Tips</h1>
    </div>

    <div class="col-xl-12 col-lg-12">
        <div class="card shadow mb-4">
            <div class="card-header py-3 d-flex flex-row align-
items-center justify-content-between">
                <h6 class="m-0 font-weight-bold text-primary">Edit
Data Tips</h6> </div>
                <div class="card-body">
                    <div>
                        <form action="{{ route('tips.update', $tips->id) }}">
                            method="POST" enctype="multipart/form-data">
                                @csrf
                                @method('PUT')

                                <div class="form-group">
                                    <label for="judul">Judul</label>
                                    <input type="text" class="form-control" id="judul"
name="judul" value="{{ $tips->judul }}"
required> </div>

                                <div class="form-group mb-3">
                                    <label for="artikel" class="form-
label">Artikel</label>
                                    <input id="artikel" type="hidden" name="artikel">
                                    <trix-editor input="artikel">{!!$tips-
>artikel!!}</trix-editor></div>
                                    <button type="submit" class="btn btn-
primary">Simpan Perubahan</button>
                                    <a href="{{ route('tips.index') }}" class="btn btn-
secondary">Kembali</a>
                                </form>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
        <a class="scroll-to-top rounded" href="#page-top">
            <i class="fas fa-angle-up"></i>
        </a>
    </div>
</div>
<div class="modal fade" id="logoutModal"
tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel"
aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title"
id="exampleModalLabel">Ready to Leave?</h5>
                <button class="close" type="button" data-
dismiss="modal" aria-label="Close">
                    <span aria-hidden="true">x</span>
                </button>
            </div>
            <div class="modal-body">Select "Logout"
below if you are ready to end your current
session.</div>
            <div class="modal-footer">
                <button class="btn btn-secondary"
type="button" data-
dismiss="modal">Cancel</button>
                <a class="btn btn-primary"
href="login.html">Logout</a>
            </div>
        </div>
    </div>
</div>
</div>
<div class="d-sm-flex align-items-center
justify-content-between mb-4">
    <h1 class="h3 mb-0 text-gray-
800">Tips</h1>
    <div class="row">

```

```

        </tr>
<div @foreach ($tipss as $tips)
    class="card-header py-3 d-flex flex-row align-items-center justify-content-between">
        </tbody>
        </table>
        </div>
        </div>
        <div class="card-body">
            <div>
                <a href="{{ route('tips.create') }}" class="btn btn-primary mb-3">Tambah Tips</a>
                @if ($message = Session::get('success'))
                    <div class="alert alert-success">
                        <p>{{ $message }}</p>
                    </div>
                @endif
                <table class="table table-bordered">
                    <thead>
                        <tr>
                            <th>Judul</th>
                            <th>Artikel</th>
                            <th>Aksi</th>
                        </tr>
                    </thead>
                    <tbody>
                        @foreach ($tipss as $tips)
                            <tr>
                                <td>{{ $tips->judul }}</td>
                                <td>{!!Str::limit($tips->artikel, 50) !!}</td>
                                <td><a href="{{ route('tips.edit', $tips->id) }}" class="btn btn-warning mb-3">Edit Tips</a>
                                    <form action="{{ route('tips.destroy', $tips->id) }}" method="POST" style="display:inline;">
                                        <button type="submit" class="btn btn-danger mb-3" onclick="return confirm('Apakah Anda yakin ingin menghapus data ini?')>Hapus</button>
                                    </form>
                                </td>
                            </tr>
                        @endforeach
                    </tbody>
                </table>
            </div>
        </div>
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <h5 class="modal-title" id="exampleModalLabel">Ready to Leave?</h5>
                    <button class="close" type="button" data-dismiss="modal" aria-label="Close">
                        <span aria-hidden="true">×</span>
                    </button>
                <div class="modal-body">Select "Logout" below if you are ready to end your current session.</div>
                <div class="modal-footer">
                    <button class="btn btn-secondary" type="button" data-dismiss="modal">Cancel</button>
                    <a class="btn btn-primary" href="login.html">Logout</a>
                </div>
            </div>
        </div>
        </div>
        </div>
    @endsection
</div>

```

```

//user
//hama
@extends('layouts.app')
@section('content')
@php
use Illuminate\Support\Str;
@endphp
<div class="container-fluid bg-light blog py-5">
<div class="container py-5">
<div class="mx-auto text-center mb-5"
style="max-width: 900px;">
<h5 class="section-title px-3">hama</h5>
<h1 class="mb-4">Hama pada Durian</h1>
<p class="mb-0">Hama pada durian adalah berbagai jenis serangga atau organisme lain yang dapat merusak tanaman durian, baik dari bagian daun, batang, atau buahnya. Mereka dapat menyebabkan kerusakan fisik pada tanaman, mengurangi hasil panen, dan menurunkan kualitas buah durian
</p>
</div>
<div class="row">
@foreach ($hamas as $hama)
<div class="col-lg-4 col-md-12">
<div class="blog-item">
<div class="blog-img">
<div class="blog-img-inner">
@if ($hama->gambar)
nama_hama }}"
style="width: 100%; height: 400px; object-fit:
cover;">
@else
tidak ada
@endif
<div class="blog-icon">
<a href="#" class="my-auto"><i
class="text-white"></i></a>
</div>
</div>
</div>
<div class="blog-content border border-
top-0 rounded-bottom p-4">
<a href="#" class="h4">{{ $hama-
>nama_hama }}</a>
<p class="my-3">{{ Str::limit($hama-
>definisi, 50) }}</p>
<a href="{{ route('hama.show', $hama-
>id) }}" class="btn btn-warning rounded-pill py-2
px-4">Read More</a>
</div>
</div>
</div>
<div class="row">
@endforeach
</div>
</div>
<div class="row">
@endsection
//show hama
@extends('layouts.app')
@section('content')
<div class="container-fluid bg-light service py-5">
<div class="container py-5">
<div class="mx-auto text-center mb-5"
style="max-width: 900px;">
<h5 class="section-title px-3">hama</h5>
<h1 class="mb-0">Hama Pada Durian</h1>
</div>
<h4 class="mb-4">{{ $hama-
>nama_hama }}</h4>
@if ($hama->gambar)
nama_hama }}" width="40%">

```

```

        @else
        <br>
    @endif
    <p class="card-text">{ { $hama->definisi
} }</p>
    <h4>Gejala</h4>
    <p class="card-text">{ { $hama->gejala
} }</p>
    <h4>Cara Pengendalian</h4>
    <p class="card-text">{ { $hama-
>pengendalian } }</p>
</div>
<a href="{ { route('hama.list') } }"
class="btn btn-success">Kembali ke Daftar
Hama</a>
</div>
</div>
@endsection
//jenis
@extends('layouts.app')
@section('content')
@php
use Illuminate\Support\Str;
@endphp
<div class="container-fluid bg-light service py-5">
<div class="container py-5">
<div class="mx-auto text-center mb-5"
style="max-width: 900px;">
<h5 class="section-title px-3">jenis</h5>
<h1 class="mb-0">Jenis - Jenis Durian</h1>
</div>
<div class="row g-4">
@foreach ($jenis as $item)
<div class="col-lg-6">
<div class="row g-4">
<div class="col-12">
<a href="{ { route('durians.show', $item-
>id) } }">
<div class="service-content-inner d-flex
align-items-center bg-white border border-primary
rounded p-4 pe-0">
<div class="service-content">
<h5 class="mb-4">{ {$item-
>nama_durian} }</h5>
<p class="mb-0">
{ {Str::limit( $item->deskripsi,50 )} }
</p>
</div></div></a></div></div></div>
@endforeach
</div>
</div>
@endsection
//show jenis
@extends('layouts.app')
@section('content')
<div class="container-fluid bg-light service py-5">
<div class="container py-3" >
<div class="mx-auto text-center mb-4"
style="max-width: 900px;">
<h5 class="section-title px-3">jenis</h5>
<h1 class="mb-0">Jenis-Jenis
Durian</h1></div>
<h4 class="mb-4">{ {$durian-
>nama_durian} }</h4>
@if ($durian->gambar)
{ {-- <div style="text-align: center;"> --}}
nama_durian } }" width="40%">
{ {-- </div> --}}
@else
<br>

```

```

        @endif
    <p class="card-text">{ { $durian->deskripsi
} }</p></div>
<div style="text-align: left;">
    <a href="{ { route('jenis.list') } }"
class="btn btn-success mt-2" style="margin-left:
90px;">Kembali ke Daftar Jenis</a></div>
{ { -- <div style="text-align: left;">
    <a href="{ { route('jenis.list') } }" class="btn mt-2"
style="margin-left: 0px; font-size: 18px; padding:
12px 24px; background-color: #800080; border-
color: #800080; color: #fff;">Kembali ke Daftar
Jenis</a></div> -- }
{ { -- border-radius: 0; -- } }

</div>
</div>
@endsection

//panduan
@extends('layouts.app')
@section('content')
@php
use Illuminate\Support\Str;
@endphp
<div class="container-fluid bg-light service py-5">
    <div class="container py-5">
        <div class="mx-auto text-center mb-5"
style="max-width: 900px;">
            <h5 class="section-title px-
3">panduan</h5>
            <h1 class="mb-0">Panduan Budidaya
Durian</h1></div>
            <div class="row g-4">
                @foreach ($panduans as $item)
                    <div class="col-lg-12">
                        <div class="row g-4">
                            <div class="col-12">

```

```

<a href="{ { route('panduan-
budidaya.show', $item->id) } }">
<div class="service-content-inner d-flex
align-items-center bg-white border border-primary
rounded p-4 pe-0">
    <div class="service-content">
        <h5 class="mb-4">{ {$loop->iteration} }. { {$item-
>judul} }</h5>
    </div></div></a>
</div>
</div>
</div>
@endforeach
</div>
</div>
@endsection
//show panduan
@extends('layouts.app')
@section('content')
<div class="container-fluid bg-light service py-5">
    <div class="container py-5">
        <div class="mx-auto text-center mb-5"
style="max-width: 900px;">
            <h5 class="section-title px-
3">Panduan</h5>
            <h1 class="mb-0">Panduan Budidaya
Durian</h1>
        </div>
        <h4 class="mb-4">{ {$panduans-
>judul} }</h4>
        <p class="mb-4">
            { !! $panduans->artikel !! }</p>
        @if(in_array(pathinfo($panduans->file,
PATHINFO_EXTENSION), ['mp4', 'mkv']))
            <div class="responsive-video">
                <video controls>

```

```

<source src="{{ asset('assets/file/panduan/' . $panduans->file) }}"
type="video/{{ pathinfo($panduans->file,
PATHINFO_EXTENSION) }}">

Your browser does not support the
video tag.

</video>

</div>

@if(in_array(pathinfo($panduans->file,
PATHINFO_EXTENSION), ['jpeg', 'jpg', 'png',
'gif']))

judul}}"
style="max-width: 100%; height: auto;">

@else
<p></p>
@endif

</div>
</div>
@endsection

//penyakit

@extends('layouts.app')
@section('content')
@php
use Illuminate\Support\Str;
@endphp



##### Penyakit



# Penyakit Pada Durian



@foreach ($penyakits as $item)


#### {{$item->nama_penyakit}}



{{Str::limit($item->definisi, 100)}}

Read More


@endforeach


```

```

        @endif

        <p class="card-text">{ { $penyakit->definisi
} }</p>

        <h4>Gejala</h4>

        <p class="card-text">{ { $penyakit-
>gejala } }</p>

        <h4>Cara Pengendalian</h4>

        <p class="card-text">{ { $penyakit-
>pengendalian } }</p> </div>

        <a href="{ { route('penyakit.list') } }"
class="btn btn-danger">Kembali ke Daftar
Penyakit</a>

        </div>
    </div>

```

@endsection

```

//tips

@extends('layouts.app')

@section('content')
    <div class="container-fluid bg-light service py-5">
        <div class="container py-5">
            <div class="mx-auto text-center mb-5"
style="max-width: 900px;">
                <h5 class="section-title px-3">TIps</h5>
                <h1 class="mb-0">Tips Seputar
Durian</h1>
            </div>
            @foreach ($tipss as $item)
                <h4 class="mb-4">{ {$item->judul} }</h4>
                <p class="mb-4">{!!$item->artikel!!}</p>
                @endforeach
            </div>
        </div>
    </div>

```

@endsection

```

//dashboard

@extends('layouts.app')

```

@section('content')

```

<div id="spinner" class="show bg-white position-
fixed translate-middle w-100 vh-100 top-50 start-50
d-flex align-items-center justify-content-center">
    <div class="spinner-border text-primary"
style="width: 3rem; height: 3rem;" role="status">
        <span class="sr-only">Loading...</span>
    </div></div>

```

<div class="container-fluid about py-5">

```

<div class="container py-5">
    <div class="row g-5 align-items-center">
        <div class="col-lg-5">
            <div class="h-100" style="border: 50px solid;
border-color: transparent #137b21 transparent
#137b21;">
                
            </div></div>
            <div class="col-lg-7" style="background: linear-
gradient(rgba(255, 255, 255, .8), rgba(255, 255, 255,
.8)), url(img/about-img-1.png);">
                <!-- Subscribe Start -->
                <div class="container-fluid subscribe py-5">
                    <div class="container text-center py-5">
                        <div class="mx-auto text-center"
style="max-width: 900px;">
                            <h5 class="subscribe-title px-
3">Tips</h5></div>
                            <div class="col-12">
                                <div class="text-center">
                                    <a class="btn btn-warning rounded-
pill py-3 px-5 mt-2"
href="{ { route('tips.list') } }">Selengkapnya</a></div>
                                </div></div></div>
                <!-- Subscribe End -->
            </div>

```

@endsection

```

//routes

Route::middleware(['role:admin'])->group(function
() {

```

```

        Route::resource('durians',
DurianController::class)->except(['show']);

        Route::resource('panduan-budidaya',
PanduanBudidayaController::class)->except(['show']);

        Route::resource('hama', HamaController::class)->except(['show']);

        Route::get('/admin/dashboard',
[HomeController::class, 'admin'])->name('admin.index'); Route::resource('penyakit',
PenyakitController::class)->except(['show']);

        Route::resource('tips', TipsController::class)->except(['show']);

    });

    Route::get('/login',[LoginController::class,
'index'])->name('login');

    Route::post('/login-proses',[LoginController::class, 'login_proses'])->name('login-proses');

    Route::get('logout', [LoginController::class,
'logout'])->name('logout');

Route::resource('/', HomeController::class);

Route::get('/hama/{hama}', [HamaController::class,
'show'])->name('hama.show');

Route::get('/penyakit/{penyakit}', [PenyakitController::class, 'show'])->name('penyakit.show');

Route::get('/durians/{durian}', [DurianController::class, 'show'])->name('durians.show');

Route::get('/panduan-budidaya/panduan-budidaya/{id}', [PanduanBudidayaController::class,
'show'])->name('panduan-budidaya.show');

Route::get('/list/hama', [HamaController::class,
'list'])->name('hama.list');

Route::get('/list/jenis', [DurianController::class,
'list'])->name('jenis.list');

Route::get('/list/penyakit', [PenyakitController::class, 'list'])->name('penyakit.list');

Route::get('/list/panduan', [PanduanBudidayaController::class, 'list'])->name('panduan.list');002Route::get('/list/tips',
[TipsController::class, 'list'])->name('tips.list');

//controller durian

<?php

namespace App\Http\Controllers;

use App\Models\Durian;

use Illuminate\Http\Request;

class DurianController extends Controller

{

    public function index()

    {

        // $durians = Durian::all();

        // return view('admin.jenis.index', compact('durians'));

        $durians = Durian::orderBy('nama_durian', 'asc')->get();

        return view('admin.jenis.index', compact('durians'));

    }

    public function list()

    {

        // $jenis = Durian::all();

        // return view('user.jenis.jenis', compact('jenis'));

        $jenis = Durian::orderBy('nama_durian', 'asc')->get();

        return view('user.jenis.jenis', compact('jenis'));

    }

    public function create()

    {

        return view('admin.jenis.create');

    }

    public function store(Request $request)

    {

        $request->validate([

            'nama_durian' => 'required|string|max:255',



```

```

        'gambar' =>
    'nullable|image|mimes:jpeg,png,jpg,gif,svg|max:204
8',
        'deskripsi' => 'required|string',
    ]);

$namaGambar = null;

if (isset($request->gambar)) {
    $gambar = $request->file('gambar');

    $namaGambar = time() . '.' . $gambar-
>getClientOriginalExtension();

    $gambar = $gambar-
>move(public_path('assets/images/jenis'),
$namaGambar);

}

Durian::create([
    'nama_durian' => $request->nama_durian,
    'deskripsi' => $request->deskripsi,
    'gambar' => $namaGambar,
]);
return redirect()->route('durians.index');
}

public function show($id)
{
    $durian = Durian::find($id);

    return view('user.jenis.show',
compact('durian'));
}

public function edit($id)
{
    $durian = Durian::find($id);

    return view('admin.jenis.edit',
compact('durian'));
}

public function update(Request $request, $id)
{
    $request->validate([
        'nama_durian' => 'required|string|max:255',
        'gambar' =>
    'nullable|image|mimes:jpeg,png,jpg,gif,svg|max:204
8',
        'deskripsi' => 'required|string',
    ]);

$durian = Durian::find($id);

if ($durian) {
    $durian->nama_durian = $request-
>nama_durian;

    $durian->deskripsi = $request->deskripsi;

    if ($request->has('hapus_gambar') &&
$request->hapus_gambar == 1) {
        // Hapus gambar lama jika ada
        if ($durian->gambar &&
file_exists(public_path('assets/images/jenis/' .
$durian->gambar))) {
            unlink(public_path('assets/images/jenis/' .
$durian->gambar));
        }
    }

    $durian->gambar = null;
} elseif ($request->hasFile('gambar')) {
    // Hapus gambar lama jika ada
    if ($durian->gambar &&
file_exists(public_path('assets/images/jenis/' .
$durian->gambar))) {
        unlink(public_path('assets/images/jenis/' .
$durian->gambar));
    }

    $gambar = $request->file('gambar');

    $namaGambar = time() . '.' . $gambar-
>getClientOriginalExtension();

    $gambar-
>move(public_path('assets/images/jenis'),
$namaGambar);

    $durian->gambar = $namaGambar;
}
}

```

```

$durian->save();
{
    public function index()
    {
        $hamas = Hama::all();
        return view('admin.hama.index',
compact('hamas'));
    }

    public function list()
    {
        $hamas = Hama::all();
        return view('user.hama.hama',
compact('hamas'));
    }

    public function create()
    {
        return view('admin.hama.create');
    }

    public function store(Request $request)
    {
        $request->validate([
            'nama_hama' => 'required|string|max:255',
            'gambar' =>
'required|image|mimes:jpeg,png,jpg,gif,svg|max:2048',
            'definisi' => 'required|string',
            'gejala' => 'required|string',
            'pengendalian' => 'required|string',
        ]);
        if (isset($request->gambar)) {
            $gambar = $request->file('gambar');
            $namaGambar = time() . '.' . $gambar-
>getClientOriginalExtension();
            $gambar = $gambar-
>move(public_path('assets/images/hama'),
$namaGambar);
        }
        Hama::create([

```

```

'nama_hama' => $request->nama_hama,           // Hapus gambar lama jika ada
'gambar' => $namaGambar,                         if ($hama->gambar) {
'definisi' => $request->definisi,             $oldImagePath =
'gejala' => $request->gejala,                  public_path('assets/images/hama/' . $hama-
'pengendalian' => $request->pengendalian,      >gambar);
});                                                 if (file_exists($oldImagePath)) {
return redirect()->route('hama.index');          unlink($oldImagePath);
}
}

public function show($id)
{
    $hama = Hama::find($id);
    return view('user.hama.show', compact('hama'));
}

public function edit($id)
{
    $hama = Hama::find($id);
    return view('admin.hama.edit', compact('hama'));
}

public function update(Request $request, $id)
{
    // Validasi input
    $request->validate([
        'nama_hama' => 'required|string|max:255',
        'gambar' =>
        'nullable|image|mimes:jpeg,png,jpg,gif,svg|max:2048',
        'definisi' => 'required|string',
        'gejala' => 'required|string',
        'pengendalian' => 'required|string']);
}

// Temukan data hama berdasarkan ID
$hama = Hama::findOrFail($id);
// Proses gambar baru jika ada di request
if ($request->hasFile('gambar')) {
}
}

// Hapus gambar jika ada
if ($hama->gambar) {
    $oldImagePath =
    public_path('assets/images/hama/' . $hama-
    >gambar);
    if (file_exists($oldImagePath)) {
        unlink($oldImagePath);
    }
}

// Unggah gambar baru
$gambar = $request->file('gambar');
$namaGambar = time() . '.' . $gambar-
>getClientOriginalExtension();
$gambar-
>move(public_path('assets/images/hama'),
$namaGambar);
$hama->gambar = $namaGambar;
}

// Perbarui data hama
$hama->nama_hama = $request-
>nama_hama;
$hama->definisi = $request->definisi;
$hama->gejala = $request->gejala;
$hama->pengendalian = $request-
>pengendalian;
$hama->save();

// Redirect ke halaman index dengan pesan
// sukses
return redirect()->route('hama.index')-
>with('success', 'Data hama berhasil diperbarui.');
}

public function destroy($id)
{
    $hama = Hama::find($id);
    if ($hama) {
        // Hapus gambar jika ada
}
}

```

```

        if ($hama->gambar &&
file_exists(public_path('assets/images/hama/' .
$hama->gambar)) {
    unlink(public_path('assets/images/hama/
/' . $hama->gambar));
}
// Hapus data hama
$hama->delete();
return redirect()->route('hama.index')-
>with('success', 'Data hama berhasil dihapus');
}
return redirect()->route('hama.index')-
>with('error', 'Data hama tidak ditemukan');}
// controller login
<?php
namespace App\Http\Controllers;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Auth;
class LoginController extends Controller
{
public function index()
{
return view('auth.login');
}
public function login_proses(Request $request)
{
$request->validate([
'email' => 'required',
'password' => 'required',
]);
$data = [
'email' =>$request->email,
'password' =>$request->password,];
if(Auth::attempt($data)){
return redirect()->route('admin.index');
}else{
}
}
return redirect()->route('login');
};

public function logout(){
Auth::logout();
return redirect()->route('login');}}
//controller panduan
<?php
class PanduanBudidayaController extends Controller
{
public function index()
{
$panduans = PanduanBudidaya::all();
return view('admin.panduan.index',
compact('panduans'));
}
public function list()
{
$panduans = PanduanBudidaya::all();
return view('user.panduan.panduan',
compact('panduans'));
}
public function create()
{
return view('admin.panduan.create');
}
public function store(Request $request)
{
$request->validate([
'judul' => 'required|string|max:255',
'artikel' => 'required|string',
'file' =>
nullable|file|mimes:jpeg,png,jpg,gif,mp4,mkv,mov|
max:200000', ]);
$namaFile = null;
}
}

```

```

if ($request->hasFile('file')) {
    $file = $request->file('file');

    $namaFile = time() . '.' . $file-
>getClientOriginalExtension();

    $file-
>move(public_path('assets/file/panduan'),
$namaFile);

}

PanduanBudidaya::create([
    'judul' => $request->judul,
    'artikel' => $request->artikel,
    'file' => $namaFile,]);

return redirect()->route('panduan-
budidaya.index');

}

public function show($id)
{
    $panduans =
PanduanBudidaya::findOrFail($id);

    $panduanDetail =
PanduanBudidaya::where('id', $panduans->id)
    ->where('id', 4)
    ->first();

    return view('user.panduan.show',
compact('panduans','panduanDetail'));
}

public function edit($id)
{
    $panduan = PanduanBudidaya::find($id);

    return view('admin.panduan.edit',
compact('panduan'));

}

public function update(Request $request, $id)
{
    $request->validate([
        'judul' => 'required|string|max:255',
        'artikel' => 'required|string',
        'file' => 'nullable|file|mimes:jpeg,png,jpg,gif,mp4,mkv,mov|
max:200000',]);
}

'file' =>
'nullable|file|mimes:jpeg,png,jpg,gif,mp4,mkv,mov|
max:200000',);

$panduan = PanduanBudidaya::findOrFail($id);

if ($request->hasFile('file')) {
    if ($panduan->file) {
        $oldFilePath =
public_path('assets/file/panduan/' . $panduan->file);

        if (file_exists($oldFilePath)) {
            unlink($oldFilePath);}}}

$file = $request->file('file');

$namaFile = time() . '.' . $file-
>getClientOriginalExtension();

$file->move(public_path('assets/file/panduan'),
$namaFile);

} else {
    $namaFile = $panduan->file;

$panduan->update([
    'judul' => $request->judul,
    'artikel' => $request->artikel,
    'file' => $namaFile,]);}

return redirect()->route('panduan-
budidaya.index')->with('success', 'Data berhasil
diperbarui.');
```

```

public function destroy($id)
{
    $panduan = PanduanBudidaya::find($id);

    $panduan->delete();

    return redirect()->route('panduan-
budidaya.index');}}}

//controller penyakit

<?php

class PenyakitController extends Controller
{
    public function index()
    {
```

```

$penyakits = Penyakit::all();
return view('admin.penyakit.index',
compact('penyakits'));
}

public function list()
{
$penyakits = Penyakit::all();
return view('user.penyakit.penyakit',
compact('penyakits'));
}

public function create()
{
return view('admin.penyakit.create');
}

public function store(Request $request)
{
$request->validate([
'nama_penyakit' => 'required|string|max:255',
'gambar' =>
'required|image|mimes:jpeg,png,jpg,gif,svg|max:204
8',
'definisi' => 'required|string',
'gejala' => 'required|string',
'pengendalian' => 'required|string',]);
if (isset($request->gambar)) {
$gambar = $request->file('gambar');
$namaGambar = time() . '.' . $gambar-
>getClientOriginalExtension();
$gambar = $gambar-
>move(public_path('assets/images/penyakit'),
$namaGambar);}
Penyakit::create([
'nama_penyakit' => $request-
>nama_penyakit,
'gambar' => $namaGambar,
'definisi' => $request->definisi,
'gejala' => $request->gejala,
'pengendalian' => $request->pengendalian,]);
return redirect()->route('penyakit.index');
}

public function show($id)
{
$penyakit = Penyakit::find($id);
return view('user.penyakit.show',
compact('penyakit'));
}

public function edit($id)
{
$penyakit = Penyakit::find($id);
return view('admin.penyakit.edit',
compact('penyakit'));
}

public function update(Request $request, $id)
{
$request->validate([
'nama_penyakit' => 'required|string|max:255',
'gambar' =>
'nullable|image|mimes:jpeg,png,jpg,gif,svg|max:204
8',
'definisi' => 'required|string',
'gejala' => 'required|string',
'pengendalian' => 'required|string',
]);
$penyakit = Penyakit::find($id);
if ($penyakit) {
$penyakit->nama_penyakit = $request-
>nama_penyakit;
$penyakit->definisi = $request->definisi;
$penyakit->gejala = $request->gejala;
$penyakit->pengendalian = $request-
>pengendalian;
if ($request->hasFile('gambar')) {

```

```

// Hapus gambar lama jika ada
if ($penyakit->gambar &&
file_exists(public_path('assets/images/penyakit/' .
$penyakit->gambar))) {
    unlink(public_path('assets/images/penyakit/' . $penyakit->gambar));
}
$gambar = $request->file('gambar');
}
$penyakit->save();
return redirect()->route('penyakit.index')-
>with('success', 'Data penyakit berhasil diperbarui');
}

return redirect()->route('penyakit.index')-
>with('error', 'Data penyakit tidak ditemukan');
}

public function destroy($id)
{
$penyakit = Penyakit::find($id);
if ($penyakit) {
    // Hapus gambar jika ada
    if ($penyakit->gambar &&
file_exists(public_path('assets/images/penyakit/' .
$penyakit->gambar))) {
        unlink(public_path('assets/images/penyaki
t/' . $penyakit->gambar));
    }
    // Hapus data penyakit
    $penyakit->delete();
}

return redirect()->route('penyakit.index')-
>with('success', 'Data penyakit berhasil dihapus');}

return redirect()->route('penyakit.index')-
>with('error', 'Data penyakit tidak ditemukan'); } }

//controller tips
<?php
class TipsController extends Controller
{

```

```

public function index()
{
$tipss = Tips::all();
return view('admin.tips.index', compact('tipss'));
}

public function list()
{
$tipss = Tips::all();
return view('user.tips.tips', compact('tipss'));
}

public function create()
{
return view('admin.tips.create');
}

public function store(Request $request)
{
$request->validate([
'judul' => 'required|string|max:255',
'artikel' => 'required|string',]);
Tips::create([
'judul' => $request->judul,
'artikel' => $request->artikel, ]);
return redirect()->route('tips.index');
}

public function show($id)
{
$tipss = Tips::find($id);
return view('tips.show', compact('tipss'));
}

public function edit($id)
{
$tipss = Tips::find($id);
return view('admin.tips.edit', compact('tipss'));
}
```

```

}

public function update(Request $request, $id)
{
    $tips = Tips::find($id);
    $tips->judul = $request->judul;
    $tips->artikel = $request->artikel;
    $tips->save();
    return redirect()->route('tips.index');
}

public function destroy($id)
{
    $tips = Tips::find($id);
    $tips->delete();
    return redirect()->route('tips.index');
}
}

//env.

DB_CONNECTION=mysql
DB_HOST=127.0.0.1
DB_PORT=3306
DB_DATABASE=durian
DB_USERNAME=root
DB_PASSWORD=
//footer

<footer class="bg-light text-black py-4 mt-auto">
    <div class="container text-center">
        <p class="mb-0">&copy; 2024 Durian Guide</p>
        <p class="text-black text-decoration-none">220280014 | Heriza Desti Anggraini</p>
    </div>
</footer>
//nav

<!-- Topbar -->
<nav class="navbar navbar-expand navbar-light bg-white topbar mb-4 static-top shadow">
    <!-- Sidebar Toggle (Topbar) -->
    <button id="sidebarToggleTop" class="btn btn-link d-md-none rounded-circle mr-3">
        <i class="fa fa-bars"></i>
    </button>
    <!-- Topbar Navbar -->
    <ul class="navbar-nav ml-auto">
        <div class="topbar-divider d-none d-sm-block"></div>
        <!-- Nav Item - User Information -->
        <li class="nav-item dropdown no-arrow">
            <a class="nav-link dropdown-toggle" href="#" id="userDropdown" role="button" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
                <span class="mr-2 d-none d-lg-inline text-gray-600 small">Admin</span>
            </a>
            <!-- Dropdown - User Information -->
            <div class="dropdown-menu dropdown-menu-right shadow animated--grow-in" aria-labelledby="userDropdown">
                <div class="dropdown-divider"></div>
                <a class="dropdown-item" href="#" data-toggle="modal" data-target="#logoutModal">
                    <i class="fas fa-sign-out-alt fa-sm fa-fw mr-2 text-gray-400"></i>
                    Logout
                </a>
            </div>
        </li>
    </ul>
    <!-- Logout Modal-->

```

```

<div class="modal fade" id="logoutModal"
tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel"

aria-hidden="true">

<div class="modal-dialog" role="document">

<div class="modal-content">

<div class="modal-header">

<h5 class="modal-title"
id="exampleModalLabel">Ready to Leave?</h5>

<button class="close" type="button" data-
dismiss="modal" aria-label="Close">

<span aria-hidden="true">&times;</span>

</button>

</div>

<div class="modal-body">Select "Logout"
below if you are ready to end your current
session.</div>

<div class="modal-footer">

<button class="btn btn-secondary"
type="button" data-
dismiss="modal">Cancel</button>

<a class="btn btn-primary"
href="{{ route('logout') }}">Logout</a>

</div>

</div>

</div>

</div>

</nav>

<!-- End of Topbar -->

//navbar

<!-- Navbar & Hero Start -->

<div class="container-fluid position-relative p-0">

<nav class="navbar navbar-expand-lg navbar-
light px-4 px-lg-5 py-3 py-lg-0">

<a href="#" class="navbar-brand p-0">

<h1 class="m-0">Panduan Durian</h1></a>

<button class="navbar-toggler" type="button"
data-bs-toggle="collapse" data-bs-
target="#navbarCollapse">

```

```

<span class="fa fa-bars"></span>

</button>

<div class="collapse navbar-collapse"
id="navbarCollapse">

<div class="navbar-nav ms-auto py-0">

<a href="{{ route('index') }}" class="nav-
item nav-link {{ request()>routeIs('index') ? 'active' :
}}">Home</a>

<a href="{{ route('jenis.list') }}"
class="nav-item nav-link {{ request()-
>routeIs('jenis.list') ? 'active' : '' }}">Jenis
Durian</a>

<a href="{{ route('hama.list') }}"
class="nav-item nav-link {{ request()-
>routeIs('hama.list') ? 'active' : '' }}">Hama</a>

<a href="{{ route('penyakit.list') }}"
class="nav-item nav-link {{ request()-
>routeIs('penyakit.list') ? 'active' : '' }}">Penyakit</a>

<a href="{{ route('tips.list') }}"
class="nav-item nav-link {{ request()>routeIs('tips.list') ?
'active' : '' }}">Tips</a>

<a href="{{ route('panduan.list') }}"
class="nav-item nav-link {{ request()-
>routeIs('panduan.list') ? 'active' : '' }}">Panduan</a>

</div>

</nav>

<!-- Carousel Start -->

<div class="carousel-header">

<div id="carouselId" class="carousel slide"
data-bs-ride="carousel">

<ol class="carousel-indicators">

<li data-bs-target="#carouselId" data-bs-
slide-to="0" class="active"></li>

<li data-bs-target="#carouselId" data-bs-
slide-to="1"></li>

<li data-bs-target="#carouselId" data-bs-
slide-to="2"></li>

</ol>

<div class="carousel-inner" role="listbox">

<div class="carousel-item active">
```

```

        

<div class="carousel-caption">
    <div class="p-3" style="max-width: 900px;">
        <h4 class="text-white text-uppercase fw-bold mb-4"
style="letter-spacing: 3px;">Explore about durian</h4>
        <h1 class="display-2 text-capitalize text-white mb-4">Selamat Datang di Panduan Budidaya Durian!</h1>
        <div class="d-flex align-items-center justify-content-center">
            <a class="btn-hover-bg btn btn-primary rounded-pill text-white py-3 px-5"
href="{{ route('panduan.list') }}">Panduan Budidaya</a></div></div></div>
    /div></div></div>
//sidebar
<!-- Sidebar -->
<ul class="navbar-nav bg-gradient-primary sidebar sidebar-dark accordion"
id="accordionSidebar">
    <!-- Sidebar - Brand -->
    <a class="sidebar-brand d-flex align-items-center justify-content-center" href="#">
        <div class="sidebar-brand-icon rotate-n-15">
            <i class="fas fa-laugh-wink"></i></div>
            <div class="sidebar-brand-text mx-3">Panduan Durian</div></a>
        <hr class="sidebar-divider my-0">
    <!-- Nav Item - Dashboard -->
    <li class="nav-item active">
        <a class="nav-link" href="#">
            <i class="fas fa-fw fa-tachometer-alt"></i>
            <span>Dashboard</span></a></li>
        <hr class="sidebar-divider">
        <div class="sidebar-heading">
            Pages</div>
        <li class="nav-item">
            <a class="nav-link"
href="{{ route('durians.index') }}">
                <i class="fas fa-fw fa-folder"></i>
            <span>Jenis</span></a></li>
        <li class="nav-item">
            <a class="nav-link"
href="{{ route('penyakit.index') }}">
                <i class="fas fa-fw fa-folder"></i>
            <span>Penyakit</span></a></li>
        <li class="nav-item">
            <a class="nav-link"
href="{{ route('hama.index') }}">
                <i class="fas fa-fw fa-folder"></i>
            <span>Hama</span></a></li>
        <li class="nav-item">
            <a class="nav-link"
href="{{ route('tips.index') }}">
                <i class="fas fa-fw fa-folder"></i>
            <span>Tips</span></a></li>
        <li class="nav-item">
            <a class="nav-link"
href="{{ route('panduan-budidaya.index') }}">
                <i class="fas fa-fw fa-folder"></i>
            <span>Panduan</span></a></li>
        <hr class="sidebar-divider d-none d-md-block">
        <div class="text-center d-none d-md-inline">
            <button class="rounded-circle border-0"
id="sidebarToggle"></button>
        </div>
    </ul>
<!-- End of Sidebar -->

```