LAMPIRAN

1. **index.php**

```
<?php

require_once('controller/master.php');
  switch ($path) {
    case 'api':

include_once("controller/data-json.php");
    break;
    case 'post':

include_once("controller/data-post.php");
    break;
    case 'administrator':

include_once('view/admin/template.php');
    break;
    case '':
include_once("view/homepage.php");
    break;
  default:
    echo "404:not-found";
    break;
  }
 ?>
```

2. **data-json.php**

```
<?php
    header('Access-Control-Allow-Origin: *');
    header('content-type:application/json');

    switch ($path1) {
            case 'data-hewan':
                $id = @$_GET['id'];
                echo jjson("object", $konek, "SELECT
```

```
* FROM tb_hewan WHERE id =
'$id'");
                break;

                default:
                        echo "default
get";
                break;
        }

 ?>
```

3. **data-post.php**

```
<?php
        // header('Access-Control-
Allow-Origin: *');
        // header('content-
type:application/json');
                switch ($path1) {
                        case 'del-
hewan':
                                $id =
$_GET['id'];
                                $qry =
$konek->query("DELETE FROM
tb_hewan WHERE id = '$id'");
                                if ($qry
== true) {
        if (!empty($_GET['gmb'])) {
        unlink('img/hewan/'.$_GET['
gmb']);
        }
        header('location:'.$srv-
>name.'administrator/data-
hewan');
                                }
                        break;
                        default:
                        echo "default
post";
                        break;
                }
```

?>

4. function.php

```
<?php

    function ph($string){
        $options = [
            'cost' => 5
        ];
            return
password_hash($string,
PASSWORD_DEFAULT,
$options);
    }

function numOnly($val){
    $repNumber =
str_split("!@#$%^&*()_-
=+|\][[`~'\";:/?.>,<{}qwertyuioplkj
hgfdsazxcvbnm");
    return
intval(str_replace($repNumber, ",
$val));
}

    function repInjeksi($string){
        $repString =
str_split("!@#$%^&*()_-
=+|\][[`~'\";:/?.>,<{}");
            return
str_replace($repString, '', $string);
    }

    /*merubah format angka ke
format rupiah*/
    function rp($a){
            return
number_format($a,0,".",".");
    }

    function
jjson($jenis,$koneksi,$sql){

  $stmt = $koneksi ->
query($sql);
  if ($stmt === false) {
    return "[]";
    return false;
```

```
    }
    if ($stmt->num_rows == 0) {
      return '[{"status":"false"}]';
    }else{
        switch ($jenis) {
                case 'object':
                        $json_data
= array();
                        while($hasil =
$stmt -> fetch_object()){

$json_data[] = $hasil;
                        }
                        return
json_encode(($json_data));
                        break;
                default:
                        # code...
                        break;
        }

    }
  }
```

```
function tglHari($date){
        $hari = array(1 =>
"Senin","Selasa","Rabu","Kamis",
"Jumat","Sabtu","Minggu");
        $tgl = explode("-", $date);
        $no =
date('N',strtotime($date));
        return $hari[$no].",
".$tgl[2]."/".$tgl[1]."/".$tgl[0];
}

/*validasi image*/
function is_img($path,$type){
  switch ($type) {
    case 'gambar':
      $a = @getimagesize($path);
      $image_type = $a[2];
      if (in_array($image_type,
array(IMAGETYPE_GIF,IMAGE
TYPE_PNG,IMAGETYPE_JPEG,
```

```
IMAGETYPE_PNG,IMAGETYP
E_BMP))) {
      return "true";
    }else{
      return "false";
    }
    break;

  default:
  echo "terjadi kesalahan";
    break;
 }
 }

function get_ar($ar){
      $arr = [];
      $arr = $ar;
      return json_encode($arr);
}

function compress($source,
$destination, $quality) {
      $info =
getimagesize($source);
      if ($info['mime'] ==
'image/jpeg')
            $image =
imagecreatefromjpeg($source);
      elseif ($info['mime'] ==
'image/gif')
            $image =
imagecreatefromgif($source);
      elseif ($info['mime'] ==
'image/png')
            $image =
imagecreatefrompng($source);
      imagejpeg($image,
$destination, $quality);
      return $destination;
}

function
up_file($file,$folder,$rename){
```

```
        $data =
basename($_FILES[$file]["name"]
);
    $format_file =
pathinfo($data,PATHINFO_EXTE
NSION);
        $temp =
$_FILES[$file]["tmp_name"];
        $location =
$folder.$_FILES[$file]["name"];
        if
(is_img($_FILES[$file]["tmp_nam
e"],'gambar') ==true) {

        move_uploaded_file($temp,$
location);
        $code =
$rename.date("YmdHis");
            rename($location,
$folder.$code.".".$format_file);
            $gambar_baru =
$code.".".$format_file;
            return $gambar_baru;
        }else{
            return "Maaf, file
tidak didukung!";
        }
}

function
up_file_base64($base64_data,
$tmp_file, $rename){
        $data = $base64_data; // Your
data
'
42Pj4';
        $data =
str_replace('data:image/png;base64
,', '', $data);
        $data = str_replace(' ', '+',
$data);
        $data =
base64_decode($data);
        file_put_contents($tmp_file,
$data);
        return $rename;
```

```
}

 ?>
```

5. master.php

```
<?php
        session_start();
        ob_start();


        $host = "localhost";
        $user = "root";
        $pass = "";
        $db = "db_teguh";
        $konek = new
mysqli($host,$user,$pass,$db);


        $serverName =
"/obat_hewan/";
        $srv = (object)["name" =>
"http://".$_SERVER['HTTP_HOS
T'].$serverName];
        $request =
str_replace($serverName, "",
$_SERVER['REQUEST_URI']);
        $params = preg_split("#/#",
$request);
        $path = @$params[0];
        $path1 = @$params[1];


        require_once('function.php');
 ?>
```

6. route.php

```
<?php
  switch ($path1) {
    case '':

include_once("view/admin/berand
a.php");
      break;
      case 'data-hewan':

include_once("view/admin/hewan/
tabel-hewan.php");
      break;
```

```
      case 'pengaturan':

include_once("view/admin/pengat
uran-akun.php");
      break;
    case 'logout':

unset($_SESSION['hewan_obat']);
        header('location:'.$srv-
>name.'administrator');
    break;
    default:
      echo "/404:not-found";
      break;
  }
 ?>
```

7. homepage.php

```
<?php



    if ($_SERVER['REQUEST_METHOD'] === 'POST') {
        $cari = $_POST['cari'];
        // $sqlHewan = "SELECT * FROM tb_hewan WHERE nm_hewan LIKE '%$cari%' OR deskripsi LIKE '%$cari%' ORDER BY nm_hewan";
        $sqlHewan = "SELECT * FROM tb_hewan WHERE penyakit_diobati LIKE '%$cari%' OR deskripsi LIKE '%$cari%' ORDER BY nm_hewan";
        $msg = "Hasil Pencarian";
    }else{
        $sqlHewan = "SELECT * FROM tb_hewan ORDER BY nm_hewan";
    }
    $qry = $konek->query($sqlHewan);
 ?>
<!DOCTYPE html>
<html>
<head>
    <title>Sistem Informasi Pemanfaatan Hewan Sebagai Obat Tradisional</title>
   <meta charset="utf-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="theme-color" content="#000000">
    <link rel="shortcut icon" href="img/icon.png">
```

```
    <link rel="stylesheet"
href="assets/bootstrap/css/bootstra
p.min.css">
    <link rel="stylesheet"
href="assets/css/style.css">
    <link rel="stylesheet"
type="text/css" href="<?php echo
$srv->name;
?>assets/plugins/material-
icon/css/material-icons.css">
    <!-- <link
href="https://unpkg.com/ionicons
@4.4.2/dist/css/ionicons.min.css"
rel="stylesheet"> -->
    <link rel="stylesheet"
href="<?php echo $srv->name;
?>assets/xakti-bs/xakti-bs.css">
    <link rel="stylesheet"
href="<?php echo $srv->name;
?>assets/plugins/animate-
css/animate.min.css">
    <style type="text/css">
    .cari{
        background-color:
rgba(255,255,255,0.7);
        color: #fff;
        transition: 0.5s linear;
    }
        ::-webkit-input-placeholder {
/* Chrome/Opera/Safari */
                color: #333
!important;
        }
        ::-moz-placeholder { /*
Firefox 19+ */
                color: #333
!important;
        }
        :-ms-input-placeholder { /*
IE 10+ */
                color: #333
!important;
        }
        :-moz-placeholder { /*
Firefox 18- */
```

```
                color: #333
!important;
        }
    </style>
</head>
<body>
        <section class="header">
                <div class="header-
curve"></div>
                <div class="card card-
img-top text-center no-bd cs-
header-avatar" style="padding-top:
140px;">
                        <div
class="card-body no-bg cl-white">
                                <h1
class="name text-capitalize
animated fadeInLeft">sistem
informasi Pemanfaatan hewan
<br> sebagai obat tradisional</h1>
                                <div
class="sosmed d-flex justify-
content-center">
                                        <div class="form-
group form-group-icon w-50
animated fadeInRight">

                <form method="POST">
                                        <input
class="form-control cs-form form-
control-lg rounded-100 flat cari pl-
5" type="text" name="cari"
placeholder="Cari Disini"
autocomplete="off">
                                        <span
class="form-icon material-icons
pl-1">search</span>

                </form>
                                </div>
                                        </div>
                                        <div
class="mt-5">

                <a href="#dataHewan"
```

```
class="btn btn-outline-light
rounded-100 animated zoomIn ">

    <i class="material-icons font-
14">arrow_downward</i>

    </a>
                        </div>
                    </div>
                </div>
    </section>

    <section class="portfolio py-
5 bg-white" id="dataHewan">
                <!-- <h1 class="text-
center ft-w-300 mb-3">Daftar
Hewan</h1> -->
                <div
class="container">
                    <?php if
(!empty($msg)): ?>
                        <div
class="mb-4 text-center">
                            <h5>

                            <?php echo $msg; ?>
<span>"<?php echo $cari;
?>"</span>

                            </h5>

                            <small><a href="<?php echo
$srv->name;
?>">Kembali</a></small>
                        </div>
                    <?php endif
?>
                    <div
class="row">
                        <?php
                            while
($row1 = $qry->fetch_object()) {
?>
```

```
<div class="col-md-6 col-lg-3">

<div class="card cs-card mb-4" style="height: 350px;">

<img class="card-img-top img-portfolio" style="height: 200px;" src="img/hewan/<?php echo $row1->gmb; ?>" alt="<?php echo $row->nm_hewan; ?>">

<div class="card-body pb-0" style="overflow: hidden;">

<p class="card-text text-capitalize text-center ft-bold">

<?php echo $row1->nm_hewan; ?>

</p>

<div class="font-13 text-justify text-center"><?php echo $row1->deskripsi; ?></div>

</div>

<div class="card-footer flat bg-white text-center">

<a href="javascript:" class="btn btn-outline-primary btn-sm rounded-100" data-toggle="modal" data-target=".mdl-view" data-id="<?php echo $row1->id; ?>">Selengkapnya</a>

</div>

</div>

</div>
```

```
                                <?php
} ?>
                            </div>
                        </div>
                </section>

                <section class="footer
container-fluid py-3"
style="background-color: #222;">
                        <p class="text-center
cl-white ft-w-300">Copyright
&copy; 2018</p>
                </section>


<div class="modal fade mdl-view"
tabindex="-1" role="dialog">
  <div class="modal-dialog modal-
lg" role="document">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title">Data
Hewan</h5>
          <button type="button"
class="close" data-
dismiss="modal" aria-
label="Close">
            <span aria-
hidden="true">&times;</span>
          </button>
        </div>
        <div class="modal-body">
          <div class="row">
            <div class="col-12 col-lg-
12">
              <a href=""
target="_blank"><img src=""
class="tmp-img" style="width:
100%; object-fit: contain; height:
300px;"></a>
            </div>
            <div class="col-12 col-lg-12
mt-2">
              <div class="form-group">
                <b>Nama Hewan :</b>
```

```
            <div class="lbl-
nm_hewan"></div>
          </div>
          <div class="form-group">
            <b>Deskripsi :</b>
            <div class="lbl-
desk"></div>
          </div>

        <div class="form-group">
            <b>Bagian Yang
Digunakan Sebagai Obat :</b>
            <div class="lbl-
bagian"></div>
          </div>
          <div class="form-group">
            <b>Jenis Penyakit Yang
Diobati :</b>
            <div class="lbl-
jenis_penyakit"></div>
          </div>
          <div class="form-group">
                <b>Cara Pengolahan /
Pemakaian :</b>
                <div class="lbl-
cara"></div>
              </div>

          <hr>

          <!-- <h3>Testemoni
Pengguna</h3> -->

          <div class="form-group"
id="keterangan_testemoni">

          </div>


          <div class="form-group">
              <label>Nama :</label>
              <input type="text"
id="nama_testermonier"
class="form-control cs-form form-
control-sm">
```

```
        </div>

        <div class="form-group">

        <label>Testemoni</label>

                <textarea
id="testemoni" class="form-
control" style="resize:
none;"></textarea>

        </div>

        <div class="form-group">

                <center><button
type="button" id="button_tester"
class="btn btn-success rounded-
0">Tambah
Tesemoni</button></center>

        </div>
        </div>
      </div>
      <div class="modal-footer">
        <button type="button"
id="button_close" class="btn btn-
outline-secondary rounded-0"
data-
dismiss="modal">Tutup</button>
      </div>
    </div>
  </div>
</div>

        <script type="text/javascript"
src="assets/plugins/jquery-
3.3.1.min.js"></script>
        <script type="text/javascript"
src="assets/bootstrap/js/bootstrap.j
s"></script>
<script type="text/javascript">
```

```
  var link = "<?php echo $srv->name; ?>";

  $('.mdl-view').on('show.bs.modal', function (e) {
    var id = e.relatedTarget.attributes['data-id'].value;
    $.getJSON(link + 'api/data-hewan/?id='+id, function(json){
      var row = json[0];
      if (row.gmb !== null) {
        $('.tmp-img').attr('src', link + 'img/hewan/' + row.gmb);
        $('.tmp-img').parent().attr('href', link + 'img/hewan/' +row.gmb);
      }else{
        $('.tmp-img').attr('src', link + 'img/nopicture.png');
      }
$('#button_tester').attr('onclick',`tambah_testemoni(${row.id})`);
      $('.lbl-nm_hewan').html(row.nm_hewan);
      $('.lbl-desk').html(row.deskripsi);
                $('.lbl-bagian').html(row.bagian_obat_hewan);
      $('.lbl-jenis_penyakit').html(row.penyakit_diobati);
      $('.lbl-cara').html(row.cara_pengolahan);
                let testemoni = (row.testemoni != null || row.testemoni != '') ? JSON.parse(row.testemoni) : null

                if (testemoni == null) {
```

```
        $("#keterangan_testemoni").h
tml("<center><h5>Belum ada
testemoni dari
pengguna</h5></center>")
                        } else {
                            let
html = '<table width="100%">';

        testemoni =
testemoni.reverse()
                            for (let
i = 0; i < testemoni.length; i++) {


        html += '<tr>'

        html += `<td
width="30%">${testemoni[i].nam
a} | ${testemoni[i].tanggal}</td>`

        html += `<td width="5%">:
</td>`

        html += `<td
width="65%">${testemoni[i].teste
moni}  </td>`

        html += '</tr>'

                                }
                                html
+= '</table>'

        $("#keterangan_testemoni").h
tml(html)
                            }
    });
  });

        function
tambah_testemoni(id){
            // console.log(id)
            let nama =
$("#nama_testermonier").val();
```

```
            let testemoni =
$("#testemoni").val();

            if (nama == "") {
                alert("Nama
harus terisi");

    $("#nama_testermonier").foc
us();
            } else if (testemoni ==
"") {

    alert("Testemoni harus
terisi");

    $("#testemoni").focus();
            } else {
                //
console.log(nama)
                //
console.log(testemoni)

                if
(confirm('Tambah Testemoni
Anda?')) {

                    // Save
it!
                    //
console.log('Thing was saved to
the database.');

    $.ajax({

    type: "POST",

    url:
"http://localhost/obat_hewan/haha.
php",

    data: {proses:
'tambah_testemoni' , id : id, nama :
nama , testemoni : testemoni},

    cache: false,
```

```
        success: function(data){

        // $("#resultarea").text(data);

        console.log(data)

        $("#nama_testermonier").val(
null);

        $("#testemoni").val(null);

        $("#button_close").click()

        }
                                });

        console.log(id)
                        } else {
                                // Do
nothing!
                        console.log('Thing was not
saved to the database.');

                        console.log(id)
                                }
                        }

                }

</script>
</body>
</html>
```

8. template.php

```
<?php
  if
(empty($_SESSION['hewan_obat']
)) {
    include_once('login.php');
  }else{
 ?>
```

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">
    <title>Pemanfaatan hewan sebagai obat tradisional - Admin</title>

    <link rel="shortcut icon" href="<?php echo $srv->name; ?>images/favicon.png">
    <script type="text/javascript" src="<?php echo $srv->name; ?>assets/plugins/jquery-3.3.1.min.js"></script>

    <link rel="stylesheet" type="text/css" href="<?php echo $srv->name; ?>assets/bootstrap/css/bootstrap.min.css">
    <link rel="stylesheet" type="text/css" href="<?php echo $srv->name; ?>assets/plugins/material-icon/css/material-icons.css">

    <link rel="stylesheet" type="text/css" href="<?php echo $srv->name; ?>assets/plugins/datatables/jquery.dataTables.min.css">

    <link rel="stylesheet" href="<?php echo $srv->name; ?>assets/xakti-bs/xakti-bs.css">
```

```
    <link rel="stylesheet"
href="<?php echo $srv->name;
?>assets/xakti-bs/main.css?v=1">


  </head>
  <body>
    <div class="views layout-
default theme-red-orange">
    <nav class="navbar navbar-
expand-md fixed-top">
      <div class="navbar-brand
brand-1" href="#">
        <a href="#" class="navbar-
toggle hide-lg wave"><span
class="gg-icon material-
icons">menu</span></a>
        <!-- <img
src="images/logo.png"
class="demo-logo">  -->
        <span class="text-logo pl-4"
style="font-weight:
400;">ADMINISTRATOR</span
>
      </div>
      <button class="btn btn-sm
wave d-block d-sm-none btn-
toggle-navbar-head"><span
class="gg-icon material-
icons">keyboard_arrow_down</sp
an></button>
      <a class="sb-toggle wave"
href="javascript:void(0);"><span
class="gg-icon material-
icons">menu</span></a>
      <!-- <div class="display-sm-
none" style="color: #fff;"></div> -
->
      <!-- navbar head -->
      <div class="navbar-head d-
md-block ml-auto">
        <ul class="navbar-nav">
          <!-- dropdown avatar -->
          <li class="nav-item">
            <a class="nav-link text-
wrap" target="_blank"
```

```
href="<?php echo $srv->name;
?>" >
            <i class="gg-icon
material-icons">public</i>
            Lihat Website
          </a>
        </li>
      </ul>

    </div> <!-- end navbar-head --
>
  </nav>
  <!-- wrap -->
  <div class="wrap">
  <!-- sidebar -->
  <section class="sidebar">
    <?php
require_once('view/admin/sidebar-
menu.php'); ?>
  </section> <!-- end sidebar -->

  <!-- main content -->
  <section class="main-content">
        <div class="content-block">
<!-- content-block -->
          <div class="row no-
gutters"> <!-- row -->
            <?php

require_once('controller/route.php'
);
              ?>
          </div> <!-- end row -->
        </div> <!-- end content block
-->
    </section> <!-- end main
content -->
  </div>
</div><!-- end wrap -->
</div>


  <script type="text/javascript"
src="<?php echo $srv->name;
```

```
?>assets/plugins/popper.min.js"><
/script>
  <script type="text/javascript"
src="<?php echo $srv->name;
?>assets/bootstrap/js/bootstrap.min
.js"></script>
  <script type="text/javascript"
src="<?php echo $srv->name;
?>assets/js/script.js"></script>

  <script type="text/javascript"
src="<?php echo $srv->name;
?>assets/xakti-bs/xakti-
bs.js"></script>
  <script type="text/javascript"
src="<?php echo $srv->name;
?>assets/xakti-bs/main.js?v-
1"></script>

  </body>
</html>
<?php } ?>
```

9. table-hewan.php

```
<?php
  if (empty($_GET['id'])) {
    $title = "Tambah";
  }else{
    $title = "Perbarui";
    $id = $_GET['id'];
    $qry = $konek-
>query("SELECT * FROM
tb_hewan WHERE id = '$id'");
    $row = $qry->fetch_object();
  }

  if
($_SERVER['REQUEST_METH
OD'] === 'POST') {
    $nm_hewan =
$_POST['nm_hewan'];
    $desk = $_POST['desk'];
    $bagian_obat_hewan =
$_POST['bagian_obat_hewan'];
    $penyakit_diobati =
$_POST['penyakit_diobati'];
```

```
    $cara_pengolahan =
$_POST['cara_pengolahan'];
    if (isset($_POST['Tambah'])) {
      $gambar = up_file("gmb",
"img/hewan/","hewan_");
      $qry = $konek-
>query("INSERT INTO tb_hewan
(nm_hewan, deskripsi, gmb,
bagian_obat_hewan ,
penyakit_diobati ,
cara_pengolahan)
VALUES('$nm_hewan', '$desk',
'$gambar' , '$bagian_obat_hewan' ,
'$penyakit_diobati' ,
'$cara_pengolahan')");
      header('location:'.$srv-
>name.'administrator/data-
hewan');
    }

    if (isset($_POST['Perbarui'])) {
      if
(empty($_FILES['gmb']['name']))
{
        $sql = "UPDATE tb_hewan
SET nm_hewan = '$nm_hewan',
deskripsi = '$desk' ,
bagian_obat_hewan =
'$bagian_obat_hewan' ,
penyakit_diobati =
'$penyakit_diobati' ,
cara_pengolahan =
'$cara_pengolahan' WHERE id =
'$id'";
      }else{
        $gambar = up_file("gmb",
"img/hewan/","hewan_");
        $sql = "UPDATE tb_hewan
SET nm_hewan = '$nm_hewan',
deskripsi = '$desk', gmb =
'$gambar' , bagian_obat_hewan =
'$bagian_obat_hewan' ,
penyakit_diobati =
'$penyakit_diobati' ,
```

```
cara_pengolahan =
'$cara_pengolahan' WHERE id =
'$id'";
       unlink('img/hewan/'.$row-
>gmb);
     }
     $qry = $konek->query($sql);
     $msg = ($qry == true) ?
header('location:'.$srv-
>name.'administrator/data-hewan')
: "gagal update." ;
    }
  }
 ?>
 <style>
.ck-editor__editable {
   min-height: 260px;
}
</style>
<div class="col-12 col-lg-6 p-2">
<!-- col -->
  <div class="card flat border-
bottom">
    <div class="card-header bg-
white text-capitalize"><?php echo
$title; ?> Data Hewan</div>
    <div class="card-body pb-0">

      <form method="POST"
enctype="multipart/form-data">
      <?php if (!empty($msg)): ?>
        <div class="alert alert-
warning"><?php echo $msg;
?></div>
      <?php endif ?>
      <?php if
(!empty($_GET['id'])): ?>
        <div class="form-group">
          <img src="<?php echo $srv-
>name; ?>img/hewan/<?php echo
$row->gmb; ?>" class="h-60px">
        </div>
      <?php endif ?>
        <div class="form-group">
          <input type="file"
name="gmb" class="form-control
```

```
cs-form form-control-sm"
accept="image/*">
        </div>
        <div class="form-group">
          <label>Nama
Hewan</label>
          <input type="text"
name="nm_hewan" class="form-
control cs-form form-control-sm"
value="<?php echo @$row-
>nm_hewan; ?>" required="">
        </div>
        <div class="form-group">
          <label>Deskripsi
Hewan</label>
          <!-- <textarea name="desk"
id="editor"><?php echo @$row-
>deskripsi; ?></textarea> -->
          <textarea name="desk"
id="editor"><?php echo
mb_convert_encoding(@$row-
>deskripsi,'UTF-8', 'UTF-8');
?></textarea>
        </div>
        <div class="form-group">
          <label>Bagian Yang
Digunakan Sebagai Obat</label>
          <input type="text"
name="bagian_obat_hewan"
class="form-control cs-form form-
control-sm" value="<?php echo
@$row->bagian_obat_hewan; ?>"
required="">
        </div>
        <div class="form-group">
          <label>Jenis Penyakit Yang
Diobati</label>
          <input type="text"
name="penyakit_diobati"
class="form-control cs-form form-
control-sm" value="<?php echo
@$row->penyakit_diobati; ?>"
required="">
        </div>
        <div class="form-group">
```

```
        <!-- <textarea name="desk" id="editor"><?php echo @$row->cara_pengolahan; ?></textarea> -->
        <label>Cara Pengolahan / Pemakaian</label>
        <textarea name="cara_pengolahan" id="editor1"><?php echo mb_convert_encoding(@$row->cara_pengolahan,'UTF-8', 'UTF-8'); ?></textarea>
      </div>
      <div class="form-group text-right">
        <?php if (!empty($_GET['id'])): ?>
          <a href="<?php echo $srv->name; ?>administrator/data-hewan" class="btn btn-outline-danger rounded-0 btn-sm">Batal</a>
        <?php endif ?>
          <button class="btn btn-outline-secondary rounded-0 btn-sm" name="<?php echo $title; ?>"><?php echo $title; ?> Data</button>
        </div>
      </form>
    </div>
  </div>
</div>

<div class="col-12 col-lg-6 p-2">
<!-- col -->
  <div class="card flat border-bottom"> <!-- card -->
    <div class="card-header bg-white text-capitalize">Daftar Hewan</div>
    <div class="card-body">
      <table id="datatable" class="table table-striped table-hover w-100" cellspacing="0">
        <thead>
```

```
        <tr class="bg-orange"
style="color: #fff;">
          <th class="ft-weight-
300">No</th>
          <th class="ft-weight-
300">Nama Hewan</th>
          <th class="ft-weight-300"
style="width: 80px;">Aksi</th>
        </tr>
      </thead>
      <tbody>
        <?php
          $no = 0;
          $qry = $konek-
>query("SELECT * FROM
tb_hewan");
          while ($row = $qry-
>fetch_object()) { ?>
        <tr class="font-14">
            <td class="py-1 text-
center" style="width:
25px;"><?php echo $no+=1;
?>.</td>
            <td class="py-1"><?php
echo $row->nm_hewan; ?></td>
            <td class="py-1">
              <a href="#" class="btn
btn-xs btn-danger"
onclick="hapus('<?php echo $row-
>nm_hewan; ?>', '<?php echo
$srv->name; ?>post/del-
hewan/?id=<?php echo $row->id;
?>&gmb=<?php echo $row->gmb;
?>')"><i class="gg-icon material-
icons font-
15">delete_forever</i></a>
              <a href="<?php echo
$srv->name; ?>administrator/data-
hewan/?id=<?php echo $row->id;
?>" class="btn btn-xs btn-
primary"><i class="gg-icon
material-icons font-
15">edit</i></a>
              <a href="javascript:"
class="btn btn-xs btn-light" data-
toggle="modal" data-target=".mdl-
```

```
view" data-id="<?php echo $row-
>id; ?>"><i class="gg-icon
material-icons font-
15">visibility</i></a>
            </td>
          </tr>
          <?php  }
          ?>
        </tbody>
      </table>
    </div>
  </div> <!-- end card -->
</div> <!-- end col -->



<div class="modal fade mdl-view"
tabindex="-1" role="dialog">
  <div class="modal-dialog modal-
lg" role="document">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title">Data
Hewan</h5>
          <button type="button"
class="close" data-
dismiss="modal" aria-
label="Close">
            <span aria-
hidden="true">&times;</span>
          </button>
        </div>
        <div class="modal-body">
          <div class="row">
            <div class="col-12 col-lg-
3">
              <a href=""
target="_blank"><img src=""
class="border tmp-img"
style="width: 100%; object-fit:
cover;"></a>
            </div>
            <div class="col-12 col-lg-
9">
              <div class="form-group">
                <b>Nama Hewan :</b>
```

```
            <div class="lbl-
nm_hewan"></div>
          </div>
          <div class="form-group">
            <b>Deskripsi :</b>
            <div class="lbl-
desk"></div>
          </div>
          <div class="form-group">
            <b>Bagian Yang
Digunakan Sebagai Obat :</b>
            <div class="lbl-
bagian"></div>
          </div>
          <div class="form-group">
            <b>Jenis Penyakit Yang
Diobati :</b>
            <div class="lbl-
jenis_penyakit"></div>
          </div>
          <div class="form-group">
            <b>Cara Pengolahan /
Pemakaian :</b>
            <div class="lbl-
cara"></div>
          </div>
          <hr>
          <div class="form-group"
id="keterangan_testemoni"></div
>
        </div>

      </div>
      <div class="modal-footer">
        <button type="button"
class="btn btn-outline-secondary
rounded-0" data-
dismiss="modal">Tutup</button>
      </div>
    </div>
  </div>
</div>
  <script type="text/javascript"
src="<?php echo $srv->name;
```

```
?>assets/plugins/datatables/jquery.
dataTables.min.js"></script>

<script src="<?php echo $srv-
>name;
?>assets/plugins/ckeditor/ckeditor.
js"></script>
<!-- <script src="<?php echo $srv-
>name;
?>assets/plugins/ckeditor5-build-
classic/ckeditor.js"></script> -->
<script>

/*ClassicEditor.create(
document.querySelector( '#editor' )
).then( editor => {
    console.log( editor );
  editor.config.height = 300;
})
.catch( error => {
    console.error( error );
});
*/
    CKEDITOR.config.entities =
false;

CKEDITOR.config.basicEntities =
false;

CKEDITOR.config.entities_greek
= false;

CKEDITOR.config.entities_latin =
false;

CKEDITOR.config.entities_additi
onal = '';

CKEDITOR.config.htmlEncodeO
utput = false;
    var editor =
CKEDITOR.replace('editor');
    var editor =
CKEDITOR.replace('editor1');
```

```
CKEDITOR.config.height="60vh"
;



  var link = "<?php echo $srv-
>name; ?>";

  $('.mdl-
view').on('show.bs.modal',
function (e) {
    var id =
e.relatedTarget.attributes['data-
id'].value;
    $.getJSON(link + 'api/data-
hewan/?id='+id, function(json){
      var row = json[0];
      if (row.gmb !== null) {
        $('.tmp-img').attr('src', link +
'img/hewan/' + row.gmb);
        $('.tmp-
img').parent().attr('href', link +
'img/hewan/' +row.gmb);
      }else{
        $('.tmp-img').attr('src', link +
'img/nopicture.png');
      }
      $('.lbl-
nm_hewan').html(row.nm_hewan);
      $('.lbl-
desk').html(row.deskripsi);
      $('.lbl-
bagian').html(row.bagian_obat_he
wan);
      $('.lbl-
jenis_penyakit').html(row.penyakit
_diobati);
      $('.lbl-
cara').html(row.cara_pengolahan);
      let testemoni = (row.testemoni
!= null || row.testemoni != '') ?
JSON.parse(row.testemoni) : null

                              if (testemoni
== null) {
```

```
        $("#keterangan_testemoni").h
tml("<center><h5>Belum ada
testemoni dari
pengguna</h5></center>")
                    } else {
                        let
html = '<b>Testemoni
</b><br><table width="100%">';

        testemoni =
testemoni.reverse()
                        for (let
i = 0; i < testemoni.length; i++) {

        html += '<tr>'

        html += `<td
width="30%">${testemoni[i].nam
a} | ${testemoni[i].tanggal}</td>`

        html += `<td width="5%">:
</td>`

        html += `<td
width="65%">${testemoni[i].teste
moni}  </td>`

        html += '</tr>'

                                    }
                                    html
+= '</table>'

        $("#keterangan_testemoni").h
tml(html)
                            }
    });
  });
</script>
```