LAMPIRAN

Controller Admin

```
<?php if(!defined('BASEPATH')) exit('No d
irect script access allowed');
<?php

class Dashboard extends CI_Controller{
   function __construct()
   {
      parent::__construct();
      $this->load->model('db_model');

   }

   function index()
   {
      //STOK
      $total=$this->db_model-
>_query('select count(*) AS TOTAL from p
ajak');
      $row_total=$total->row_array();
      $data['total'] =$row_total['TOTAL'];
      $data['_view'] = 'dashboard';

      $this->load-
>view('layouts/main',$data);
   }
}
<?php
defined('BASEPATH') OR exit('No direct sc
ript access allowed');

class Login extends CI_Controller {

   public function __construct()
   {
      parent::__construct();

      $this->load->model('db_model');
      $this->load->helper('url');
   }

   public function index()
   {
      $this->load->view('login/login');
   }
   public function login_admin()
   {

      $this->load->view('login');

   }


   //LOGIN ADMIN
   public function proses()
   {
      // $json=['status'=>0,'messages'=>[]];
      $username=$this->input-
>post('username');
      $password=$this->input-
>post('password');
      $CEK_USER=$this->db_model-
>_query('select * from user a where a.USER
NAME='".$username."' ');
      $result_user=$CEK_USER-
>row_array();
      $password_verify=password_verify($p
assword,$result_user['PASSWORD']);//PAS
SWORD
      if($CEK_USER->num_rows() == 1){
         if($password_verify==$result_user['
PASSWORD'])
         {
            $_SESSION['ID_USER']=$result
_user['ID_USER'];
            $_SESSION['NAMA_USER']=$r
esult_user['NAMA_USER'];
            $_SESSION['USERNAME']=$re
sult_user['USERNAME'];
            $_SESSION['STATUS']=$result_
user['STATUS'];
            $this->session-
>set_userdata($_SESSION);
            $json=[
               'status'   =>1,
               'messages' =>'Sukses Login'
            ];
         }else{

            $json=[
               'status'   =>0,
               'messages' =>'Coba Perikasa ke
mbali username & password yang anda mas
ukkan'
            ];
            session_destroy();
         }//CEK PASSWORD
      }else{
         $json=[
               'status'   =>0,
               'messages' =>'Maaf anda tidak
punya akses untuk login'
            ];
            session_destroy();
      }//CEK USER
      echo json_encode($json);
   }
   //LOGOUT
   function logout()
    {
```

```
        $this->session->sess_destroy();
        redirect('login');


    }


}

<?php
/*
 * Generated by CRUDigniter v3.2
 * www.crudigniter.com
 */

class Pajak extends CI_Controller{
    function __construct()
    {
        parent::__construct();
        $this->load->model('Pajak_model');
        $this->load->library('email');
    }

    /*
     * Listing of pajak
     */
    function index()
    {
        $data['pajak'] = $this->Pajak_model->get_all_pajak();

        $data['_view'] = 'pajak/index';
        $this->load->view('layouts/main',$data);
    }

    /*
     * Adding a new pajak
     */
    function add()
    {
        $this->load->library('form_validation');

        $this->form_validation->set_rules('NAMA_WAJIB_PAJAK','NAMA WAJIB PAJAK','required');
        $this->form_validation->set_rules('TGL_LAHIR','TGL LAHIR','required');
        $this->form_validation->set_rules('TEMPAT_LAHIR','TEMPAT LAHIR','required');
        $this->form_validation->set_rules('NPWP','NPWP','required');
        $this->form_validation->set_rules('NO_TLP','NO TLP','required');
        $this->form_validation->set_rules('TGL_TERBIT','TGL TERBIT','required');

        if($this->form_validation->run())
        {
            $params = array(
                'NAMA_WAJIB_PAJAK' => $this->input->post('NAMA_WAJIB_PAJAK'),
                'GELAR_DEPAN' => $this->input->post('GELAR_DEPAN'),
                'GELAR_BELAKANG' => $this->input->post('GELAR_BELAKANG'),
                'TEMPAT_LAHIR' => $this->input->post('TEMPAT_LAHIR'),
                'TGL_LAHIR' => $this->input->post('TGL_LAHIR'),
                'SATATUS_PERKAWINAN' => $this->input->post('SATATUS_PERKAWINAN'),
                'ALAMAT' => $this->input->post('ALAMAT'),
                'NO_TLP' => $this->input->post('NO_TLP'),
                'EMAIL' => $this->input->post('EMAIL'),
                'PEKERJAAN' => $this->input->post('PEKERJAAN'),
                'NPWP' => $this->input->post('NPWP'),
                'TGL_TERBIT' => $this->input->post('TGL_TERBIT'),
            );

            $pajak_id = $this->Pajak_model->add_pajak($params);
            redirect('pajak/index');
            $html_message='Setiap informasi pembayaran dan pelaporan pajak anda akan di ingatkan melalui email anda,terimah kasih';
            $config['protocol'] = "smtp";
            $config['smtp_crypto'] = 'tls';
            $config['smtp_host'] = "smtp.gmail.com";
            $config['smtp_port'] = "587";
            $config['smtp_user'] = "pareparepajak@gmail.com";
            $config['smtp_pass'] = "sukses12345";
            $config['charset'] = "utf-8";
            $config['mailtype'] = "html";
            $config['newline'] = "\r\n";
            $this->email->initialize($config);
```

```
            $this->email->from('pareparepajak@gmail.com', 'PAJAK');
            $this->email->to(implode(',',$email));

            $this->email->subject('TERIMAH KASI');
            $this->email->message($html_message);

            $this->email->send();
        }
        else
        {
            $data['_view'] = 'pajak/add';
            $this->load->view('layouts/main',$data);
        }
    }

    /*
     * Editing a pajak
     */
    function edit($ID_PENDAFTRAN)
    {
        // check if the pajak exists before trying to edit it
        $data['pajak'] = $this->Pajak_model->get_pajak($ID_PENDAFTRAN);

        if(isset($data['pajak']['ID_PENDAFTRAN']))
        {
            $this->load->library('form_validation');

            $this->form_validation->set_rules('NAMA_WAJIB_PAJAK','NAMA WAJIB PAJAK','required');
            $this->form_validation->set_rules('TGL_LAHIR','TGL LAHIR','required');
            $this->form_validation->set_rules('TEMPAT_LAHIR','TEMPAT LAHIR','required');
            $this->form_validation->set_rules('NPWP','NPWP','required');
            $this->form_validation->set_rules('NO_TLP','NO TLP','required');
            $this->form_validation->set_rules('TGL_TERBIT','TGL TERBIT','required');

            if($this->form_validation->run())
            {
                $params = array(
                    'NAMA_WAJIB_PAJAK' => $this->input->post('NAMA_WAJIB_PAJAK'),
                    'GELAR_DEPAN' => $this->input->post('GELAR_DEPAN'),
                    'GELAR_BELAKANG' => $this->input->post('GELAR_BELAKANG'),
                    'TEMPAT_LAHIR' => $this->input->post('TEMPAT_LAHIR'),
                    'TGL_LAHIR' => $this->input->post('TGL_LAHIR'),
                    'SATATUS_PERKAWINAN' => $this->input->post('SATATUS_PERKAWINAN'),
                    'ALAMAT' => $this->input->post('ALAMAT'),
                    'NO_TLP' => $this->input->post('NO_TLP'),
                    'EMAIL' => $this->input->post('EMAIL'),
                    'PEKERJAAN' => $this->input->post('PEKERJAAN'),
                    'NPWP' => $this->input->post('NPWP'),
                    'TGL_TERBIT' => $this->input->post('TGL_TERBIT'),
                );

                $this->Pajak_model->update_pajak($ID_PENDAFTRAN,$params);
                redirect('pajak/index');
            }
            else
            {
                $data['_view'] = 'pajak/edit';
                $this->load->view('layouts/main',$data);
            }
        }
        else
            show_error('The pajak you are trying to edit does not exist.');
    }

    /*
     * Deleting pajak
     */
    function remove($ID_PENDAFTRAN)
    {
        $pajak = $this->Pajak_model->get_pajak($ID_PENDAFTRAN);
```

```
        // check if the pajak exists before trying
 to delete it
        if(isset($pajak['ID_PENDAFTRAN']))
        {
            $this->Pajak_model-
>delete_pajak($ID_PENDAFTRAN);
            redirect('pajak/index');
        }
        else
            show_error('The pajak you are trying
 to delete does not exist.');
    }

    public function notifikasi()
    {
        $email=[];
        $pajak=$this->Pajak_model-
>get_all_pajak();
        foreach ($pajak as $key => $value) {
          $email[]=$value['EMAIL'];
        }

        $html_message='<table border="1" styl
e="margin-left: -
115px;" width="780"><tbody><tr><td rows
pan="2" width="24">
        <div align="center"><strong><span cla
ss="style2">No.</span></strong></div>
        </td>
        <td rowspan="2" width="352">
        <div align="center"><strong><span cla
ss="style2">Jenis Pajak</span></strong></
div>
        </td>
        <td width="203">
        <p align="center" class="style5">Batas
 Pembayaran (Paling Lambat ...)</p>
        </td>
        <td width="209">
        <div align="center"><strong><span cla
ss="style2">Batas Pelaporan</span></stron
g></div>
        </td>
    </tr><tr><td>
        <div align="center"><strong><span cla
ss="style4">(Pasal 2 PMK 242/PMK.03/201
4)</span></strong></div>
        </td>
        <td>
        <div align="center"><strong>Undang
Undang di bidang Perpajakan</strong></div
>
        </td>
    </tr><tr class="odd views-row-
first"><td>
        <div align="center"><span class="style
2">1</span></div>
        </td>
        <td><span class="style2">PPh pasal 4(
2) setor sendiri</span></td>
        <td>
        <div align="center"><span class="style
2">tgl 15 bulan berikutnya</span></div>
        </td>
        <td>
        <div align="center"><span class="style
2">tgl 20 bulan berikutnya</span></div>
        </td>
    </tr><tr class="even"><td>
        <div align="center"><span class="style
2">2</span></div>
        </td>
        <td><span class="style2">PPh pasal 4(
2) pemotongan</span></td>
        <td>
        <div align="center"><span class="style
2">tgl 10 bulan berikutnya</span></div>
        </td>
        <td>
        <div align="center"><span class="style
2">tgl 20 bulan berikutnya</span></div>
        </td>
    </tr><tr class="odd"><td>
        <div align="center"><span class="style
2">3</span></div>
        </td>
        <td><span class="style2">PPh pasal 15
 setor sendiri</span></td>
        <td>
        <div align="center"><span class="style
2">tgl 15 bulan berikutnya</span></div>
        </td>
        <td>
        <div align="center"><span class="style
2">tgl 20 bulan berikutnya</span></div>
        </td>
    </tr><tr class="even"><td>
        <div align="center"><span class="style
2">4</span></div>
        </td>
        <td><span class="style2">PPh pasal 15
 pemotongan</span></td>
        <td>
        <div align="center"><span class="style
2">tgl 10 bulan berikutnya</span></div>
        </td>
        <td>
        <div align="center"><span class="style
2">tgl 20 bulan berikutnya</span></div>
        </td>
```

```
   </tr><tr class="odd"><td>
      <div align="center"><span class="style
2">5</span></div>
      </td>
      <td><span class="style2">PPh pasal 21
</span></td>
      <td>
      <div align="center">tgl 10 bulan berik
utnya</div>
      </td>
      <td>
      <div align="center"><span class="style
2">tgl 20 bulan berikutnya</span></div>
      </td>
   </tr><tr class="even"><td>
      <div align="center"><span class="style
2">6</span></div>
      </td>
      <td><span class="style2">PPh pasal 23
/26</span></td>
      <td>
      <div align="center"><span class="style
2">tgl 10 bulan berikutnya</span></div>
      </td>
      <td>
      <div align="center"><span class="style
2">tgl 20 bulan berikutnya</span></div>
      </td>
   </tr><tr class="odd"><td>
      <div align="center"><span class="style
2">7</span></div>
      </td>
      <td><span class="style2">PPh pasal 25
</span></td>
      <td>
      <div align="center"><span class="style
2">tgl 15 bulan berikutnya</span></div>
      </td>
      <td>
      <div align="center"><span class="style
2">tgl 20 bulan berikutnya</span></div>
      </td>
   </tr><tr class="even"><td>
      <div align="center"><span class="style
2">8</span></div>
      </td>
      <td><span class="style2">PPh pasal 22
 impor setor sendiri (dilunasi bersamaan dg
bea masuk, PPN, PPnBM)</span></td>
      <td>
      <div align="center"><span class="style
2">saat penyelesaian dokumen PIB</span><
/div>
      </td>
      <td>
      <div align="center"> </div>
      </td>
   </tr><tr class="odd"><td>
      <div align="center"><span class="style
2">9</span></div>
      </td>
      <td><span class="style2">PPh pasal 22
 impor yang pemungutan oleh BC</span></t
d>
      <td>
      <div align="center"><span class="style
2">1hari kerja berikutnya</span></div>
      </td>
      <td>
      <div align="center"><span class="style
2">hari kerja terakhir minggu berikutnya</s
pan></div>
      </td>
   </tr><tr class="even"><td>
      <div align="center"><span class="style
2">10</span></div>
      </td>
      <td><span class="style2">PPh pasal 22
 pemungutan oleh bendaharawan</span></t
d>
      <td>
      <div align="center"><span class="style
2">hari yang sama dg pembayaran atas peny
erahan barang</span></div>
      </td>
      <td>
      <div align="center"><span class="style
2">14 hari setelah masa pajak berakhir</spa
n></div>
      </td>
   </tr><tr class="odd"><td>
      <div align="center"><span class="style
2">11</span></div>
      </td>
      <td><span class="style2">PPh pasal 22
 migas</span></td>
      <td>
      <div align="center"><span class="style
2">tgl 10 bulan berikutnya</span></div>
      </td>
      <td>
      <div align="center"><span class="style
2">tgl 20 bulan berikutnya</span></div>
      </td>
   </tr><tr class="even"><td>
      <div align="center"><span class="style
2">12</span></div>
      </td>
```

```
      <td><span class="style2">PPh pasal 22
 pemungutan oleh WP badan tertentu</span
></td>
      <td>
      <div align="center"><span class="style
2">tgl 10 bulan berikutnya</span></div>
      </td>
      <td>
      <div align="center"><span class="style
2">tgl 20 bulan berikutnya</span></div>
      </td>
   </tr><tr class="odd"><td>
      <div align="center"><span class="style
2">13</span></div>
      </td>
      <td><span class="style2">PPN &amp;
PPnBM</span></td>
      <td>
      <div align="center"><span class="style
2">akhir bulan berikutnya setelah masa paja
k berakhir &amp;amp; sebelum SPT masa PPN d
isampaikan</span></div>
      </td>
      <td>
      <div align="center"><span class="style
2">akhir bulan berikutnya setelah masa paja
k berakhir</span></div>
      </td>
   </tr><tr class="even"><td>
      <div align="center"><span class="style
2">14</span></div>
      </td>
      <td><span class="style2">PPN atas ke
giatan membangun sendiri</span></td>
      <td>
      <div align="center"><span class="style
2">tgl 15 bulan berikutnya setelah Masa Paj
ak berakhir</span></div>
      </td>
      <td>
      <div align="center"><span class="style
2">akhir bulan berikutnya setelah masa paja
k berakhir</span></div>
      </td>
   </tr><tr class="odd"><td>
      <div align="center"><span class="style
2">15</span></div>
      </td>
      <td><span class="style2">PPN atas pe
manfaatan BKP tidak berwujud dan/atau JK
P dari Luar Daerah Pabean</span></td>
      <td>
      <div align="center"><span class="style
2">tgl 15 bulan berikutnya setelah saat terut
angnya pajak</span></div>
      </td>
      <td>
      <div align="center"><span class="style
2">akhir bulan berikutnya setelah Masa Paja
k berakhir</span></div>
      </td>
   </tr><tr class="even"><td>
      <div align="center"><span class="style
2">16</span></div>
      </td>
      <td><span class="style2">PPN &amp;
PPnBM Pemungutan Bendaharawan</span>
</td>
      <td>
      <div align="center"><span class="style
2">tgl 7 bulan berikutnya</span></div>
      </td>
      <td>
      <div align="center"><span class="style
2">akhir bulan berikutnya setelah masa paja
k berakhir</span></div>
      </td>
   </tr><tr class="odd"><td>
      <div align="center"><span class="style
2">17</span></div>
      </td>
      <td><span class="style2">PPN dan/ at
au PPnBM pemungutan oleh Pejabat Penand
atanganan Surat Perintah Membayar sebagai
 Pemungut PPN</span></td>
      <td>
      <div align="center"><span class="style
2">harus disetor pada hari yang sama denga
n pelaksanaan pembayaran kepada PKP Rek
anan Pemerintah melalui KPPN</span></di
v>
      </td>
      <td>
      <div align="center">&amp;nbsp;</div>
      </td>
   </tr><tr class="even"><td>
      <div align="center"><span class="style
2">18</span></div>
      </td>
      <td><span class="style2">PPN &amp;
PPnBM Pemungutan selain bendaharawan</
span></td>
      <td>
      <div align="center"><span class="style
2">tgl 15 bulan berikutnya setelah Masa Paj
ak berakhir</span></div>
      </td>
      <td>
```

```
        <div align="center"><span class="style
2">akhir bulan berikutnya setelah masa paja
k berakhir</span></div>
        </td>
    </tr><tr class="odd"><td>
        <div align="center"><span class="style
2">19</span></div>
        </td>
        <td><span class="style2">PPh 25 WP
kriteria tertentu yang dapat melaporkan bebe
rapa Masa Pajak dalam satu SPT Masa. (Pas
al 3 ayat (3B) UU KUP)</span></td>
        <td>
        <div align="center"><span class="style
2">harus dibayar paling lama pada akhir Ma
sa Pajak terakhir.</span></div>
        </td>
        <td>
        <div align="center"><span class="style
2">20 hari setelah berakhirnya Masa Pajak t
erakhir</span></div>
        </td>
    </tr><tr class="even"><td>
        <div align="center"><span class="style
2">20</span></div>
        </td>
        <td><span class="style2">Pembayaran
masa selain PPh 25 WP kriteria tertentu yan
g dapat melaporkan beberapa Masa Pajak da
lam satu SPT Masa. (Pasal 3 ayat (3B) UU
KUP)</span></td>
        <td>
        <div align="center"><span class="style
2">harus dibayar paling lama sesuai dengan
batas waktu untuk masing-
masing jenis pajak.</span></div>
        </td>
        <td>
        <div align="center"><span class="style
2">20 hari setelah berakhirnya Masa Pajak t
erakhir.</span></div>
        </td>
    </tr></tbody></table>
</tbody>
</table>';
            $config['protocol'] = "smtp";
            $config['smtp_crypto'] = 'tls';
            $config['smtp_host'] = "smtp.gmail.c
om";
            $config['smtp_port'] = "587";
            $config['smtp_user'] = "pareparepaja
k@gmail.com";
            $config['smtp_pass'] = "sukses12345
";
            $config['charset'] = "utf-8";
            $config['mailtype'] = "html";
            $config['newline'] = "\r\n";
            $this->email->initialize($config);
            $this->email-
>from('pareparepajak@gmail.com', 'PAJAK'
);
            $this->email-
>to(implode(',',$email));

            $this->email-
>subject('TERIMAH KASI');
            $this->email-
>message($html_message);

            $this->email->send();

    }

}

<?php
/*
 * Generated by CRUDigniter v3.2
 * www.crudigniter.com
 */

class User extends CI_Controller{
    function __construct()
    {
        parent::__construct();
        $this->load->model('User_model');
    }

    /*
     * Listing of user
     */
    function index()
    {
        $params['limit'] = RECORDS_PER_P
AGE;
        $params['offset'] = ($this->input-
>get('per_page')) ? $this->input-
>get('per_page') : 0;

        $config = $this->config-
>item('pagination');
        $config['base_url'] = site_url('user/inde
x?');
        $config['total_rows'] = $this-
>User_model->get_all_user_count();
        $this->pagination->initialize($config);

        $data['user'] = $this->User_model-
>get_all_user($params);
```

```
        $data['_view'] = 'user/index';
        $this->load->view('layouts/main',$data);
    }

    /*
     * Adding a new user
     */
    function add()
    {
        if(isset($_POST) && count($_POST) > 0)
        {
            $params = array(
                'STATUS' => 1,
                'ROLE' => 1,
                'PASSWORD' => password_hash($this->input->post('PASSWORD'), PASSWORD_BCRYPT),
                'NAMA_USER' => $this->input->post('NAMA_USER'),
                'USERNAME' => $this->input->post('USERNAME'),
            );

            $user_id = $this->User_model->add_user($params);
            redirect('user/index');
        }
        else
        {
            $data['_view'] = 'user/add';
            $this->load->view('layouts/main',$data);
        }
    }

    /*
     * Editing a user
     */
    function edit($ID_USER)
    {
        // check if the user exists before trying to edit it
        $data['user'] = $this->User_model->get_user($ID_USER);

        if(isset($data['user']['ID_USER']))
        {
            if(isset($_POST) && count($_POST) > 0)
            {
                if( $this->input->post('PASSWORD')!=''){
                    $params['PASSWPORD']= password_hash($this->input->post('PASSWORD'), PASSWORD_BCRYPT);
                }

                $params = array(
                    'STATUS' => 1,
                    'ROLE' => 1,

                    'NAMA_USER' => $this->input->post('NAMA_USER'),
                    'USERNAME' => $this->input->post('USERNAME'),
                );

                $this->User_model->update_user($ID_USER,$params);
                redirect('user/index');
            }
            else
            {
                $data['_view'] = 'user/edit';
                $this->load->view('layouts/main',$data);
            }
        }
        else
            show_error('The user you are trying to edit does not exist.');
    }

    /*
     * Deleting user
     */
    function remove($ID_USER)
    {
        $user = $this->User_model->get_user($ID_USER);

        // check if the user exists before trying to delete it
        if(isset($user['ID_USER']))
        {
            $this->User_model->delete_user($ID_USER);
            redirect('user/index');
        }
        else
            show_error('The user you are trying to delete does not exist.');
    }

}
<div class="row">
```

```
   <div class="col-md-12">
      <div class="box box-info">
         <div class="box-header with-
border">
            <h3 class="box-
title">Pajak Add</h3>
         </div>
         <?php echo form_open('pajak/add');
?>
         <div class="box-body">
            <div class="row clearfix">
               <div class="col-md-6">
                  <label for="NAMA_WAJIB_
PAJAK" class="control-
label"><span class="text-
danger">*</span>NAMA WAJIB PAJAK</
label>
                  <div class="form-group">
                     <input type="text" name="
NAMA_WAJIB_PAJAK" value="<?php ec
ho $this->input-
>post('NAMA_WAJIB_PAJAK'); ?>" class
="form-
control" id="NAMA_WAJIB_PAJAK" />
                     <span class="text-
danger"><?php echo form_error('NAMA_W
AJIB_PAJAK');?></span>
                  </div>
               </div>
               <div class="col-md-6">
                  <label for="NPWP" class="c
ontrol-label"><span class="text-
danger">*</span>NPWP</label>
                  <div class="form-group">
                     <input type="number" nam
e="NPWP" value="<?php echo $this-
>input->post('NPWP'); ?>" class="form-
control" id="NPWP" />
                     <span class="text-
danger"><?php echo form_error('NPWP');?
></span>
                  </div>
               </div>
               <div class="col-md-6">
                  <label for="TEMPAT_LAHI
R" class="control-label"><span class="text-
danger">*</span>TEMPAT LAHIR</label
>
                  <div class="form-group">
                     <input type="text" name="
TEMPAT_LAHIR" value="<?php echo $thi
s->input-
>post('TEMPAT_LAHIR'); ?>" class="form
-control" id="TEMPAT_LAHIR" />
                     <span class="text-
danger"><?php echo form_error('TEMPAT_
LAHIR');?></span>
                  </div>
               </div>
               <div class="col-md-6">
                  <label for="TGL_LAHIR" cl
ass="control-label"><span class="text-
danger">*</span>TGL LAHIR</label>
                  <div class="form-group">
                     <input type="date" name="
TGL_LAHIR" value="<?php echo $this-
>input-
>post('TGL_LAHIR'); ?>" class="form-
control" id="TGL_LAHIR" />
                     <span class="text-
danger"><?php echo form_error('TGL_LAH
IR');?></span>
                  </div>
               </div>
               <div class="col-md-6">
                  <label for="SATATUS_PER
KAWINAN" class="control-
label">SATATUS PERKAWINAN</label>
                  <div class="form-group">
                     <input type="text" name="
SATATUS_PERKAWINAN" value="<?php
 echo $this->input-
>post('SATATUS_PERKAWINAN'); ?>" cl
ass="form-
control" id="SATATUS_PERKAWINAN" /
>
                  </div>
               </div>
               <div class="col-md-6">
                  <label for="ALAMAT" class
="control-label">ALAMAT</label>
                  <div class="form-group">
                     <input type="text" name="
ALAMAT" value="<?php echo $this-
>input->post('ALAMAT'); ?>" class="form-
control" id="ALAMAT" />
                  </div>
               </div>
               <div class="col-md-6">
                  <label for="NO_TLP" class=
"control-label"><span class="text-
danger">*</span>NO TLP</label>
                  <div class="form-group">
                     <input type="number" nam
e="NO_TLP" value="<?php echo $this-
>input->post('NO_TLP'); ?>" class="form-
control" id="NO_TLP" />
```

```
                    <span class="text-
danger"><?php echo form_error('NO_TLP');
?></span>
                </div>
              </div>
              <div class="col-md-6">
                <label for="EMAIL" class="
control-label">EMAIL</label>
                <div class="form-group">
                  <input type="text" name="
EMAIL" value="<?php echo $this->input-
>post('EMAIL'); ?>" class="form-
control" id="EMAIL" />
                </div>
              </div>
              <div class="col-md-6">
                <label for="PEKERJAAN" cl
ass="control-label">PEKERJAAN</label>
                <div class="form-group">
                  <input type="text" name="
PEKERJAAN" value="<?php echo $this-
>input-
>post('PEKERJAAN'); ?>" class="form-
control" id="PEKERJAAN" />
                </div>
              </div>

              <div class="col-md-6">
                <label for="TGL_TERBIT" c
lass="control-label"><span class="text-
danger">*</span>TGL TERBIT</label>
                <div class="form-group">
                  <input type="date" name="
TGL_TERBIT" value="<?php echo $this-
>input-
>post('TGL_TERBIT'); ?>" class=" form-
control" id="TGL_TERBIT" />
                    <span class="text-
danger"><?php echo form_error('TGL_TER
BIT');?></span>
                </div>
              </div>
            </div>
          </div>
          <div class="box-footer">
            <button type="submit" class="btn
btn-success">
              <i class="fa fa-
check"></i> Save
            </button>
          </div>
          <?php echo form_close(); ?>
        </div>
      </div>
    </div>
```

```
<div class="row">
  <div class="col-md-12">
    <div class="box box-info">
      <div class="box-header with-
border">
        <h3 class="box-
title">Pajak Edit</h3>
      </div>
      <?php echo form_open('pajak/edit/'.$
pajak['ID_PENDAFTRAN']); ?>
      <div class="box-body">
        <div class="row clearfix">
          <div class="col-md-6">
            <label for="NAMA_WAJIB_
PAJAK" class="control-
label"><span class="text-
danger">*</span>NAMA WAJIB PAJAK</
label>
              <div class="form-group">
                <input type="text" name="
NAMA_WAJIB_PAJAK" value="<?php ec
ho ($this->input-
>post('NAMA_WAJIB_PAJAK') ? $this-
>input-
>post('NAMA_WAJIB_PAJAK') : $pajak['
NAMA_WAJIB_PAJAK']); ?>" class="for
m-
control" id="NAMA_WAJIB_PAJAK" />
                  <span class="text-
danger"><?php echo form_error('NAMA_W
AJIB_PAJAK');?></span>
              </div>
            </div>
            <div class="col-md-6">
              <label for="GELAR_DEPA
N" class="control-
label">GELAR DEPAN</label>
              <div class="form-group">
                <input type="text" name="
GELAR_DEPAN" value="<?php echo ($thi
s->input->post('GELAR_DEPAN') ? $this-
>input-
>post('GELAR_DEPAN') : $pajak['GELAR
_DEPAN']); ?>" class="form-
control" id="GELAR_DEPAN" />
              </div>
            </div>
            <div class="col-md-6">
              <label for="GELAR_BELA
KANG" class="control-
label">GELAR BELAKANG</label>
              <div class="form-group">
                <input type="text" name="
GELAR_BELAKANG" value="<?php echo
($this->input-
```

```
>post('GELAR_BELAKANG') ? $this->input->post('GELAR_BELAKANG') : $pajak['GELAR_BELAKANG']); ?>" class="form-control" id="GELAR_BELAKANG" />
                    </div>
                </div>
                <div class="col-md-6">
                    <label for="TEMPAT_LAHIR" class="control-label"><span class="text-danger">*</span>TEMPAT LAHIR</label>
                    <div class="form-group">
                        <input type="text" name="TEMPAT_LAHIR" value="<?php echo ($this->input->post('TEMPAT_LAHIR') ? $this->input->post('TEMPAT_LAHIR') : $pajak['TEMPAT_LAHIR']); ?>" class="form-control" id="TEMPAT_LAHIR" />
                        <span class="text-danger"><?php echo form_error('TEMPAT_LAHIR');?></span>
                    </div>
                </div>
                <div class="col-md-6">
                    <label for="TGL_LAHIR" class="control-label"><span class="text-danger">*</span>TGL LAHIR</label>
                    <div class="form-group">
                        <input type="date" name="TGL_LAHIR" value="<?php echo ($this->input->post('TGL_LAHIR') ? $this->input->post('TGL_LAHIR') : $pajak['TGL_LAHIR']); ?>" class="form-control" id="TGL_LAHIR" />
                        <span class="text-danger"><?php echo form_error('TGL_LAHIR');?></span>
                    </div>
                </div>
                <div class="col-md-6">
                    <label for="SATATUS_PERKAWINAN" class="control-label">SATATUS PERKAWINAN</label>
                    <div class="form-group">
                        <input type="text" name="SATATUS_PERKAWINAN" value="<?php echo ($this->input->post('SATATUS_PERKAWINAN') ? $this->input->post('SATATUS_PERKAWINAN') : $pajak['SATATUS_PERKAWINAN']); ?>" class="form-control" id="SATATUS_PERKAWINAN" />
                    </div>
                </div>
                <div class="col-md-6">
                    <label for="ALAMAT" class="control-label">ALAMAT</label>
                    <div class="form-group">
                        <input type="text" name="ALAMAT" value="<?php echo ($this->input->post('ALAMAT') ? $this->input->post('ALAMAT') : $pajak['ALAMAT']); ?>" class="form-control" id="ALAMAT" />
                    </div>
                </div>
                <div class="col-md-6">
                    <label for="NO_TLP" class="control-label"><span class="text-danger">*</span>NO TLP</label>
                    <div class="form-group">
                        <input type="text" name="NO_TLP" value="<?php echo ($this->input->post('NO_TLP') ? $this->input->post('NO_TLP') : $pajak['NO_TLP']); ?>" class="form-control" id="NO_TLP" />
                        <span class="text-danger"><?php echo form_error('NO_TLP'); ?></span>
                    </div>
                </div>
                <div class="col-md-6">
                    <label for="EMAIL" class="control-label">EMAIL</label>
                    <div class="form-group">
                        <input type="text" name="EMAIL" value="<?php echo ($this->input->post('EMAIL') ? $this->input->post('EMAIL') : $pajak['EMAIL']); ?>" class="form-control" id="EMAIL" />
                    </div>
                </div>
                <div class="col-md-6">
                    <label for="PEKERJAAN" class="control-label">PEKERJAAN</label>
                    <div class="form-group">
                        <input type="text" name="PEKERJAAN" value="<?php echo ($this->input->post('PEKERJAAN') ? $this->input->post('PEKERJAAN') : $pajak['PEKERJAAN']); ?>" class="form-control" id="PEKERJAAN" />
                    </div>
                </div>
                <div class="col-md-6">
```

```
                    <label for="NPWP" class="c
ontrol-label"><span class="text-
danger">*</span>NPWP</label>
                    <div class="form-group">
                        <input type="text" name="
NPWP" value="<?php echo ($this->input-
>post('NPWP') ? $this->input-
>post('NPWP') : $pajak['NPWP']); ?>" class
="form-control" id="NPWP" />
                        <span class="text-
danger"><?php echo form_error('NPWP');?
></span>
                    </div>
                </div>
                <div class="col-md-6">
                    <label for="TGL_TERBIT" c
lass="control-label"><span class="text-
danger">*</span>TGL TERBIT</label>
                    <div class="form-group">
                        <input type="date" name="
TGL_TERBIT" value="<?php echo ($this-
>input->post('TGL_TERBIT') ? $this-
>input-
>post('TGL_TERBIT') : $pajak['TGL_TER
BIT']); ?>" class="form-
control" id="TGL_TERBIT" />
                        <span class="text-
danger"><?php echo form_error('TGL_TER
BIT');?></span>
                    </div>
                </div>
            </div>
        </div>
        <div class="box-footer">
            <button type="submit" class="btn
btn-success">
                <i class="fa fa-
check"></i> Save
            </button>
        </div>
        <?php echo form_close(); ?>
    </div>
  </div>
</div>
<div class="row">
  <div class="col-md-12">
    <div class="box">
      <div class="box-header">
        <h3 class="box-
title">Pajak Listing</h3>
        <div class="box-tools">
          <a href="<?php echo site_url('p
ajak/add'); ?>" class="btn btn-success btn-
sm">Add</a>
        </div>
      </div>
      <div class="box-body">
        <div class="table-responsive">

          <table class="table table-
striped">
            <tr>

              <th>NAMA WAJIB PAJA
K</th>
              <th>TEMPAT LAHIR</th
>
              <th>TGL LAHIR</th>
              <th>SATATUS PERKAW
INAN</th>
              <th>ALAMAT</th>
              <th>NO TLP</th>
              <th>EMAIL</th>
              <th>PEKERJAAN</th>
              <th>NPWP</th>
              <th>TGL TERBIT</th>
              <th>Actions</th>
            </tr>
            <?php foreach($pajak as $p){
 ?>
              <td><?php echo $p['GELA
R_DEPAN'].$p['NAMA_WAJIB_PAJAK'].
$p['GELAR_BELAKANG']; ?></td>
              <td><?php echo $p['TEMP
AT_LAHIR']; ?></td>
              <td><?php echo $p['TGL_
LAHIR']; ?></td>
              <td><?php echo $p['SATA
TUS_PERKAWINAN']; ?></td>
              <td><?php echo $p['ALA
MAT']; ?></td>
              <td><?php echo $p['NO_T
LP']; ?></td>
              <td><?php echo $p['EMAI
L']; ?></td>
              <td><?php echo $p['PEKE
RJAAN']; ?></td>
              <td><?php echo $p['NPW
P']; ?></td>
              <td><?php echo $p['TGL_
TERBIT']; ?></td>
              <td>
                <a href="<?php echo sit
e_url('pajak/edit/'.$p['ID_PENDAFTRAN']);
 ?>" class="btn btn-info btn-
xs"><span class="fa fa-
pencil"></span> Edit</a>
                <a href="<?php echo sit
e_url('pajak/remove/'.$p['ID_PENDAFTRA
N']); ?>" class="btn btn-danger btn-
```

```
xs"><span class="fa fa-
trash"></span> Delete</a>
                    </td>
                  </tr>
                  <?php } ?>
                </table>
              </div>

            </div>
          </div>
        </div>
      </div>


      <div class="row">
        <div class="col-md-12">
          <div class="box box-info">
            <div class="box-header with-
border">
              <h3 class="box-
title">User Add</h3>
            </div>
            <?php echo form_open('user/add'); ?
>
            <div class="box-body">
              <div class="row clearfix">

                <div class="col-md-6">
                  <label for="NAMA_USER"
 class="control-
label">NAMA USER</label>
                  <div class="form-group">
                    <input type="text" name=
"NAMA_USER" value="<?php echo $this-
>input-
>post('NAMA_USER'); ?>" class="form-
control" id="NAMA_USER" />
                  </div>
                </div>
                <div class="col-md-6">
                  <label for="USERNAME"
 class="control-
label">USERNAME</label>
                  <div class="form-group">
                    <input type="text" name
="USERNAME" value="<?php echo $this-
>input-
>post('USERNAME'); ?>" class="form-
control" id="USERNAME" />
                  </div>
                </div>
                <div class="col-md-6">
                  <label for="PASSWORD"
class="control-label">PASSWORD</label>
                  <div class="form-group">
                    <input type="password"
name="PASSWORD" value="<?php echo $
this->input-
>post('PASSWORD'); ?>" class="form-
control" id="PASSWORD" />
                  </div>
                </div>
              </div>
            </div>
            <div class="box-footer">
              <button type="submit" class="btn
btn-success">
                <i class="fa fa-
check"></i> Save
              </button>
            </div>
            <?php echo form_close(); ?>
          </div>
        </div>
      </div>
      <div class="row">
        <div class="col-md-12">
          <div class="box box-info">
            <div class="box-header with-
border">
              <h3 class="box-
title">User Edit</h3>
            </div>
            <?php echo form_open('user/edit/'.$u
ser['ID_USER']); ?>
            <div class="box-body">
              <div class="row clearfix">
                <div class="col-md-6">
                  <label for="STATUS" class=
"control-label">STATUS</label>
                  <div class="form-group">
                    <select name="STATUS"
class="form-control">
                      <option value="">select
</option>
                      <?php
                      $STATUS_values = arra
y(
                        '1'=>'AKTIF',
                        '0'=>'NON AKTIF',
                      );

                      foreach($STATUS_valu
es as $value => $display_text)
                      {
                        $selected = ($value =
= $user['STATUS']) ? ' selected="selected"' :
 "";
```

```
                        echo '<option value="'
.$value.'" '.$selected.'>'.$display_text.'</opti
on>';
                    }
                    ?>
                  </select>
                </div>
              </div>
              <div class="col-md-6">
                <label for="ROLE" class="co
ntrol-label">ROLE</label>
                <div class="form-group">
                  <select name="ROLE" cla
ss="form-control">
                    <option value="">select
</option>
                    <?php
                    $ROLE_values = array(
                      'Admin'=>'ADMIN',
                      'User'=>'USER',
                    );

                    foreach($ROLE_values
as $value => $display_text)
                    {
                      $selected = ($value =
= $user['ROLE']) ? ' selected="selected"' : ""
;

                        echo '<option value="'
.$value.'" '.$selected.'>'.$display_text.'</opti
on>';
                    }
                    ?>
                  </select>
                </div>
              </div>
              <div class="col-md-6">
                <label for="PASSWORD" cl
ass="control-label">PASSWORD</label>
                <div class="form-group">
                  <input type="text" name="
PASSWORD" value="<?php echo ($this-
>input->post('PASSWORD') ? $this->input-
>post('PASSWORD') : $user['PASSWORD'
]); ?>" class="form-
control" id="PASSWORD" />
                </div>
              </div>
              <div class="col-md-6">
                <label for="NAMA_USER"
class="control-
label">NAMA USER</label>
                <div class="form-group">
                  <input type="text" name="
NAMA_USER" value="<?php echo ($this-
>input->post('NAMA_USER') ? $this-
>input-
>post('NAMA_USER') : $user['NAMA_US
ER']); ?>" class="form-
control" id="NAMA_USER" />
                </div>
              </div>
              <div class="col-md-6">
                <label for="USERNAME" cl
ass="control-label">USERNAME</label>
                <div class="form-group">
                  <input type="text" name="
USERNAME" value="<?php echo ($this-
>input->post('USERNAME') ? $this->input-
>post('USERNAME') : $user['USERNAME'
]); ?>" class="form-
control" id="USERNAME" />
                </div>
              </div>
            </div>
            <div class="box-footer">
              <button type="submit" class="btn
btn-success">
                <i class="fa fa-
check"></i> Save
              </button>
            </div>
            <?php echo form_close(); ?>
          </div>
        </div>
      </div>
      <div class="row">
        <div class="col-md-12">
          <div class="box">
            <div class="box-header">
              <h3 class="box-
title">User Listing</h3>
              <div class="box-tools">
                <a href="<?php echo site_url('u
ser/add'); ?>" class="btn btn-success btn-
sm">Add</a>
              </div>
            </div>
            <div class="box-body">
              <table class="table table-striped">
                <tr>
                  <th>ID USER</th>
                  <th>NAMA USER</th>
                  <th>USERNAME</th>
                  <th>Actions</th>
                </tr>
                <?php foreach($user as $u){ ?>
```

```
            <tr>
              <td><?php echo $u['ID_USER']; ?></td>
              <td><?php echo $u['NAMA_USER']; ?></td>
              <td><?php echo $u['USERNAME']; ?></td>
              <td>
                <a href="<?php echo site_url('user/edit/'.$u['ID_USER']); ?>" class="btn btn-info btn-xs"><span class="fa fa-pencil"></span> Edit</a>
                <a href="<?php echo site_url('user/remove/'.$u['ID_USER']); ?>" class="btn btn-danger btn-xs"><span class="fa fa-trash"></span> Delete</a>
              </td>
            </tr>
            <?php } ?>
          </table>
          <div class="pull-right">
            <?php echo $this->pagination->create_links(); ?>
          </div>
        </div>
      </div>
    </div>
</div>
<div class="row">
    <div class="col-md-12">
      <div class="row">
        <div class="col-md-4">

          <!-- small box -->
          <div class="small-box bg-aqua">
                <div class="inner">
                <h3><?php echo $total;?></h3>

                <p>Wajip Pajak</p>
                </div>
                <div class="icon">
                <i class="ion ion-person"></i>
                </div>
                <a href="<?php echo site_url('pajak/index');?>" class="small-box-footer">More info <i class="fa fa-arrow-circle-right"></i></a>
              </div>
        </div>
        <div class="col-md-6">
        <div class="alert alert-danger">
        <h3><strong>Selamat Datang </strong></h3>
        <h4><?php echo $this->session->userdata('NAMA_USER');?></h4>
        <small><?php echo date('d-m-Y')?></small>
        </div>
        </div>
      </div>
    </div>
</div>
<!DOCTYPE html>
<html>
<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <title>Admin | Log in</title>
  <!--
 Tell the browser to be responsive to screen width -->
  <meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no" name="viewport">
      <!-- Bootstrap 3.3.6 -->
      <link rel="stylesheet" href="<?php echo site_url('resources/css/bootstrap.min.css');?>">
      <!-- Font Awesome -->
      <link rel="stylesheet" href="<?php echo site_url('resources/css/font-awesome.min.css');?>">
      <!-- Ionicons -->
      <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/ionicons/2.0.1/css/ionicons.min.css">
      <!-- Datetimepicker -->
      <link rel="stylesheet" href="<?php echo site_url('resources/css/bootstrap-datetimepicker.min.css');?>">
      <!-- Theme style -->
      <link rel="stylesheet" href="<?php echo site_url('resources/css/AdminLTE.min.css');?>">
      <!--
 AdminLTE Skins. Choose a skin from the css/skins
         folder instead of downloading all of them to reduce the load. -->
      <link rel="stylesheet" href="<?php echo site_url('resources/css/_all-skins.min.css');?>">
```

```
  <!--
 HTML5 Shim and Respond.js IE8 support o
f HTML5 elements and media queries -->
  <!--
 WARNING: Respond.js doesn't work if you
 view the page via file:// -->
  <!--[if lt IE 9]>
  <script src="https://oss.maxcdn.com/html5
shiv/3.7.3/html5shiv.min.js"></script>
  <script src="https://oss.maxcdn.com/respo
nd/1.4.2/respond.min.js"></script>
  <![endif]-->

  <!-- Google Font -->
  <link rel="stylesheet" href="https://fonts.g
oogleapis.com/css?family=Source+Sans+Pr
o:300,400,600,700,300italic,400italic,600ita
lic">
</head>
<body class="hold-transition login-page">
<div class="login-box">
  <div class="login-logo">
    <a href="../../index2.html"><b>Admin</b
>LTE</a>
  </div>
  <!-- /.login-logo -->
  <div class="login-box-body">
    <p class="login-box-
msg">Sign in to start your session</p>

    <form action="../../index2.html" method=
"post">
      <div class="form-group has-feedback">
        <input type="email" class="form-
control" placeholder="Email">
        <span class="glyphicon glyphicon-
envelope form-control-feedback"></span>
      </div>
      <div class="form-group has-feedback">
        <input type="password" class="form-
control" placeholder="Password">
        <span class="glyphicon glyphicon-
lock form-control-feedback"></span>
      </div>
      <div class="row">
        <div class="col-xs-8">
          <div class="checkbox icheck">
            <label>
              <input type="checkbox"> Rememb
er Me
            </label>
          </div>
        </div>
        <!-- /.col -->
        <div class="col-xs-4">
          <button type="submit" class="btn btn-
primary btn-block btn-
flat">Sign In</button>
        </div>
        <!-- /.col -->
      </div>
    </form>

    <div class="social-auth-links text-
center">
      <p>- OR -</p>
      <a href="#" class="btn btn-block btn-
social btn-facebook btn-
flat"><i class="fa fa-
facebook"></i> Sign in using
        Facebook</a>
      <a href="#" class="btn btn-block btn-
social btn-google btn-flat"><i class="fa fa-
google-plus"></i> Sign in using
        Google+</a>
    </div>
    <!-- /.social-auth-links -->

    <a href="#">I forgot my password</a><b
r>
    <a href="register.html" class="text-
center">Register a new membership</a>

  </div>
  <!-- /.login-box-body -->
</div>
<!-- /.login-box -->

<!-- jQuery 2.2.3 -->
<script src="<?php echo site_url('resources/j
s/jquery-2.2.3.min.js');?>"></script>
        <!-- Bootstrap 3.3.6 -->
        <script src="<?php echo site_url('resou
rces/js/bootstrap.min.js');?>"></script>
<script>
  $(function () {

  });
</script>
</body>
</html>

<!DOCTYPE html>
<html>
<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-
Compatible" content="IE=edge">
  <title>Admin | Log in</title>
```

```
  <!--
 Tell the browser to be responsive to screen
width -->
  <meta content="width=device-
width, initial-scale=1, maximum-
scale=1, user-
scalable=no" name="viewport">
        <!-- Bootstrap 3.3.6 -->
        <link rel="stylesheet" href="<?php ech
o site_url('resources/css/bootstrap.min.css');
?>">
        <!-- Font Awesome -->
        <link rel="stylesheet" href="<?php ech
o site_url('resources/css/font-
awesome.min.css');?>">
        <!-- Ionicons -->
        <link rel="stylesheet" href="https://cdn
js.cloudflare.com/ajax/libs/ionicons/2.0.1/cs
s/ionicons.min.css">
        <!-- Datetimepicker -->
        <link rel="stylesheet" href="<?php ech
o site_url('resources/css/bootstrap-
datetimepicker.min.css');?>">
        <!-- Theme style -->
        <link rel="stylesheet" href="<?php ech
o site_url('resources/css/AdminLTE.min.css'
);?>">
        <!--
 AdminLTE Skins. Choose a skin from the c
ss/skins
             folder instead of downloading all of
them to reduce the load. -->
        <link rel="stylesheet" href="<?php ech
o site_url('resources/css/_all-
skins.min.css');?>">


  <!--
 HTML5 Shim and Respond.js IE8 support o
f HTML5 elements and media queries -->
  <!--
 WARNING: Respond.js doesn't work if you
 view the page via file:// -->
  <!--[if lt IE 9]>
  <script src="https://oss.maxcdn.com/html5
shiv/3.7.3/html5shiv.min.js"></script>
  <script src="https://oss.maxcdn.com/respo
nd/1.4.2/respond.min.js"></script>
  <![endif]-->

  <!-- Google Font -->
  <link rel="stylesheet" href="https://fonts.g
oogleapis.com/css?family=Source+Sans+Pr
o:300,400,600,700,300italic,400italic,600ita
lic">
  <script src="<?php echo site_url('resources
/js/jquery-2.2.3.min.js');?>"></script>
  <!-- Bootstrap 3.3.6 -->
  <script src="<?php echo site_url('resources
/js/bootstrap.min.js');?>"></script>
  <style>
  .radius{
    border: 1;
    border-radius: 50px
  }
  </style>
</head>
<body class="hold-transition login-page">
<div class="login-box">
  <div class="login-logo">
    <img src="<?php echo base_url()?>assets
/web/img/logo.png" alt="">
  </div>
  <!-- /.login-logo -->
  <div class="login-box-body radius">
    <p class="login-box-
msg">Silahkan Masukkan username & Pass
word Anda</p>

    <form class="login-admin">
      <div class="form-group has-feedback">
        <input type="text" name="username" c
lass="form-
control radius" placeholder="Username">
        <span class="glyphicon glyphicon-
envelope form-control-feedback"></span>
      </div>
      <div class="form-group has-feedback">
        <input type="password" name="passw
ord" class="form-
control radius" placeholder="Password">
        <span class="glyphicon glyphicon-
lock form-control-feedback"></span>
      </div>
      <div class="row">
        <div class="col-xs-8">
          <div class="checkbox icheck">

          </div>
        </div>
        <!-- /.col -->
        <div class="col-xs-4">
          <button type="submit" class="btn btn-
danger btn-block btn-
flat ">Sign In</button>
        </div>
        <!-- /.col -->
      </div>
    </form>
```

```
  </div>
  <!-- /.login-box-body -->
</div>
<!-- /.login-box -->

<!-- jQuery 2.2.3 -->

<script>
  var server='<?php echo base_url()?>';
  $(document).ready(function () {
  $('.login-admin').submit(function(){
     var form=$(this);
     $.post(server+'login/proses',form.serializ
e(),function(response){
       var data=$.parseJSON(response);
       if( data.status == 1){

          window.location.replace(server);
        }else{
        alert(data.message);
        }
     });
     return false;
  })
  });
</script>
</body>
</html>

<?php
defined('BASEPATH') OR exit('No direct sc
ript access allowed');

/*
| -------------------------------------------------
---------------
| SMILEYS
| -------------------------------------------------
---------------
| This file contains an array of smileys for us
e with the emoticon helper.
| Individual images can be used to replace m
ultiple smileys.  For example:
| :-) and :) use the same image replacement.
|
| Please see user guide for more info:
| https://codeigniter.com/user_guide/helpers/
smiley_helper.html
|
*/
$smileys = array(

// smiley          image name                    wi
dth   height  alt
    ':-
)'          => array('grin.gif',          '19',   '19',
  'grin'),
    ':lol:'        => array('lol.gif',           '19',   '
19',   'LOL'),
    ':cheese:'     => array('cheese.gif',        '1
9',   '19',   'cheese'),
    ':)'           => array('smile.gif',         '19',
'19',   'smile'),
    ';-
)'          => array('wink.gif',          '19',   '19',
  'wink'),
    ';)'           => array('wink.gif',          '19',
 '19',   'wink'),
    ':smirk:'      => array('smirk.gif',         '19
',   '19',   'smirk'),
    ':roll:'       => array('rolleyes.gif',      '19',
  '19',   'rolleyes'),
    ':-
S'          => array('confused.gif',      '19',   '1
9',   'confused'),
    ':wow:'        => array('surprise.gif',      '1
9',   '19',   'surprised'),
    ':bug:'        => array('bigsurprise.gif',   '1
9',   '19',   'big surprise'),
    ':-
P'          => array('tongue_laugh.gif',   '19',
'19',   'tongue laugh'),
    '%-
P'          => array('tongue_rolleye.gif', '19',
 '19',   'tongue rolleye'),
    ';-
P'          => array('tongue_wink.gif',    '19',
 '19',   'tongue wink'),
    ':P'           => array('raspberry.gif',     '19'
,   '19',   'raspberry'),
    ':blank:'      => array('blank.gif',         '19'
,   '19',   'blank stare'),
    ':long:'       => array('longface.gif',      '1
9',   '19',   'long face'),
    ':ohh:'        => array('ohh.gif',           '19',
  '19',   'ohh'),
    ':grrr:'       => array('grrr.gif',          '19',
'19',   'grrr'),
    ':gulp:'       => array('gulp.gif',          '19',
  '19',   'gulp'),
    '8-
/'          => array('ohoh.gif',          '19',   '19',
  'oh oh'),
    ':down:'       => array('downer.gif',        '
19',   '19',   'downer'),
    ':red:'        => array('embarrassed.gif',   '
19',   '19',   'red face'),
```

```
<?php
defined('BASEPATH') OR exit('No direct sc
ript access allowed');

/*
| -------------------------------------------------------
---------------
| MIME TYPES
| -------------------------------------------------------
---------------
| This file contains an array of mime types.  I
t is used by the
| Upload class to help identify allowed file ty
pes.
|
*/
return array(
   'hqx'   =>  array('application/mac-
binhex40', 'application/mac-
binhex', 'application/x-
binhex40', 'application/x-mac-binhex40'),
   'cpt'   =>  'application/mac-compactpro',
   'csv'   =>  array('text/x-comma-separated-
values', 'text/comma-separated-
values', 'application/octet-
stream', 'application/vnd.ms-
excel', 'application/x-csv', 'text/x-
csv', 'text/csv', 'application/csv', 'application/
excel', 'application/vnd.msexcel', 'text/plain')
,
   'bin'   =>  array('application/macbinary', 'a
pplication/mac-binary', 'application/octet-
stream', 'application/x-
binary', 'application/x-macbinary'),
   'dms'   =>  'application/octet-stream',
   'lha'   =>  'application/octet-stream',
   'lzh'   =>  'application/octet-stream',
   'exe'   =>  array('application/octet-
stream', 'application/x-msdownload'),
   'class' =>  'application/octet-stream',
   'psd'   =>  array('application/x-
photoshop', 'image/vnd.adobe.photoshop'),
   'so'    =>  'application/octet-stream',
   'sea'   =>  'application/octet-stream',
   'dll'   =>  'application/octet-stream',
   'oda'   =>  'application/oda',
   'pdf'   =>  array('application/pdf', 'applicati
on/force-download', 'application/x-
download', 'binary/octet-stream'),
   'ai'    =>  array('application/pdf', 'applicati
on/postscript'),
   'eps'   =>  'application/postscript',
   'ps'    =>  'application/postscript',
   'smi'   =>  'application/smil',
   'smil'  =>  'application/smil',
   'mif'   =>  'application/vnd.mif',
   'xls'   =>  array('application/vnd.ms-
excel', 'application/msexcel', 'application/x-
msexcel', 'application/x-ms-
excel', 'application/x-excel', 'application/x-
dos_ms_excel', 'application/xls', 'application/
x-
xls', 'application/excel', 'application/downloa
d', 'application/vnd.ms-
office', 'application/msword'),
   'ppt'   =>  array('application/powerpoint', '
application/vnd.ms-
powerpoint', 'application/vnd.ms-
office', 'application/msword'),
   'pptx'  =>  array('application/vnd.openxml
formats-
officedocument.presentationml.presentation',
 'application/x-zip', 'application/zip'),
   'wbxml' =>  'application/wbxml',
   'wmlc'  =>  'application/wmlc',
   'dcr'   =>  'application/x-director',
   'dir'   =>  'application/x-director',
   'dxr'   =>  'application/x-director',
   'dvi'   =>  'application/x-dvi',
   'gtar'  =>  'application/x-gtar',
   'gz'    =>  'application/x-gzip',
   'gzip'  =>  'application/x-gzip',
   'php'   =>  array('application/x-httpd-
php', 'application/php', 'application/x-
php', 'text/php', 'text/x-php', 'application/x-
httpd-php-source'),
   'php4'  =>  'application/x-httpd-php',
   'php3'  =>  'application/x-httpd-php',
   'phtml' =>  'application/x-httpd-php',
   'phps'  =>  'application/x-httpd-php-
source',
   'js'    =>  array('application/x-
javascript', 'text/plain'),
   'swf'   =>  'application/x-shockwave-
flash',
   'sit'   =>  'application/x-stuffit',
   'tar'   =>  'application/x-tar',
   'tgz'   =>  array('application/x-
tar', 'application/x-gzip-compressed'),
   'z' =>  'application/x-compress',
   'xhtml' =>  'application/xhtml+xml',
   'xht'   =>  'application/xhtml+xml',
   'zip'   =>  array('application/x-
zip', 'application/zip', 'application/x-zip-
compressed', 'application/s-
compressed', 'multipart/x-zip'),
   'rar'   =>  array('application/x-
rar', 'application/rar', 'application/x-rar-
compressed'),
   'mid'   =>  'audio/midi',
```

```
    'midi' => 'audio/midi',
    'mpga' => 'audio/mpeg',
    'mp2' => 'audio/mpeg',
    'mp3' => array('audio/mpeg', 'audio/mpg
', 'audio/mpeg3', 'audio/mp3'),
    'aif' => array('audio/x-aiff', 'audio/aiff'),
    'aiff' => array('audio/x-aiff', 'audio/aiff'),
    'aifc' => 'audio/x-aiff',
    'ram' => 'audio/x-pn-realaudio',
    'rm' => 'audio/x-pn-realaudio',
    'rpm' => 'audio/x-pn-realaudio-plugin',
    'ra' => 'audio/x-realaudio',
    'rv' => 'video/vnd.rn-realvideo',
    'wav' => array('audio/x-
wav', 'audio/wave', 'audio/wav'),
    'bmp' => array('image/bmp', 'image/x-
bmp', 'image/x-bitmap', 'image/x-
xbitmap', 'image/x-win-bitmap', 'image/x-
windows-bmp', 'image/ms-bmp', 'image/x-
ms-bmp', 'application/bmp', 'application/x-
bmp', 'application/x-win-bitmap'),
    'gif' => 'image/gif',
    'jpeg' => array('image/jpeg', 'image/pjpeg
'),
    'jpg' => array('image/jpeg', 'image/pjpeg'
),
    'jpe' => array('image/jpeg', 'image/pjpeg'
),
    'jp2' => array('image/jp2', 'video/mj2', 'i
mage/jpx', 'image/jpm'),
    'j2k' => array('image/jp2', 'video/mj2', 'i
mage/jpx', 'image/jpm'),
    'jpf' => array('image/jp2', 'video/mj2', 'i
mage/jpx', 'image/jpm'),
    'jpg2' => array('image/jp2', 'video/mj2', 'i
mage/jpx', 'image/jpm'),
    'jpx' => array('image/jp2', 'video/mj2', 'i
mage/jpx', 'image/jpm'),
    'jpm' => array('image/jp2', 'video/mj2', 'i
mage/jpx', 'image/jpm'),
    'mj2' => array('image/jp2', 'video/mj2', 'i
mage/jpx', 'image/jpm'),
    'mjp2' => array('image/jp2', 'video/mj2', '
image/jpx', 'image/jpm'),
    'png' => array('image/png', 'image/x-
png'),
    'tiff' => 'image/tiff',
    'tif' => 'image/tiff',
    'css' => array('text/css', 'text/plain'),
    'html' => array('text/html', 'text/plain'),
    'htm' => array('text/html', 'text/plain'),
    'shtml' => array('text/html', 'text/plain'),
    'txt' => 'text/plain',
    'text' => 'text/plain',
    'log' => array('text/plain', 'text/x-log'),
    'rtx' => 'text/richtext',
    'rtf' => 'text/rtf',
    'xml' => array('application/xml', 'text/x
ml', 'text/plain'),
    'xsl' => array('application/xml', 'text/xsl',
 'text/xml'),
    'mpeg' => 'video/mpeg',
    'mpg' => 'video/mpeg',
    'mpe' => 'video/mpeg',
    'qt' => 'video/quicktime',
    'mov' => 'video/quicktime',
    'avi' => array('video/x-
msvideo', 'video/msvideo', 'video/avi', 'applic
ation/x-troff-msvideo'),
    'movie' => 'video/x-sgi-movie',
    'doc' => array('application/msword', 'app
lication/vnd.ms-office'),
    'docx' => array('application/vnd.openxml
formats-
officedocument.wordprocessingml.documen
t', 'application/zip', 'application/msword', 'ap
plication/x-zip'),
    'dot' => array('application/msword', 'app
lication/vnd.ms-office'),
    'dotx' => array('application/vnd.openxml
formats-
officedocument.wordprocessingml.documen
t', 'application/zip', 'application/msword'),
    'xlsx' => array('application/vnd.openxmlf
ormats-
officedocument.spreadsheetml.sheet', 'applic
ation/zip', 'application/vnd.ms-
excel', 'application/msword', 'application/x-
zip'),
    'word' => array('application/msword', 'ap
plication/octet-stream'),
    'xl' => 'application/excel',
    'eml' => 'message/rfc822',
    'json' => array('application/json', 'text/jso
n'),
    'pem' => array('application/x-x509-user-
cert', 'application/x-pem-
file', 'application/octet-stream'),
    'p10' => array('application/x-
pkcs10', 'application/pkcs10'),
    'p12' => 'application/x-pkcs12',
    'p7a' => 'application/x-pkcs7-signature',
    'p7c' => array('application/pkcs7-
mime', 'application/x-pkcs7-mime'),
    'p7m' => array('application/pkcs7-
mime', 'application/x-pkcs7-mime'),
    'p7r' => 'application/x-pkcs7-
certreqresp',
    'p7s' => 'application/pkcs7-signature',
```

```
    'crt'  =>  array('application/x-x509-ca-
cert', 'application/x-x509-user-
cert', 'application/pkix-cert'),
    'crl'  =>  array('application/pkix-
crl', 'application/pkcs-crl'),
    'der'  =>  'application/x-x509-ca-cert',
    'kdb'  =>  'application/octet-stream',
    'pgp'  =>  'application/pgp',
    'gpg'  =>  'application/gpg-keys',
    'sst'  =>  'application/octet-stream',
    'csr'  =>  'application/octet-stream',
    'rsa'  =>  'application/x-pkcs7',
    'cer'  =>  array('application/pkix-
cert', 'application/x-x509-ca-cert'),
    '3g2'  =>  'video/3gpp2',
    '3gp'  =>  array('video/3gp', 'video/3gpp'),
    'mp4'  =>  'video/mp4',
    'm4a'  =>  'audio/x-m4a',
    'f4v'  =>  array('video/mp4', 'video/x-
f4v'),
    'flv'  =>  'video/x-flv',
    'webm'  =>  'video/webm',
    'aac'  =>  'audio/x-acc',
    'm4u'  =>  'application/vnd.mpegurl',
    'm3u'  =>  'text/plain',
    'xspf'  =>  'application/xspf+xml',
    'vlc'  =>  'application/videolan',
    'wmv'  =>  array('video/x-ms-
wmv', 'video/x-ms-asf'),
    'au'  =>  'audio/x-au',
    'ac3'  =>  'audio/ac3',
    'flac'  =>  'audio/x-flac',
    'ogg'  =>  array('audio/ogg', 'video/ogg', 'a
pplication/ogg'),
    'kmz'  =>  array('application/vnd.google-
earth.kmz', 'application/zip', 'application/x-
zip'),
    'kml'  =>  array('application/vnd.google-
earth.kml+xml', 'application/xml', 'text/xml'),
    'ics'  =>  'text/calendar',
    'ical'  =>  'text/calendar',
    'zsh'  =>  'text/x-scriptzsh',
    '7zip'  =>  array('application/x-
compressed', 'application/x-zip-
compressed', 'application/zip', 'multipart/x-
zip'),
    'cdr'  =>  array('application/cdr', 'applicati
on/coreldraw', 'application/x-
cdr', 'application/x-
coreldraw', 'image/cdr', 'image/x-cdr', 'zz-
application/zz-winassoc-cdr'),
    'wma'  =>  array('audio/x-ms-
wma', 'video/x-ms-asf'),
    'jar'  =>  array('application/java-
archive', 'application/x-java-
application', 'application/x-
jar', 'application/x-compressed'),
    'svg'  =>  array('image/svg+xml', 'applicat
ion/xml', 'text/xml'),
    'vcf'  =>  'text/x-vcard',
    'srt'  =>  array('text/srt', 'text/plain'),
    'vtt'  =>  array('text/vtt', 'text/plain'),
    'ico'  =>  array('image/x-icon', 'image/x-
ico', 'image/vnd.microsoft.icon'),
    'odc'  =>  'application/vnd.oasis.opendocu
ment.chart',
    'otc'  =>  'application/vnd.oasis.opendocu
ment.chart-template',
    'odf'  =>  'application/vnd.oasis.opendocu
ment.formula',
    'otf'  =>  'application/vnd.oasis.opendocu
ment.formula-template',
    'odg'  =>  'application/vnd.oasis.opendocu
ment.graphics',
    'otg'  =>  'application/vnd.oasis.opendocu
ment.graphics-template',
    'odi'  =>  'application/vnd.oasis.opendocu
ment.image',
    'oti'  =>  'application/vnd.oasis.opendocu
ment.image-template',
    'odp'  =>  'application/vnd.oasis.opendocu
ment.presentation',
    'otp'  =>  'application/vnd.oasis.opendocu
ment.presentation-template',
    'ods'  =>  'application/vnd.oasis.opendocu
ment.spreadsheet',
    'ots'  =>  'application/vnd.oasis.opendocu
ment.spreadsheet-template',
    'odt'  =>  'application/vnd.oasis.opendocu
ment.text',
    'odm'  =>  'application/vnd.oasis.opendoc
ument.text-master',
    'ott'  =>  'application/vnd.oasis.opendocu
ment.text-template',
    'oth'  =>  'application/vnd.oasis.opendocu
ment.text-web'
);
<?php if($this->session-
>userdata('USERNAME')==''){
    $this->load->view('login/login');
}?>
<!DOCTYPE html>
<html>
    <head>
        <meta charset="utf-8">
        <meta http-equiv="X-UA-
Compatible" content="IE=edge">
        <title>pajak</title>
```

```
        <!--
 Tell the browser to be responsive to screen
width -->
        <meta content="width=device-
width, initial-scale=1, maximum-
scale=1, user-
scalable=no" name="viewport">
        <!-- Bootstrap 3.3.6 -->
        <link rel="stylesheet" href="<?php ech
o site_url('resources/css/bootstrap.min.css');
?>">
        <!-- Font Awesome -->
        <link rel="stylesheet" href="<?php ech
o site_url('resources/css/font-
awesome.min.css');?>">
        <!-- Ionicons -->
        <link rel="stylesheet" href="https://cdn
js.cloudflare.com/ajax/libs/ionicons/2.0.1/cs
s/ionicons.min.css">
        <!-- Datetimepicker -->
        <link rel="stylesheet" href="<?php ech
o site_url('resources/css/bootstrap-
datetimepicker.min.css');?>">
        <!-- Theme style -->
        <link rel="stylesheet" href="<?php ech
o site_url('resources/css/AdminLTE.min.css'
);?>">
        <!--
 AdminLTE Skins. Choose a skin from the c
ss/skins
             folder instead of downloading all of
them to reduce the load. -->
        <link rel="stylesheet" href="<?php ech
o site_url('resources/css/_all-
skins.min.css');?>">
    </head>

    <body class="hold-transition skin-
red sidebar-mini">
        <div class="wrapper">
            <header class="main-header">
                <!-- Logo -->
                <a href="" class="logo">
                    <!--
 mini logo for sidebar mini 50x50 pixels -->
                    <span class="logo-
mini">P J K</span>
                    <!--
 logo for regular state and mobile devices --
>
                    <span class="logo-
lg">P A J A K</span>
                </a>
                <!--
 Header Navbar: style can be found in heade
r.less -->
                <nav class="navbar navbar-static-
top">
                    <!-- Sidebar toggle button-->
                    <a href="#" class="sidebar-
toggle" data-
toggle="offcanvas" role="button">
                        <span class="sr-
only">Toggle navigation</span>
                        <span class="icon-
bar"></span>
                        <span class="icon-
bar"></span>
                        <span class="icon-
bar"></span>
                    </a>

                    <div class="navbar-custom-
menu">
                        <ul class="nav navbar-nav">
                        <!--
 User Account: style can be found in dropdo
wn.less -->
                            <li class="dropdown user u
ser-menu">
                                <a href="#" class="drop
down-toggle" data-toggle="dropdown">
                                    <img src="<?php ech
o site_url('resources/img/user2-
160x160.jpg');?>" class="user-
image" alt="User Image">
                                    <span class="hidden-
xs"><?php echo $this->session-
>userdata('NAMA_USER');?></span>
                                </a>
                                <ul class="dropdown-
menu">
                                    <!-- User image -->
                                    <li class="user-
header">
                                        <img src="<?php e
cho site_url('resources/img/user2-
160x160.jpg');?>" class="img-
circle" alt="User Image">

                                        <p>
                                        <span class="hidden-
xs"><?php echo $this->session-
>userdata('NAMA_USER');?></span>

                                        </p>
                                        </li>
                                        <!-- Menu Footer-->
```

```
                        <li class="user-
footer">
                            <!--
 <div class="pull-left">
                                <a href="#" class
="btn btn-default btn-flat">Profile</a>
                            </div> -->
                            <div class="pull-
right">
                                <a href="<?php
echo site_url('logout');?>" class="btn btn-
default btn-flat">Sign out</a>
                            </div>
                        </li>
                    </ul>
                </li>
            </ul>
        </div>
    </nav>
</header>
<!--
 Left side column. contains the logo and side
bar -->
<aside class="main-sidebar">
    <!--
 sidebar: style can be found in sidebar.less --
>
    <section class="sidebar">
        <!-- Sidebar user panel -->
        <div class="user-panel">
            <div class="pull-left image">
                <img src="<?php echo site
_url('resources/img/user2-
160x160.jpg');?>" class="img-
circle" alt="User Image">
            </div>
            <div class="pull-left info">
                <p><?php echo $this-
>session->userdata('NAMA_USER');?></p>
                <a href="#"><i class="fa f
a-circle text-success"></i> Online</a>
            </div>
        </div>
        <!--
 sidebar menu: : style can be found in sideba
r.less -->
        <ul class="sidebar-menu">
            <li class="header">MAIN N
AVIGATION</li>
            <li>
                <a href="<?php echo site_
url();?>">
                    <i class="fa fa-
dashboard"></i> <span>Dashboard</span>
                </a>
            </li>
            <li>
                <a href="#">
                    <i class="fa fa-
user"></i> <span>Master User</span>
                </a>
                <ul class="treeview-
menu">
                    <li class="active">
                        <a href="<?php echo
site_url('user/add');?>"><i class="fa fa-
plus"></i> Add</a>
                    </li>
                    <li>
                        <a href="<?php echo
site_url('user/index');?>"><i class="fa fa-
list-ul"></i> Listing</a>
                    </li>
                </ul>
            </li>
            <li>
                <a href="#">
                    <i class="fa fa-
desktop"></i> <span>Daftar Wajib Pajak</s
pan>
                </a>
                <ul class="treeview-
menu">
                    <li class="active">
                        <a href="<?php echo
site_url('pajak/add');?>"><i class="fa fa-
plus"></i> Add</a>
                    </li>
                    <li>
                        <a href="<?php echo
site_url('pajak/index');?>"><i class="fa fa-
list-ul"></i> Daftar Wajib Pajak</a>
                    </li>

                </ul>
            </li>
            <!-- <li>
                <a href="#">
                    <i class="fa fa-
desktop"></i> <span>Daftar Pajak Jatuh Te
mpo</span>
                </a>
                <ul class="treeview-
menu">
                    <li>
                        <a href="<?php echo
site_url('pajak/index');?>"><i class="fa fa-
list-ul"></i> Daftar Pajak Jatuh Tempo</a>
                    </li>
```

```
                    </ul>
                  </li>
                  <li>
                    <a href="#">
                      <i class="fa fa-
print"></i> <span>Laporan</span>
                    </a>
                    <ul class="treeview-
menu">
                      <li>
                        <a href="<?php echo
site_url('pajak/index');?>"><i class="fa fa-
list-ul"></i> Daftar Pajak Jatuh Tempo</a>
                      </li>

                    </ul>
                  </li> -->
                </ul>
              </section>
              <!-- /.sidebar -->
            </aside>

            <!--
 Content Wrapper. Contains page content -->
            <div class="content-wrapper">
              <!-- Main content -->
              <section class="content">
                <?php
                if(isset($_view) && $_view)
                  $this->load->view($_view);
                ?>
              </section>
              <!-- /.content -->
            </div>
            <!-- /.content-wrapper -->
            <footer class="main-footer">
              <strong>Generated By <a href="#
">Zul</a> 3.2</strong>
            </footer>

            <!-- Control Sidebar -->
            <aside class="control-
sidebar control-sidebar-dark">
              <!-- Create the tabs -->
              <ul class="nav nav-tabs nav-
justified control-sidebar-tabs">

              </ul>
              <!-- Tab panes -->
              <div class="tab-content">
                <!-- Home tab content -->
                <div class="tab-pane" id="control-sidebar-
home-tab">

                </div>
                <!-- /.tab-pane -->
                <!-- Stats tab content -->
                <div class="tab-
pane" id="control-sidebar-stats-
tab">Stats Tab Content</div>
                <!-- /.tab-pane -->

              </div>
            </aside>
            <!-- /.control-sidebar -->
            <!--
 Add the sidebar's background. This div mus
t be placed
            immediately after the control sidebar
-->
            <div class="control-sidebar-
bg"></div>
          </div>
          <!-- ./wrapper -->

          <!-- jQuery 2.2.3 -->
          <script src="<?php echo site_url('resou
rces/js/jquery-2.2.3.min.js');?>"></script>
          <!-- Bootstrap 3.3.6 -->
          <script src="<?php echo site_url('resou
rces/js/bootstrap.min.js');?>"></script>
          <!-- FastClick -->
          <script src="<?php echo site_url('resou
rces/js/fastclick.js');?>"></script>
          <!-- AdminLTE App -->
          <script src="<?php echo site_url('resou
rces/js/app.min.js');?>"></script>
          <!-- AdminLTE for demo purposes -->
          <script src="<?php echo site_url('resou
rces/js/demo.js');?>"></script>
          <!-- DatePicker -->
          <script src="<?php echo site_url('resou
rces/js/moment.js');?>"></script>
          <script src="<?php echo site_url('resou
rces/js/bootstrap-
datetimepicker.min.js');?>"></script>
          <script src="<?php echo site_url('resou
rces/js/global.js');?>"></script>
        </body>
</html>
```