LAMPIRAN

LOGIN

Login.*php*

```
<?= $this->extend("template/template"); ?>

<?= $this->section("isi"); ?>

<?= form_open("/login") ?>

<div class="card-header">

        Login

</div>

<div class="card-body align-middle mb-0">

   <div class="form-group">

      <label for="id">ID</label>

      <input type="text" class="form-control
<?= $validation->hasError("id") ? "is-
invalid" : "" ?>" id="id" name="id"
value="<?= set_value("id") ?>">

      <?php if ($validation->hasError("id")) :
?>

         <div class="invalid-feedback"><?=
$validation->getError("id") ?></div>

      <?php endif ?>

   </div>

   <div class="form-group">

      <label
for="password">Password</label>

      <input type="password" class="form-
control <?= $validation-
>hasError("password") ? "is-invalid" : "" ?>"
id="password" name="password"
value="<?= set_value("password") ?>">

      <?php if ($validation-
>hasError("password")) : ?>

         <div class="invalid-feedback"><?=
$validation->getError("password") ?></div>

      <?php endif ?>

   </div>

</div>

<div class="d-block text-center card-
footer">

   <button type="submit" class="btn-wide
btn btn-success">Login</button>

   <button type="reset" class="btn-wide btn
btn-info">Reset</button>

</div>

<?= form_close() ?>

<?= $this->endSection(); ?>


<?= $this->section("css"); ?>

<?= $this->endSection(); ?>


<?= $this->section("js"); ?>

<?= $this->endSection(); ?>
```

TAMBAH ADMIN

Baru.*php*

```
<?= $this->extend("template/template"); ?>

<?= $this->section("isi"); ?>

<?= form_open("/admin") ?>


<div class="row">

   <div class="col-md-12">

      <div class="white-box">

         <div class="card-header">

            Tambah Admin

         </div>

         <div class="card-body align-middle
mb-0">

            <div class="form-group">

               <label for="id_admin">ID
Admin</label>

               <input type="text" class="form-
control <?= $validation-
>hasError("id_admin") ? "is-invalid" : "" ?>"
id="id_admin" name="id_admin"
value="<?= set_value("id_admin") ?>">

               <?php if ($validation-
>hasError("id_admin")) : ?>
```

```
                <div class="invalid-
feedback"><?= $validation-
>getError("id_admin") ?></div>

                <?php endif ?>

            </div>

            <div class="form-group">

                <label for="nama">Nama
Admin</label>

                <input type="text" class="form-
control <?= $validation->hasError("nama")
? "is-invalid" : "" ?>" id="nama"
name="nama" value="<?=
set_value("nama") ?>">

                <?php if ($validation-
>hasError("nama")) : ?>

                <div class="invalid-
feedback"><?= $validation-
>getError("nama") ?></div>

                <?php endif ?>

            </div>

            <div class="form-group">

                <label
for="password">Password Admin</label>

                <input type="password"
class="form-control <?= $validation-
>hasError("password") ? "is-invalid" : "" ?>"
id="password" name="password"
value="<?= set_value("password") ?>">

                <?php if ($validation-
>hasError("password")) : ?>

                <div class="invalid-
feedback"><?= $validation-
>getError("password") ?></div>

                <?php endif ?>

            </div>

        </div>

        <div class="d-block text-center card-
footer">

            <button type="submit" class="btn-
wide btn btn-success">Simpan</button>

            <button type="reset" class="btn-
wide btn btn-info">Reset</button>

            <a href="<?=
$_SESSION["_ci_previous_url"] ?>"
class="btn-wide btn btn-
danger">Kembali</a>

        </div>

    </div>

</div>

<?= form_close() ?>

<?= $this->endSection(); ?>


<?= $this->section("css"); ?>

<?= $this->endSection(); ?>


<?= $this->section("js"); ?>

<?= $this->endSection(); ?>
```

DATA ADMIN

List.*php*

```
<?= $this->extend("template/template"); ?>


<?= $this->section("isi"); ?>

<div class="row">

    <div class="col-md-12">

        <div class="white-box">

            <div class="card-header">

                Data Admin

                <a href="/admin/new" class="btn
btn-outline-primary float-right">Tambah
Admin</a>

            </div>

            <div class="table-responsive">

                <table id="tabelku" class="align-
middle mb-0 table table-borderless table-
striped table-hover">

                    <thead>

                        <tr>
```

```
                    <th style="width: 10%;" class="text-center">#</th>
                    <th class="text-center">ID</th>
                    <th class="text-center">Nama</th>
                    <th style="width: 15%;" class="text-center">Aksi</th>
                </tr>
            </thead>
            <tbody>
                <?php foreach ($data as $d) : ?>
                <tr>
                    <td class="text-center"><?= $no++ ?></td>
                    <td class="text-center"><?= $d->id_admin ?></td>
                    <td class="text-center"><?= $d->nama ?></td>
                    <td class="text-center">
                        <div class="container row text-center">
                            <div class="col-sm-6">
                                <a href="/admin/<?= $d->id_admin ?>/edit" class="btn btn-info"><i class="fa fa-edit"></i> Ubah</a>
                            </div>
                            <div class="col-sm-6"><?= form_open("/admin/$d->id_admin/delete", "", ["method" => "DELETE"]) ?>
                                <button class="btn btn-danger" onclick="return confirm('Apakah anda yakin ingin menghapus file ini')" type="submit"><i class="fa fa-trash"></i> Hapus</button>
                                <?= form_close() ?>
                            </div>
                        </div>
                    </td>
                </tr>
                <?php endforeach ?>
            </tbody>
        </table>
    </div>
</div>
</div>
<!-- <div class="d-block text-center card-footer">
    <button class="mr-2 btn-icon btn-icon-only btn btn-outline-danger"><i class="pe-7s-trash btn-icon-wrapper"> </i></button>
    <button class="btn-wide btn btn-success">Save</button>
</div> -->
<div class="card-footer">
     
</div>
<?= $this->endSection(); ?>

<?= $this->section("css"); ?>
<link rel="stylesheet" href="/assets/datatables/datatables.min.css">
<?= $this->endSection(); ?>

<?= $this->section("js"); ?>
<script src="/assets/datatables/datatables.min.js"></script>
<script>
    $(document).ready(function() {
        $('#tabelku').DataTable();
    });
```

```
</script>

<?= $this->endSection(); ?>
```

UBAH ADMIN

Ubah.*php*

```
<?= $this->extend("template/template"); ?>


<?= $this->section("isi"); ?>

<?= form_open("/admin/$data->id_admin", '', ["id" => $data->id_admin]) ?>

<div class="row">

    <div class="col-md-12">

        <div class="white-box">

            <div class="card-header">

                Ubah Admin

            </div>

            <div class="card-body align-middle mb-0">

                <div class="form-group">

                    <label for="id_admin">ID Admin</label>

                    <input type="text" class="form-control <?= $validation->hasError("id_admin") ? "is-invalid" : "" ?>" id="id_admin" name="id_admin" value="<?= set_value("id_admin", $data->id_admin) ?>">

                    <?php if ($validation->hasError("id_admin")) : ?>

                        <div class="invalid-feedback"><?= $validation->getError("id_admin") ?></div>

                    <?php endif ?>

                </div>

                <div class="form-group">

                    <label for="nama">Nama Admin</label>

                    <input type="text" class="form-control <?= $validation->hasError("nama") ? "is-invalid" : "" ?>" id="nama" name="nama" value="<?= set_value("nama", $data->nama) ?>">

                    <?php if ($validation->hasError("nama")) : ?>

                        <div class="invalid-feedback"><?= $validation->getError("nama") ?></div>

                    <?php endif ?>

                </div>

                <div class="form-group">

                    <label for="password">Password Admin</label>

                    <input type="password" class="form-control <?= $validation->hasError("password") ? "is-invalid" : "" ?>" id="password" name="password" value="<?= set_value("password") ?>">

                    <?php if ($validation->hasError("password")) : ?>

                        <div class="invalid-feedback"><?= $validation->getError("password") ?></div>

                    <?php endif ?>

                </div>

            </div>

            <div class="d-block text-center card-footer">

                <button type="submit" class="btn-wide btn btn-success">Simpan</button>

                <button type="reset" class="btn-wide btn btn-info">Reset</button>

                <a href="<?= $_SESSION["_ci_previous_url"] ?>" class="btn-wide btn btn-danger">Kembali</a>

            </div>

        </div>

    </div>

</div>

<?= form_close() ?>
```

```
<?= $this->endSection(); ?>


<?= $this->section("css"); ?>
<?= $this->endSection(); ?>


<?= $this->section("js"); ?>
<?= $this->endSection(); ?>
```

TAMBAH BARANG

Baru.*php*

```
<?= $this->extend("template/template"); ?>


<?= $this->section("isi"); ?>
<?= form_open("/barang") ?>


<div class="row">
   <div class="col-md-12">
      <div class="white-box">
         <div class="card-header">
            Tambah Barang
         </div>
         <div class="card-body align-middle mb-0">
            <div class="form-group">
               <label for="nama">Nama Barang</label>
               <input type="text" class="form-control <?= $validation->hasError("nama") ? "is-invalid" : "" ?>" id="nama" name="nama" value="<?= set_value("nama") ?>">
               <?php if ($validation->hasError("nama")) : ?>
                  <div class="invalid-feedback"><?= $validation->getError("nama") ?></div>
               <?php endif ?>
            </div>
            <div class="form-group">
               <label for="harga_jual">Harga Jual Barang</label>
               <input type="number" class="form-control <?= $validation->hasError("harga_jual") ? "is-invalid" : "" ?>" id="harga_jual" name="harga_jual" value="<?= set_value("harga_jual") ?>">
               <?php if ($validation->hasError("harga_jual")) : ?>
                  <div class="invalid-feedback"><?= $validation->getError("harga_jual") ?></div>
               <?php endif ?>
            </div>
         </div>
         <div class="d-block text-center card-footer">
            <button type="submit" class="btn-wide btn btn-success">Simpan</button>
            <button type="reset" class="btn-wide btn btn-info">Reset</button>
            <a href="<?= $_SESSION["_ci_previous_url"] ?>" class="btn-wide btn btn-danger">Kembali</a>
         </div>
      </div>
   </div>
</div>
<?= form_close() ?>
<?= $this->endSection(); ?>


<?= $this->section("css"); ?>
<?= $this->endSection(); ?>


<?= $this->section("js"); ?>
<?= $this->endSection(); ?>
```

DATA BARANG

List.*php*

```
<?= $this->extend("template/template"); ?>


<?= $this->section("isi"); ?>

<div class="row">

    <div class="col-md-12">

        <div class="white-box">

            <div class="card-header">

                Data Barang

                <a href="/barang/new" class="btn btn-outline-primary float-right">Tambah Barang</a>

            </div>

            <div class="card-body">

                <div class="table-responsive">

                    <table id="tabelku" class="align-middle mb-0 table table-borderless table-striped table-hover">

                        <thead>

                            <tr>

                                <th style="width: 10%;" class="text-center">#</th>

                                <th class="text-center">Nama</th>

                                <th style="width: 15%;" class="text-center">Aksi</th>

                            </tr>

                        </thead>

                        <tbody>

                            <?php foreach ($data as $d) : ?>

                                <tr>

                                    <td class="text-center"><?= $no++ ?></td>

                                    <td class="text-center">

                                        <!-- <a href="/barang/<?= $d->id_barang ?>/produksi" class="btn btn-info"><i class="fa fa-edit"></i> Produksi</a> -->

                                        <a href="/barang/<?= $d->id_barang ?>/produksi2" class="btn btn-info"><i class="fa fa-edit"></i> Produksi</a>

                                        <a href="/barang/<?= $d->id_barang ?>/edit" class="btn btn-info"><i class="fa fa-edit"></i> Ubah</a>

                                        <?= form_open("/barang/$d->id_barang/delete", "", ["method" => "DELETE"]) ?>

                                        <button class="btn btn-danger" onclick="return confirm('Apakah anda yakin ingin menghapus file ini')" type="submit"><i class="fa fa-trash"></i> Hapus</button>

                                        <?= form_close() ?>


                                    </td>

                                </tr>

                            <?php endforeach ?>

                        </tbody>

                    </table>

                </div>

            </div>

            <div class="card-footer">

                 

            </div>

        </div>

    </div>

</div>

<!-- <div class="d-block text-center card-footer">
```

```
    <button class="mr-2 btn-icon btn-icon-only btn btn-outline-danger"><i class="pe-7s-trash btn-icon-wrapper"> </i></button>

    <button class="btn-wide btn btn-success">Save</button>

</div> -->

<?= $this->endSection(); ?>



<?= $this->section("css"); ?>

<link rel="stylesheet" href="/assets/datatables/datatables.min.css">

<?= $this->endSection(); ?>



<?= $this->section("js"); ?>

<script src="/assets/datatables/datatables.min.js"></script>

<script>

    $(document).ready(function() {

        $('#tabelku').DataTable();

    });

</script>

<?= $this->endSection(); ?>
```

Ubah.*php*

```
<?= $this->extend("template/template"); ?>



<?= $this->section("isi"); ?>

<?= form_open("/barang/$data->id_barang", '', ['id' => $data->id_barang]) ?>


<div class="row">

    <div class="col-md-12">

        <div class="white-box">

            <div class="card-header">

                Ubah Barang

            </div>

            <div class="card-body align-middle mb-0">

                <div class="form-group">

                    <label for="nama">Nama Barang</label>

                    <input type="text" class="form-control <?= $validation->hasError("nama") ? "is-invalid" : "" ?>" id="nama" name="nama" value="<?= set_value("nama", $data->nama) ?>">

                    <?php if ($validation->hasError("nama")) : ?>

                        <div class="invalid-feedback"><?= $validation->getError("nama") ?></div>

                    <?php endif ?>

                </div>

                <div class="form-group">

                    <label for="harga_jual">Harga Jual Barang</label>

                    <input type="number" class="form-control <?= $validation->hasError("harga_jual") ? "is-invalid" : "" ?>" id="harga_jual" name="harga_jual" value="<?= set_value("harga_jual", $data->harga_jual) ?>">

                    <?php if ($validation->hasError("harga_jual")) : ?>

                        <div class="invalid-feedback"><?= $validation->getError("harga_jual") ?></div>

                    <?php endif ?>

                </div>

            </div>

            <div class="d-block text-center card-footer">

                <button type="submit" class="btn-wide btn btn-success">Simpan</button>

                <button type="reset" class="btn-wide btn btn-info">Reset</button>

                <a href="<?= $_SESSION["_ci_previous_url"] ?>"
```

```
class="btn-wide btn btn-
danger">Kembali</a>

        </div>

    </div>

  </div>

</div>

<?= form_close() ?>

<?= $this->endSection(); ?>


<?= $this->section("css"); ?>

<?= $this->endSection(); ?>


<?= $this->section("js"); ?>

<?= $this->endSection(); ?>
```

TAMBAH PRODUKSI BARANG

Baru.*php*

```
<?= $this->extend("template/template"); ?>


<?= $this->section("isi"); ?>

<?= form_open("/barang/$barang-
>id_barang/produksi") ?>


<div class="row">

  <div class="col-md-12">

    <div class="white-box">

      <div class="card-header">

        Tambah Produksi Barang <?=
$barang->nama ?>

      </div>

      <div class="card-body align-middle
mb-0">

        <div class="form-group">

          <label for="nama">Nama
Produksi</label>

          <input type="text" class="form-
control <?= $validation->hasError("nama")
? "is-invalid" : "" ?>" id="nama"
name="nama" value="<?=
set_value("nama") ?>">

          <?php if ($validation-
>hasError("nama")) : ?>

            <div class="invalid-
feedback"><?= $validation-
>getError("nama") ?></div>

          <?php endif ?>

        </div>

        <div class="form-group">

          <label
for="biaya">Biaya</label>

          <input type="number"
class="form-control <?= $validation-
>hasError("biaya") ? "is-invalid" : "" ?>"
id="biaya" name="biaya" value="<?=
set_value("biaya") ?>">

          <?php if ($validation-
>hasError("biaya")) : ?>

            <div class="invalid-
feedback"><?= $validation-
>getError("biaya") ?></div>

          <?php endif ?>

        </div>

        <div class="form-group">

          <label for="biaya_tetap">Biaya
Tetap</label>

          <select class="form-control <?=
$validation->hasError("biaya_tetap") ? "is-
invalid" : "" ?>" id="biaya_tetap"
name="biaya_tetap">

            <option <?=
set_select("biaya_tetap", "Y") ?>
value="Y">Ya</option>

            <option <?=
set_select("biaya_tetap", "T") ?>
value="T">Tidak</option>

          </select>

          <?php if ($validation-
>hasError("biaya_tetap")) : ?>
```

```
                    <div class="invalid-feedback"><?= $validation->getError("biaya_tetap") ?></div>

                <?php endif ?>

            </div>

        </div>

        <div class="d-block text-center card-footer">

            <button type="submit" class="btn-wide btn btn-success">Simpan</button>

            <button type="reset" class="btn-wide btn btn-info">Reset</button>

            <a href="<?= $_SESSION["_ci_previous_url"] ?>" class="btn-wide btn btn-danger">Kembali</a>

        </div>

    </div>

</div>

<?= form_close() ?>

<?= $this->endSection(); ?>


<?= $this->section("css"); ?>

<?= $this->endSection(); ?>


<?= $this->section("js"); ?>

<?= $this->endSection(); ?>
```

DATA PRODUKSI BARANG

List.php

```
<?= $this->extend("template/template"); ?>


<?= $this->section("isi"); ?>

<div class="row">

    <div class="col-md-12">

        <div class="white-box">

            <div class="card-header">

                Data Produksi Barang <?= $barang->nama ?>

                <a href="/barang/<?= $barang->id_barang ?>/produksi/new" class="btn btn-outline-primary float-right">Tambah Produksi</a>

            </div>

            <div class="card-body">

                <div class="table-responsive">

                    <table id="tabelku" class="align-middle mb-0 table table-borderless table-striped table-hover">

                        <thead>

                            <tr>

                                <th style="width: 10%;" class="text-center">#</th>

                                <th class="text-center">Nama</th>

                                <th class="text-center">Biaya</th>

                                <th class="text-center">Biaya Tetap</th>

                                <th style="width: 15%;" class="text-center">Aksi</th>

                            </tr>

                        </thead>

                        <tbody>

                            <?php foreach ($data as $d) : ?>

                                <tr>

                                    <td class="text-center"><?= $no++ ?></td>

                                    <td class="text-center"><?= $d->nama ?></td>

                                    <td class="text-center"><?= $d->biaya ?></td>

                                    <td class="text-center"><?= $d->biaya_tetap ?></td>
```

```
                        <td class="text-
center">
                            <div
class="container row text-center">
                                <div class="col-
sm">
                                    <a
href="/barang/<?= $d->id_barang
?>/produksi/<?= $d->id_produksi ?>/edit"
class="btn btn-info"><i class="fa fa-
edit"></i> Ubah</a>
                                </div>
                                <div class="col-
sm"><?= form_open("/barang/$d-
>id_barang/produksi/$d-
>id_produksi/delete", "", ["method" =>
"DELETE"]) ?>
                                    <button
class="btn btn-danger" onclick="return
confirm('Apakah anda yakin ingin
menghapus file ini')" type="submit"><i
class="fa fa-trash"></i> Hapus</button>
                                    <?=
form_close() ?>
                                </div>
                            </div>
                        </td>
                    </tr>
                <?php endforeach ?>
            </tbody>
        </table>
    </div>
</div>
<div class="card-footer">
     
</div>
</div>
</div>
</div>
```

```
<!-- <div class="d-block text-center card-
footer">
    <button class="mr-2 btn-icon btn-icon-
only btn btn-outline-danger"><i class="pe-
7s-trash btn-icon-wrapper"> </i></button>
    <button class="btn-wide btn btn-
success">Save</button>
</div> -->
<?= $this->endSection(); ?>

<?= $this->section("css"); ?>
<link rel="stylesheet"
href="/assets/datatables/datatables.min.css">
<?= $this->endSection(); ?>

<?= $this->section("js"); ?>
<script
src="/assets/datatables/datatables.min.js"></
script>
<script>
    $(document).ready(function() {
        $('#tabelku').DataTable();
    });
</script>
<?= $this->endSection(); ?>
```

UBAH TAMBAH PRODUKSI BARANG

Ubah.*php*

```
<?= $this->extend("template/template"); ?>

<?= $this->section("isi"); ?>
<?= form_open("/barang/$barang-
>id_barang/produksi/$data->id_produksi", '',
["id" => $data->id_produksi]) ?>

<div class="row">
    <div class="col-md-12">
        <div class="white-box">
```

```
        <div class="card-header">
            Tambah Produksi Barang <?= $barang->nama ?>
        </div>
        <div class="card-body align-middle mb-0">
            <div class="form-group">
                <label for="nama">Nama Produksi</label>
                <input type="text" class="form-control <?= $validation->hasError("nama") ? "is-invalid" : "" ?>" id="nama" name="nama" value="<?= set_value("nama", $data->nama) ?>">
                <?php if ($validation->hasError("nama")) : ?>
                    <div class="invalid-feedback"><?= $validation->getError("nama") ?></div>
                <?php endif ?>
            </div>
            <div class="form-group">
                <label for="biaya">Biaya</label>
                <input type="text" class="form-control <?= $validation->hasError("biaya") ? "is-invalid" : "" ?>" id="biaya" name="biaya" value="<?= set_value("biaya", $data->biaya) ?>">
                <?php if ($validation->hasError("biaya")) : ?>
                    <div class="invalid-feedback"><?= $validation->getError("biaya") ?></div>
                <?php endif ?>
            </div>
            <div class="form-group">
                <label for="biaya_tetap">Biaya Tetap</label>
                <select class="form-control <?= $validation->hasError("biaya_tetap") ? "is-invalid" : "" ?>" id="biaya_tetap" name="biaya_tetap">
                    <option <?= set_select("biaya_tetap", "Y", sama("Y", $data->biaya_tetap)) ?> value="Y">Ya</option>
                    <option <?= set_select("biaya_tetap", "T", sama("T", $data->biaya_tetap)) ?> value="T">Tidak</option>
                </select>
                <?php if ($validation->hasError("biaya_tetap")) : ?>
                    <div class="invalid-feedback"><?= $validation->getError("biaya_tetap") ?></div>
                <?php endif ?>
            </div>
        </div>
        <div class="d-block text-center card-footer">
            <button type="submit" class="btn-wide btn btn-success">Simpan</button>
            <button type="reset" class="btn-wide btn btn-info">Reset</button>
            <a href="<?= $_SESSION["_ci_previous_url"] ?>" class="btn-wide btn btn-danger">Kembali</a>
        </div>
    </div>
</div>
<?= form_close() ?>
<?= $this->endSection(); ?>

<?= $this->section("css"); ?>
<?= $this->endSection(); ?>
```

```
<?= $this->section("js"); ?>

<?= $this->endSection(); ?>
```

TAMBAH PRODUKSI BARANG

Baru.*php*

```
<?= $this- >extend("template/template"); ?>


<?= $this->section("isi"); ?>

<?= form_open("/barang/$barang->id_barang/produksi2") ?>


<div class="row">

   <div class="col-md-12">

      <div class="white-box">

         <div class="card-header">

            Tambah Produksi Barang <?= $barang->nama ?>

         </div>

         <div class="card-body align-middle mb-0">

            <div class="form-group">

               <label for="nama">Nama Produksi</label>

               <input type="text" class="form-control <?= $validation->hasError("nama") ? "is-invalid" : "" ?>" id="nama" name="nama" value="<?= set_value("nama") ?>">

               <?php if ($validation->hasError("nama")) : ?>

                  <div class="invalid-feedback"><?= $validation->getError("nama") ?></div>

               <?php endif ?>

            </div>

            <div class="form-group">

               <label for="sebelum_pesanan">Sebelum Pesanan</label>

               <input type="number" class="form-control <?= $validation->hasError("sebelum_pesanan") ? "is-invalid" : "" ?>" id="sebelum_pesanan" name="sebelum_pesanan" value="<?= set_value("sebelum_pesanan") ?>">

               <?php if ($validation->hasError("sebelum_pesanan")) : ?>

                  <div class="invalid-feedback"><?= $validation->getError("sebelum_pesanan") ?></div>

               <?php endif ?>

            </div>

            <div class="form-group">

               <label for="sesudah_pesanan">Sesudah Pesanan</label>

               <input type="number" class="form-control <?= $validation->hasError("sesudah_pesanan") ? "is-invalid" : "" ?>" id="sesudah_pesanan" name="sesudah_pesanan" value="<?= set_value("sesudah_pesanan") ?>">

               <?php if ($validation->hasError("sesudah_pesanan")) : ?>

                  <div class="invalid-feedback"><?= $validation->getError("sesudah_pesanan") ?></div>

               <?php endif ?>

            </div>

         </div>

         <div class="d-block text-center card-footer">

            <button type="submit" class="btn-wide btn btn-success">Simpan</button>

            <button type="reset" class="btn-wide btn btn-info">Reset</button>

            <a href="<?= $_SESSION["_ci_previous_url"] ?>" class="btn-wide btn btn-danger">Kembali</a>

         </div>

      </div>
```

```
    </div>
</div>
<?= form_close() ?>
<?= $this->endSection(); ?>


<?= $this->section("css"); ?>
<?= $this->endSection(); ?>


<?= $this->section("js"); ?>
<?= $this->endSection(); ?>
```

DATA PRODUKSI BARANG

List.*php*

```
<?= $this->extend("template/template"); ?>


<?= $this->section("isi"); ?>
<div class="row">
    <div class="col-md-12">
        <div class="white-box">
            <div class="card-header">
                Data Produksi Barang <?= $barang->nama ?>
                <a href="/barang/<?= $barang->id_barang ?>/produksi2/new" class="btn btn-outline-primary float-right">Tambah Produksi</a>
            </div>
            <div class="card-body">
                <div class="table-responsive">
                    <table id="tabelku" class="align-middle mb-0 table table-borderless table-striped table-hover">
                        <thead>
                            <tr>
                                <th style="width: 10%;" class="text-center">#</th>
                                <th class="text-center">Nama</th>
                                <th class="text-center">Biaya Sebelum Pesanan</th>
                                <th class="text-center">Biaya Sesudah Pesanan</th>
                                <th style="width: 15%;" class="text-center">Aksi</th>
                            </tr>
                        </thead>
                        <tbody>
                            <?php foreach ($data as $d) : ?>
                                <tr>
                                    <td class="text-center"><?= $no++ ?></td>
                                    <td class="text-center"><?= $d->nama ?></td>
                                    <td class="text-center"><?= rupiah($d->sebelum_pesanan) ?></td>
                                    <td class="text-center"><?= rupiah($d->sesudah_pesanan) ?></td>
                                    <td class="text-center">
                                        <div class="container row text-center">
                                            <div class="col-sm">
                                                <a href="/barang/<?= $d->id_barang ?>/produksi2/<?= $d->id_produksi ?>/edit" class="btn btn-info"><i class="fa fa-edit"></i> Ubah</a>
                                            </div>
                                            <div class="col-sm"><?= form_open("/barang/$d->id_barang/produksi2/$d->id_produksi/delete", "", ["method" => "DELETE"]) ?>
```

```
                                    <button
class="btn btn-danger" onclick="return
confirm('Apakah anda yakin ingin
menghapus file ini')" type="submit"><i
class="fa fa-trash"></i> Hapus</button>

                                    <?=
form_close() ?>

                                </div>

                            </div>

                        </td>

                    </tr>

                    <?php endforeach ?>

                </tbody>

            </table>

        </div>

        <div class="card-footer">

             

        </div>

    </div>

</div>

<!-- <div class="d-block text-center card-
footer">

    <button class="mr-2 btn-icon btn-icon-
only btn btn-outline-danger"><i class="pe-
7s-trash btn-icon-wrapper"> </i></button>

    <button class="btn-wide btn btn-
success">Save</button>

</div> -->

<?= $this->endSection(); ?>


<?= $this->section("css"); ?>

<link rel="stylesheet"
href="/assets/datatables/datatables.min.css">

<?= $this->endSection(); ?>

<?= $this->section("js"); ?>

<script
src="/assets/datatables/datatables.min.js"></
script>

<script>

    $(document).ready(function() {

        $('#tabelku').DataTable();

    });

</script>

<?= $this->endSection(); ?>
```

TAMBAH PRODUKSI BARANG

Ubah.*php*

```
<?= $this->extend("template/template"); ?>


<?= $this->section("isi"); ?>

<?= form_open("/barang/$barang-
>id_barang/produksi2/$data->id_produksi",
'', ["id" => $data->id_produksi]) ?>


<div class="row">

    <div class="col-md-12">

        <div class="white-box">

            <div class="card-header">

                Tambah Produksi Barang <?=
$barang->nama ?>

            </div>

            <div class="card-body align-middle
mb-0">

                <div class="form-group">

                    <label for="nama">Nama
Produksi</label>

                    <input type="text" class="form-
control <?= $validation->hasError("nama")
? "is-invalid" : "" ?>" id="nama"
name="nama" value="<?=
set_value("nama", $data->nama) ?>">

                    <?php if ($validation-
>hasError("nama")) : ?>
```

```
                <div class="invalid-feedback"><?= $validation->getError("nama") ?></div>

                <?php endif ?>

            </div>

            <div class="form-group">

                <label for="sebelum_pesanan">Sebelum Pesanan</label>

                <input type="number" class="form-control <?= $validation->hasError("sebelum_pesanan") ? "is-invalid" : "" ?>" id="sebelum_pesanan" name="sebelum_pesanan" value="<?= set_value("sebelum_pesanan", $data->sebelum_pesanan) ?>">

                <?php if ($validation->hasError("sebelum_pesanan")) : ?>

                <div class="invalid-feedback"><?= $validation->getError("sebelum_pesanan") ?></div>

                <?php endif ?>

            </div>

            <div class="form-group">

                <label for="sesudah_pesanan">Sesudah Pesanan</label>

                <input type="number" class="form-control <?= $validation->hasError("sesudah_pesanan") ? "is-invalid" : "" ?>" id="sesudah_pesanan" name="sesudah_pesanan" value="<?= set_value("sesudah_pesanan", $data->sesudah_pesanan) ?>">

                <?php if ($validation->hasError("sesudah_pesanan")) : ?>

                <div class="invalid-feedback"><?= $validation->getError("sesudah_pesanan") ?></div>

                <?php endif ?>

            </div>

        </div>

        <div class="d-block text-center card-footer">

            <button type="submit" class="btn-wide btn btn-success">Simpan</button>

            <button type="reset" class="btn-wide btn btn-info">Reset</button>

            <a href="<?= $_SESSION["_ci_previous_url"] ?>" class="btn-wide btn btn-danger">Kembali</a>

        </div>

    </div>

</div>

<?= form_close() ?>

<?= $this->endSection(); ?>


<?= $this->section("css"); ?>

<?= $this->endSection(); ?>


<?= $this->section("js"); ?>

<?= $this->endSection(); ?>
```

TAMBAH TRANSAKSI

Baru.*php*

```
<?= $this->extend("template/template"); ?>


<?= $this->section("isi"); ?>

<?= form_open("/transaksi") ?>


<div class="row">

    <div class="col-md-12">

        <div class="white-box">

            <div class="card-header">

                Tambah Transaksi

            </div>
```

```
        <div class="card-body align-middle mb-0">
            <div class="form-group">
                <label for="tanggal">Tanggal</label>
                <input type="date" class="form-control <?= $validation->hasError("tanggal") ? "is-invalid" : "" ?>" id="tanggal" name="tanggal" value="<?= set_value("tanggal") ?>">
                <?php if ($validation->hasError("tanggal")) : ?>
                    <div class="invalid-feedback"><?= $validation->getError("tanggal") ?></div>
                <?php endif ?>
            </div>
        </div>
        <div class="d-block text-center card-footer">
            <button type="submit" class="btn-wide btn btn-success">Simpan</button>
            <button type="reset" class="btn-wide btn btn-info">Reset</button>
            <a href="<?= $_SESSION["_ci_previous_url"] ?>" class="btn-wide btn btn-danger">Kembali</a>
        </div>
    </div>
  </div>
</div>
<?= form_close() ?>
<?= $this->endSection(); ?>

<?= $this->section("css"); ?>
<?= $this->endSection(); ?>

<?= $this->section("js"); ?>
<?= $this->endSection(); ?>
```

DATA TRANSAKSI

List.*php*

```
<?= $this->extend("template/template"); ?>

<?= $this->section("isi"); ?>
<div class="row">
  <div class="col-md-12">
    <div class="white-box">
      <div class="card-header">
        Data Transaksi
        <a href="/transaksi/new" class="btn btn-outline-primary float-right">Tambah Transaksi</a>
      </div>
      <div class="card-body">
        <div class="table-responsive">
          <table id="tabelku" class="align-middle mb-0 table table-borderless table-striped table-hover">
            <thead>
              <tr>
                <th style="width: 10%;" class="text-center">#</th>
                <th class="text-center">Tanggal</th>
                <th class="text-center">Status</th>
                <th style="width: 15%;" class="text-center">Aksi</th>
              </tr>
            </thead>
            <tbody>
              <?php foreach ($data as $d) : ?>
                <tr>
```

```
                        <td class="text-
center"><?= $no++ ?></td>

                        <td class="text-
center"><?= $d->tanggal ?></td>

                        <td class="text-
center"><?= ucwords(status($d->status))
?></td>

                        <td class="text-
center">

                            <div
class="container row text-center">

                            <!-- <a
href="/transaksi/<?= $d->id_transaksi
?>/produksi" class="btn btn-info"><i
class="fa fa-edit"></i> Produksi</a> -->

                            <a
href="/transaksi/<?= $d->id_transaksi
?>/produksi2" class="btn btn-info"><i
class="fa fa-edit"></i> Produksi</a>

                            <?=
form_open("/transaksi/$d-
>id_transaksi/delete", "", ["method" =>
"DELETE"]) ?>

                            <button
class="btn btn-danger" onclick="return
confirm('Apakah anda yakin ingin
menghapus file ini')" type="submit"><i
class="fa fa-trash"></i> Hapus</button>

                            <?= form_close()
?>

                        </div>

                    </td>

                </tr>

            <?php endforeach ?>

        </tbody>

    </table>

</div>

<div class="card-footer">

     

</div>
```

```
    </div>

</div>

</div>

<!-- <div class="d-block text-center card-
footer">

    <button class="mr-2 btn-icon btn-icon-
only btn btn-outline-danger"><i class="pe-
7s-trash btn-icon-wrapper"> </i></button>

    <button class="btn-wide btn btn-
success">Save</button>

</div> -->

<?= $this->endSection(); ?>


<?= $this->section("css"); ?>

<link rel="stylesheet"
href="/assets/datatables/datatables.min.css">

<?= $this->endSection(); ?>


<?= $this->section("js"); ?>

<script
src="/assets/datatables/datatables.min.js"></
script>

<script>

    $(document).ready(function() {

        $('#tabelku').DataTable();

    });

</script>

<?= $this->endSection(); ?>
```

LIHAT DATA TRANSAKSI

Lihat.php

```
<?= $this->extend("template/template"); ?>


<?= $this->section("isi"); ?>

<div class="row">

    <div class="col-md-12">

        <div class="white-box">
```

```
<div class="card-header">
    Data Transkasi
</div>
<div class="card-body">
    <?php foreach ($barang as $b) :
        $produksi = $produksiModel->where("id_barang", $b->id_barang)->findAll();
    ?>
        <div class="table-responsive">
            <table class="table">
                <thead>
                    <tr>
                        <th colspan="4"><?= barang($b->id_barang, "nama") ?></th>
                    </tr>
                    <tr>
                        <th>Keterangan</th>
                        <th>Sebelum Produksi</th>
                        <th>Sesudah Produksi</th>
                        <th>Beda Differensial</th>
                    </tr>
                </thead>
                <tbody>
                    <?php
                    foreach ($produksi as $p) :
                        $differensial = $p->sesudah_pesanan - $p->sebelum_pesanan;
                    ?>
                    <tr>
                        <td><?= $p->nama ?></td>
                        <td>
                            <p><?= rupiah($p->sebelum_pesanan * $b->banyak) ?></p>
                        </td>
                        <td>
                            <p><?= rupiah($p->sesudah_pesanan * $b->banyak) ?></p>
                        </td>
                        <td>
                            <p><?= rupiah($differensial * $b->banyak) ?></p>
                        </td>
                    </tr>
                    <?php endforeach ?>
                </tbody>
                <tfoot>
                    <tr>
                        <th>Total</th>
                        <th><?= rupiah($b->sebelum_pesanan) ?></th>
                        <th><?= rupiah($b->sesudah_pesanan) ?></th>
                        <th><?= rupiah($b->biaya_differensial) ?></th>
                    </tr>
                </tfoot>
            </table>
        </div>
    <?php endforeach ?>
</div>
<div class="card-footer">
    <?php if ($b->biaya_differensial > 0) : ?>
        <p>Karena terdapat laba dalam selisih sebelum produksi dan sesudah produksi sebesar <b><?= rupiah($b-
```

```
>biaya_differensial) ?></b> maka disarankan untuk menerima pesanan ini.</p>

            <?php else : ?>

                <p>Karena terdapat rugi dalam selisih sebelum produksi dan sesudah produksi sebesar <b><?= rupiah($b->biaya_differensial * -1) ?></b> maka disarankan untuk menolak pesanan ini.</p>

            <?php endif ?>

            <?php if ($data->status == "B") : ?>

                <a class="btn btn-primary" href="/transaksi/<?= $data->id_transaksi ?>/terima" onclick="return confirm('Anda yakin menerima pesanan ini?')">Terima</a>

                <a class="btn btn-danger" href="/transaksi/<?= $data->id_transaksi ?>/tolak" onclick="return confirm('Anda yakin menolak pesanan ini?')">Tolak</a>

            <?php else : ?>

                <a class="btn btn-danger" href="/transaksi/<?= $data->id_transaksi ?>/belum" onclick="return confirm('Anda yakin membatalkan pesanan ini?')">Batal</a>

            <?php endif ?>

        </div>

    </div>

</div>

<!-- <div class="d-block text-center card-footer">

    <button class="mr-2 btn-icon btn-icon-only btn btn-outline-danger"><i class="pe-7s-trash btn-icon-wrapper"> </i></button>

    <button class="btn-wide btn btn-success">Save</button>

</div> -->

<?= $this->endSection(); ?>



<?= $this->section("css"); ?>

<link rel="stylesheet" href="/assets/datatables/datatables.min.css">

<?= $this->endSection(); ?>



<?= $this->section("js"); ?>

<script src="/assets/datatables/datatables.min.js"></script>

<script>

    $(document).ready(function() {

        $('#tabelku').DataTable();

    });

</script>

<?= $this->endSection(); ?>
```

DATA TRANSAKSI BELUM KONFIRMASI

Belum.*php*

```
<?= $this->extend("template/template"); ?>



<?= $this->section("isi"); ?>

<div class="row">

    <div class="col-md-12">

        <div class="white-box">

            <div class="card-header">

                Data Transaksi Belum Konfirmasi

            </div>

            <div class="card-body">

                <div class="table-responsive">

                    <table id="tabelku" class="align-middle mb-0 table table-borderless table-striped table-hover">

                        <thead>

                            <tr>

                                <th style="width: 10%;" class="text-center">#</th>
```

```
                        <th class="text-center">Tanggal</th>
                        <th style="width: 15%;" class="text-center">Aksi</th>
                    </tr>
                </thead>
                <tbody>
                    <?php foreach ($data as $d) : ?>
                    <tr>
                        <td class="text-center"><?= $no++ ?></td>
                        <td class="text-center"><?= $d->tanggal ?></td>
                        <td class="text-center">
                            <div class="container row text-center">
                                <div class="col-sm">
                                    <a href="/transaksi/<?= $d->id_transaksi ?>" class="btn btn-info"><i class="fa fa-edit"></i> Lihat</a>
                                </div>
                            </div>
                        </td>
                    </tr>
                    <?php endforeach ?>
                </tbody>
            </table>
        </div>
    </div>
    <div class="card-footer">
         
    </div>
</div>
```

```
    </div>
</div>
<!-- <div class="d-block text-center card-footer">
    <button class="mr-2 btn-icon btn-icon-only btn btn-outline-danger"><i class="pe-7s-trash btn-icon-wrapper"> </i></button>
    <button class="btn-wide btn btn-success">Save</button>
</div> -->
<?= $this->endSection(); ?>


<?= $this->section("css"); ?>
<link rel="stylesheet" href="/assets/datatables/datatables.min.css">
<?= $this->endSection(); ?>


<?= $this->section("js"); ?>
<script src="/assets/datatables/datatables.min.js"></script>
<script>
    $(document).ready(function() {
        $('#tabelku').DataTable();
    });
</script>
<?= $this->endSection(); ?>
```

DATA TRANSAKSI YANG DITERIMA

Terima.*php*

```
<?= $this->extend("template/template"); ?>


<?= $this->section("isi"); ?>
<div class="row">
    <div class="col-md-12">
        <div class="white-box">
            <div class="card-header">
```

```
            Data Transaksi Yang Diterima
        </div>
        <div class="card-body">
            <div class="table-responsive">
                <table id="tabelku" class="align-middle mb-0 table table-borderless table-striped table-hover">
                    <thead>
                        <tr>
                            <th style="width: 10%;" class="text-center">#</th>
                            <th class="text-center">Tanggal</th>
                            <th style="width: 15%;" class="text-center">Aksi</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php foreach ($data as $d) : ?>
                        <tr>
                            <td class="text-center"><?= $no++ ?></td>
                            <td class="text-center"><?= $d->tanggal ?></td>
                            <td class="text-center">
                                <div class="container row text-center">
                                    <div class="col-sm">
                                        <a href="/transaksi/<?= $d->id_transaksi ?>" class="btn btn-info"><i class="fa fa-edit"></i> Lihat</a>
                                    </div>
                                </div>
                            </td>
                        </tr>
                        <?php endforeach ?>
                    </tbody>
                </table>
            </div>
        </div>
        <div class="card-footer">
             
        </div>
    </div>
</div>
<!-- <div class="d-block text-center card-footer">
    <button class="mr-2 btn-icon btn-icon-only btn btn-outline-danger"><i class="pe-7s-trash btn-icon-wrapper"> </i></button>
    <button class="btn-wide btn btn-success">Save</button>
</div> -->
<?= $this->endSection(); ?>

<?= $this->section("css"); ?>
<link rel="stylesheet" href="/assets/datatables/datatables.min.css">
<?= $this->endSection(); ?>

<?= $this->section("js"); ?>
<script src="/assets/datatables/datatables.min.js"></script>
<script>
    $(document).ready(function() {
        $('#tabelku').DataTable();
    });
</script>
<?= $this->endSection(); ?>
```

DATA TRANSAKSI YANG DITOLAK

Tolak.*php*

```
<?= $this->extend("template/template"); ?>


<?= $this->section("isi"); ?>

<div class="row">

   <div class="col-md-12">

      <div class="white-box">

         <div  class="card-header">

            Data Transaksi Yang Ditolak

         </div>

         <div class="card-body">

            <div class="table-responsive">

               <table id="tabelku"
class="align-middle mb-0 table table-
borderless table-striped table-hover">

                  <thead>

                     <tr>

                        <th style="width: 10%;"
class="text-center">#</th>

                        <th class="text-
center">Tanggal</th>

                        <th style="width: 15%;"
class="text-center">Aksi</th>

                     </tr>

                  </thead>

                  <tbody>

                     <?php foreach ($data as
$d) : ?>

                        <tr>

                           <td class="text-
center"><?= $no++ ?></td>

                           <td class="text-
center"><?= $d->tanggal ?></td>

                           <td class="text-
center">

                              <div
class="container row text-center">

                                 <div class="col-
sm">

                                    <a
href="/transaksi/<?= $d->id_transaksi ?>"
class="btn btn-info"><i class="fa fa-
edit"></i> Lihat</a>

                                 </div>

                              </div>

                           </td>

                        </tr>

                     <?php endforeach ?>

                  </tbody>

               </table>

            </div>

         </div>

         <div class="card-footer">

             

         </div>

      </div>

   </div>

</div>

<!-- <div class="d-block text-center card-
footer">

   <button class="mr-2 btn-icon btn-icon-
only btn btn-outline-danger"><i class="pe-
7s-trash btn-icon-wrapper"> </i></button>

   <button class="btn-wide btn btn-
success">Save</button>

</div> -->

<?= $this->endSection(); ?>


<?= $this->section("css"); ?>

<link rel="stylesheet"
href="/assets/datatables/datatables.min.css">

<?= $this->endSection(); ?>
```

```
<?= $this->section("js"); ?>

<script src="/assets/datatables/datatables.min.js"></script>

<script>

   $(document).ready(function() {

      $('#tabelku').DataTable();

   });

</script>

<?= $this->endSection(); ?>
```

TAMBAH KERANJANG

Baru.*php*

```
<?= $this->extend("template/template"); ?>


<?= $this->section("isi"); ?>

<?= form_open("/transaksi/$transaksi/produksi", '', ["id_barang" => $barang, "id_transaksi" => $transaksi]) ?>


<div class="row">

   <div class="col-md-12">

      <div class="white-box">

         <div class="card-header">

            Tambah Keranjang

         </div>

         <div class="card-body align-middle mb-0">

            <div class="form-group">

               <label for="banyak">Banyak</label>

               <input type="number" class="form-control <?= $validation->hasError("banyak") ? "is-invalid" : "" ?>" id="banyak" name="banyak" value="<?= set_value("banyak") ?>" onchange="gantibanyak()">

               <?php if ($validation->hasError("banyak")) : ?>

                  <div class="invalid-feedback"><?= $validation->getError("banyak") ?></div>

               <?php endif ?>

            </div>

            <div class="form-group">

               <label for="harga_jual">Harga Jual Barang</label>

               <input type="number" class="form-control <?= $validation->hasError("harga_jual") ? "is-invalid" : "" ?>" id="harga_jual" name="harga_jual" value="<?= set_value("harga_jual") ?>" readonly>

               <?php if ($validation->hasError("harga_jual")) : ?>

                  <div class="invalid-feedback"><?= $validation->getError("harga_jual") ?></div>

               <?php endif ?>

            </div>

            <div class="form-group">

               <label for="harga_produksi">Harga Produksi Barang</label>

               <input type="number" class="form-control <?= $validation->hasError("harga_produksi") ? "is-invalid" : "" ?>" id="harga_produksi" name="harga_produksi" value="<?= set_value("harga_produksi") ?>" readonly>

               <?php if ($validation->hasError("harga_produksi")) : ?>

                  <div class="invalid-feedback"><?= $validation->getError("harga_produksi") ?></div>

               <?php endif ?>

            </div>

         </div>
```

```
            <div class="d-block text-center card-footer">
                <button type="submit" class="btn-wide btn btn-success">Simpan</button>
                <button type="reset" class="btn-wide btn btn-info">Reset</button>
                <a href="<?= $_SESSION["_ci_previous_url"] ?>" class="btn-wide btn btn-danger">Kembali</a>
            </div>
        </div>
    </div>
</div>
<?= form_close() ?>
<?= $this->endSection(); ?>

<?= $this->section("css"); ?>
<?= $this->endSection(); ?>

<?= $this->section("js"); ?>
<script>
    function gantibanyak() {
        var hargajual = <?= $hargajual ?>;
        var hargaproduksi = <?= $hargaproduksi ?>;
        var hargaproduksitetap = <?= $hargaproduksitetap ?>;
        var banyak = document.getElementById("banyak").value;
        var x = hargajual * banyak;
        var y = hargaproduksi * banyak;
        var z = hargaproduksitetap + y;

        document.getElementById("harga_jual").value = x.toString();
        document.getElementById("harga_produksi").value = y.toString();
    }
</script>
<?= $this->endSection(); ?>
```

KERANJANG

List.php

```
<?= $this->extend("template/template"); ?>

<?= $this->section("isi"); ?>
<div class="row">
    <div class="col-md-6">
        <div class="white-box">
            <div class="card-header">
                Keranjang
                <div class="btn-actions-pane-right">
                    <div role="group" class="btn-group-sm btn-group">

                    </div>
                </div>
            </div>
            <div class="table-responsive">
                <table id="tabelku" class="align-middle mb-0 table table-borderless table-striped table-hover">
                    <thead>
                        <tr>
                            <th style="width: 10%;" class="text-center">#</th>
                            <th class="text-center">Barang</th>
                            <th class="text-center">Banyak</th>
```

```
                    <th class="text-
center">Harga Jual</th>

                    <th class="text-
center">Harga Produksi</th>

                    <th style="width: 15%;"
class="text-center">Aksi</th>

                  </tr>

                </thead>

                <tbody>

                  <?php foreach ($data as $d) :
?>

                    <tr>

                      <td class="text-
center"><?= $no++ ?></td>

                      <td class="text-
center"><?= $d->id_barang ?></td>

                      <td class="text-
center"><?= $d->banyak ?></td>

                      <td class="text-
center"><?= $d->harga_jual ?></td>

                      <td class="text-
center"><?= $d->harga_produksi ?></td>

                      <td class="text-center">

                        <div class="container
row text-center">

                          <div class="col-
sm"><?= form_open("/transaksi/$d-
>id_transaksi/produksi/$d-
>id_transaksi_barang/delete", "", ["method"
=> "DELETE"]) ?>

                            <button
class="btn btn-danger" onclick="return
confirm('Apakah anda yakin ingin
menghapus file ini')" type="submit"><i
class="fa fa-trash"></i> Hapus</button>

                            <?= form_close()
?>

                          </div>

                        </div>

                      </td>

                    </tr>

                  <?php endforeach ?>

                </tbody>

              </table>

            </div>

          </div>

        </div>

        <div class="col-md-6">

          <div class="white-box">

            <div class="card-header">

              Data Barang

              <div class="btn-actions-pane-
right">

                <div role="group" class="btn-
group-sm btn-group">


                </div>

              </div>

            </div>

            <div class="table-responsive">

              <table id="tabelku" class="align-
middle mb-0 table table-borderless table-
striped table-hover">

                <thead>

                  <tr>

                    <th style="width: 10%;"
class="text-center">#</th>

                    <th class="text-
center">Nama</th>

                    <th class="text-
center">Harga Jual</th>

                    <th style="width: 15%;"
class="text-center">Aksi</th>

                  </tr>

                </thead>

                <tbody>

                  <?php foreach ($barang as
$d) : ?>
```

```
                    <tr>
                        <td class="text-center"><?= $no++ ?></td>
                        <td class="text-center"><?= $d->nama ?></td>
                        <td class="text-center"><?= $d->harga_jual ?></td>
                        <td class="text-center">
                            <div class="container row text-center">
                                <div class="col-sm">
                                    <a href="/transaksi/<?= $transaksi ?>/produksi/<?= $d->id_barang ?>" class="btn btn-info"><i class="fa fa-edit"></i> Tambah</a>
                                </div>
                            </div>
                        </td>
                    </tr>
                <?php endforeach ?>
            </tbody>
        </table>
    </div>
</div>
</div>

<!-- <div class="d-block text-center card-footer">
    <button class="mr-2 btn-icon btn-icon-only btn btn-outline-danger"><i class="pe-7s-trash btn-icon-wrapper"> </i></button>
    <button class="btn-wide btn btn-success">Save</button>
</div> -->

<div class="card-footer">
     
</div>
<?= $this->endSection(); ?>


<?= $this->section("css"); ?>
<link rel="stylesheet" href="/assets/datatables/datatables.min.css">
<?= $this->endSection(); ?>


<?= $this->section("js"); ?>
<script src="/assets/datatables/datatables.min.js"></script>
<script>
    $(document).ready(function() {
        $('#tabelku').DataTable();
    });
</script>
<?= $this->endSection(); ?>
```

TAMBAH KERANJANG 2

Baru.*php*

```
<?= $this->extend("template/template"); ?>


<?= $this->section("isi"); ?>
<?= form_open("/transaksi/$transaksi/produksi2", '', ["id_barang" => $barang->id_barang, "id_transaksi" => $transaksi]) ?>


<div class="row">
    <div class="col-md-12">
        <div class="white-box">
            <div class="card-header">
                Tambah Keranjang
            </div>
            <div class="card-body align-middle mb-0">
```

```
            <div class="form-group">
                <label
for="banyak">Banyak</label>
                <input type="number"
class="form-control <?= $validation-
>hasError("banyak") ? "is-invalid" : "" ?>"
id="banyak" name="banyak" value="<?=
set_value("banyak", 1) ?>"
onchange="gantibanyak()">
                <?php if ($validation-
>hasError("banyak")) : ?>
                    <div class="invalid-
feedback"><?= $validation-
>getError("banyak") ?></div>
                <?php endif ?>
            </div>
            <div class="table-responsive">
                <table class="table">
                    <thead>
                        <tr>
                            <th>Keterangan</th>
                            <th>Sebelum
Pesanan</th>
                            <th>Sesudah
Pesanan</th>
                            <th>Beda
Differensial</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php
                        $totalsebelum = 0;
                        $totalsesudah = 0;
                        $totaldifferensial = 0;
                        foreach ($produksi as $p) :
                            $differensial = $p-
>sesudah_pesanan - $p->sebelum_pesanan;
                            $totalsebelum += $p-
>sebelum_pesanan;
                            $totalsesudah += $p-
>sesudah_pesanan;
                            $totaldifferensial +=
$differensial;
                        ?>
                        <tr>
                            <td><?= $p->nama
?></td>
                            <td>
                                <p id="<?=
strtolower(str_replace(' ', '', $p->nama)) .
"sebelum" ?>"><?= $p->sebelum_pesanan
?></p>
                            </td>
                            <td>
                                <p id="<?=
strtolower(str_replace(' ', '', $p->nama)) .
"sesudah" ?>"><?= $p->sesudah_pesanan
?></p>
                            </td>
                            <td>
                                <p id="<?=
strtolower(str_replace(' ', '', $p->nama)) .
"differensial" ?>"><?= $p-
>sesudah_pesanan - $p->sebelum_pesanan
?></p>
                            </td>
                        </tr>
                        <?php endforeach ?>
                    </tbody>
                    <tfoot>
                        <tr>
                            <th>Total</th>
                            <th>
                                <p
id="totalsebelum"><?= $totalsebelum
?></p>
                            </th>
                            <th>
```

```
                        <p
id="totalsesudah"><?= $totalsesudah
?></p>
                    </th>
                    <th>
                        <p
id="totaldifferensial"><?= $totaldifferensial
?></p>
                    </th>
                </tr>
            </tfoot>
        </table>
    </div>
</div>
<div class="d-block text-center card-
footer">
    <button type="submit" class="btn-
wide btn btn-success">Simpan</button>
    <button type="reset" class="btn-
wide btn btn-info">Reset</button>
    <a href="<?=
$_SESSION["_ci_previous_url"] ?>"
class="btn-wide btn btn-
danger">Kembali</a>
</div>
</div>
</div>
</div>

<input type="hidden"
id="sebelum_pesanan"
name="sebelum_pesanan" value="<?=
$totalsebelum ?>">

<input type="hidden" id="sesudah_pesanan"
name="sesudah_pesanan" value="<?=
$totalsesudah ?>">

<input type="hidden"
id="biaya_differensial"
name="biaya_differensial" value="<?=
$totaldifferensial ?>">

<?= form_close() ?>

<?= $this->endSection(); ?>


<?= $this->section("css"); ?>

<?= $this->endSection(); ?>


<?= $this->section("js"); ?>

<script>

    function gantibanyak() {

        var banyak =
document.getElementById("banyak").value;

        var totalsebelum = 0;

        var totalsesudah = 0;

        var totaldifferensial = 0;

        <?php foreach ($produksi as $p) :

            $differensial = $p->sesudah_pesanan
- $p->sebelum_pesanan; ?>

            var x = <?= $p->sebelum_pesanan
?> * banyak;

            var y = <?= $p->sesudah_pesanan ?>
* banyak;

            var z = <?= $differensial ?> *
banyak;

            totalsebelum += x;

            totalsesudah += y;

            totaldifferensial += z;

            document.getElementById("<?=
strtolower(str_replace(' ', '', $p->nama)) .
"sebelum" ?>").innerHTML = x.toString();

            document.getElementById("<?=
strtolower(str_replace(' ', '', $p->nama)) .
"sesudah" ?>").innerHTML = y.toString();

            document.getElementById("<?=
strtolower(str_replace(' ', '', $p->nama)) .
"differensial" ?>").innerHTML =
z.toString();

        <?php endforeach ?>

        console.log(totalsebelum);
```

```
document.getElementById("totalsebelum").innerHTML = totalsebelum.toString();

document.getElementById("totalsesudah").innerHTML = totalsesudah.toString();

document.getElementById("totaldifferensial").innerHTML = totaldifferensial.toString();

document.getElementById("sebelum_pesanan").value = totalsebelum.toString();

document.getElementById("sesudah_pesanan").value = totalsesudah.toString();

document.getElementById("biaya_differensial").value = totaldifferensial.toString();

    }

</script>

<?= $this->endSection(); ?>
```

KERANJANG 2

List.*php*

```
<?= $this->extend("template/template"); ?>

<?= $this->section("isi"); ?>

<div class="row">

    <div class="col-md-6">

        <div class="white-box">

            <div class="card-header">

                Keranjang

                <div class="btn-actions-pane-right">

                    <div role="group" class="btn-group-sm btn-group">

                    </div>

                </div>

            </div>

            <div class="table-responsive">

                <table id="tabelku" class="align-middle mb-0 table table-borderless table-striped table-hover">

                    <thead>

                        <tr>

                            <th style="width: 10%;" class="text-center">#</th>

                            <th class="text-center">Barang</th>

                            <th class="text-center">Banyak</th>

                            <th class="text-center">Total Sebelum Pesanan</th>

                            <th class="text-center">Total Sesudah Pesanan</th>

                            <th class="text-center">Total Biaya Differensial</th>

                            <th style="width: 15%;" class="text-center">Aksi</th>

                        </tr>

                    </thead>

                    <tbody>

                        <?php foreach ($data as $d) : ?>

                            <tr>

                                <td class="text-center"><?= $no++ ?></td>

                                <td class="text-center"><?= barang($d->id_barang, 'nama') ?></td>

                                <td class="text-center"><?= $d->banyak ?></td>

                                <td class="text-center"><?= rupiah($d->sebelum_pesanan) ?></td>

                                <td class="text-center"><?= rupiah($d->sesudah_pesanan) ?></td>
```

```
                        <td class="text-
center"><?= rupiah($d->biaya_differensial)
?></td>

                        <td class="text-center">

                            <div class="container
row text-center">

                                <div class="col-
sm"><?= form_open("/transaksi/$d-
>id_transaksi/produksi2/$d-
>id_transaksi_barang/delete", "", ["method"
=> "DELETE"]) ?>

                                    <button
class="btn btn-danger" onclick="return
confirm('Apakah anda yakin ingin
menghapus file ini')" type="submit"><i
class="fa fa-trash"></i> Hapus</button>

                                <?= form_close()
?>

                            </div>

                        </div>

                    </td>

                </tr>

            <?php endforeach ?>

        </tbody>

    </table>

</div>

</div>

</div>

<div class="col-md-6">

<div class="white-box">

<div class="card-header">

Data Barang

<div class="btn-actions-pane-
right">

<div role="group" class="btn-
group-sm btn-group">

</div>

</div>

</div>

<div class="table-responsive">

<table id="tabelku" class="align-
middle mb-0 table table-borderless table-
striped table-hover">

<thead>

<tr>

<th style="width: 10%;"
class="text-center">#</th>

<th class="text-
center">Nama</th>

<th style="width: 15%;"
class="text-center">Aksi</th>

</tr>

</thead>

<tbody>

<?php foreach ($barang as
$d) : ?>

<tr>

<td class="text-
center"><?= $no++ ?></td>

<td class="text-
center"><?= $d->nama ?></td>

<td class="text-center">

<div class="container
row text-center">

<div class="col-
sm">

<a
href="/transaksi/<?= $transaksi
?>/produksi2/<?= $d->id_barang ?>"
class="btn btn-info"><i class="fa fa-
edit"></i> Tambah</a>

</div>

</div>

</td>

</tr>

<?php endforeach ?>

</tbody>
```

```
            </table>
          </div>
        </div>
    </div>
</div>

<!-- <div class="d-block text-center card-footer">
    <button class="mr-2 btn-icon btn-icon-only btn btn-outline-danger"><i class="pe-7s-trash btn-icon-wrapper"> </i></button>
    <button class="btn-wide btn btn-success">Save</button>
</div> -->

<div class="card-footer">
     
</div>

<?= $this->endSection(); ?>


<?= $this->section("css"); ?>
<link rel="stylesheet" href="/assets/datatables/datatables.min.css">
<?= $this->endSection(); ?>


<?= $this->section("js"); ?>
<script src="/assets/datatables/datatables.min.js"></script>
<script>
    $(document).ready(function() {
        $('#tabelku').DataTable();
    });
</script>
<?= $this->endSection(); ?>
```

Controllers

Admin.*php*

```
<?php

namespace App\Controllers;

class Admin extends BaseResource
{

    protected $modelName = "App\Models\AdminModel";

    public function index()
    {
        $data = [
            "data" => $this->model->findAll(),
            "no"    =>  1,
            "menu"  =>  "admin"
        ];

        return view("admin/list", $data);
    }

    public function new()
    {
        $data = [
            "validation"    => \Config\Services::validation(),
            "menu"          =>  "admin"
        ];

        return view("admin/baru", $data);
    }

    public function edit($id = null)
    {
        if ($id === null) {
```

```
            return redirect()->to("/admin")->with("pgagal", "Terjadi Kesalahan");
        }

        $data = [
            "validation"    => \Config\Services::validation(),
            "data"  =>  $this->model->find($id),
            "menu"  =>  "admin"
        ];

        return view("admin/ubah", $data);
    }

    public function show($id = null)
    {
        if ($id === null) {
            return redirect()->to("/admin")->with("pgagal", "Terjadi Kesalahan");
        }

        $data = [
            "data"  =>  $this->model->find($id),
            "menu"  =>  "admin"
        ];

        return view("admin/lihat", $data);
    }

    public function create()
    {
        if (!$this->validate("admin")) {
            return redirect()->to("/admin/new")->withInput();
        }

        $data = $this->request->getVar();
        $data["password"] = md5($data["password"] . "sisdifferensial");
        $id = $this->model->insert($data);

        return redirect()->to("/admin")->with("pberhasil", "Telah Berhasil Ditambahkan");
    }

    public function update($id = null)
    {
        if ($id === null) {
            return redirect()->to("/admin")->with("pgagal", "Terjadi Kesalahan");
        }

        if (!$this->validate("admin")) {
            return redirect()->to("/admin/$id/edit")->withInput();
        }

        $data = $this->request->getVar();
        $data["password"] = md5($data["password"] . "sisdifferensial");
        $this->model->update($id, $data);

        return redirect()->to("/admin")->with("pberhasil", "Telah Berhasil Diubah");
    }

    public function delete($id = null)
    {
        if ($id === null) {
            return redirect()->to("/admin")->with("pgagal", "Terjadi Kesalahan");
        }
```

```
        $this->model->delete($id);
        return redirect()->to("/admin")->with("pberhasil", "Telah Berhasil Dihapus");
    }
}
```

Barang.*php*

```
<?php

namespace App\Controllers;

use App\Models\Produksi2Model;
use App\Models\ProduksiModel;

class Barang extends BaseResource
{

    protected $modelName = "App\Models\BarangModel";

    public function index()
    {
        $data = [
            "data"  =>  $this->model->findAll(),
            "no"    =>  1,
            "menu"  =>  "barang"
        ];

        return view("barang/list", $data);
    }

    public function new()
    {
        $data = [
            "validation"    =>  \Config\Services::validation(),
            "menu"          =>  "barang"
        ];

        return view("barang/baru", $data);
    }

    public function edit($id = null)
    {
        if ($id === null) {
            return redirect()->to("/barang")->with("pgagal", "Terjadi Kesalahan");
        }

        $data = [
            "validation"    =>  \Config\Services::validation(),
            "data" => $this->model->find($id),
            "menu"  =>  "barang"
        ];

        return view("barang/ubah", $data);
    }

    public function show($id = null)
    {
        if ($id === null) {
            return redirect()->to("/barang")->with("pgagal", "Terjadi Kesalahan");
        }

        $data = [
            "data"  =>  $this->model->find($id),
```

```
            "menu"  =>   "barang"
        ];

        return view("barang/lihat", $data);
    }

    public function create()
    {
        if (!$this->validate("barang")) {
            return redirect()->to("/barang/new")->withInput();
        }

        $data = $this->request->getVar();
        $this->model->insert($data);
        return redirect()->to("/barang")->with("pberhasil", "Telah Berhasil Ditambahkan");
    }

    public function update($id = null)
    {
        if ($id === null) {
            return redirect()->to("/barang")->with("pgagal", "Terjadi Kesalahan");
        }

        if (!$this->validate("barang")) {
            return redirect()->to("/barang/$id/edit")->withInput();
        }

        $data = $this->request->getVar();
        $this->model->update($id, $data);
        return redirect()->to("/barang")->with("pberhasil", "Telah Berhasil Diubah");
    }

    public function delete($id = null)
    {
        if ($id === null) {
            return redirect()->to("/barang")->with("pgagal", "Terjadi Kesalahan");
        }

        $this->model->delete($id);
        return redirect()->to("/barang")->with("pberhasil", "Telah Berhasil Dihapus");
    }

    public function produksi($barang)
    {
        $produksiModel = new ProduksiModel();
        $data = [
            "data"  =>  $produksiModel->where('id_barang', $barang)->findAll(),
            "no"    =>  1,
            "menu"  =>  "barang",
            "barang" =>  $this->model->find($barang)
        ];

        return view("barang/produksi/list", $data);
    }

    public function produksinew($barang)
    {
```

```
        $data = [
            "validation"    => \Config\Services::validation(),
            "menu"          => "barang",
            "barang" =>  $this->model->find($barang)
        ];

        return view("barang/produksi/baru", $data);
    }

    public function produksiedit($barang, $id = null)
    {
        if ($id === null) {
            return redirect()->to("/barang/$barang/produksi")->with("pgagal", "Terjadi Kesalahan");
        }

        $produksiModel = new ProduksiModel();

        $data = [
            "validation"    => \Config\Services::validation(),
            "data"  =>  $produksiModel->find($id),
            "menu" => "barang",
            "barang" =>  $this->model->find($barang)
        ];

        return view("barang/produksi/ubah", $data);
    }

    public function produksishow($barang, $id = null)
    {
        if ($id === null) {
            return redirect()->to("/barang/$barang/produksi")->with("pgagal", "Terjadi Kesalahan");
        }

        $produksiModel = new ProduksiModel();

        $data = [
            "data"  =>  $produksiModel->find($id),
            "menu"  =>   "barang"
        ];

        return view("barang/produksi/lihat", $data);
    }

    public function produksicreate($barang)
    {
        if (!$this->validate("produksi")) {
            return redirect()->to("/barang/$barang/produksi/new")->withInput();
        }

        $produksiModel = new ProduksiModel();

        $data = $this->request->getVar();
        $data["id_barang"] = $barang;
        $produksiModel->insert($data);
```

```
        return redirect()->to("/barang/$barang/produksi")->with("pberhasil", "Telah Berhasil Ditambahkan");
    }

    public function produksiupdate($barang, $id = null)
    {
        if ($id === null) {
            return redirect()->to("/barang/$barang/produksi")->with("pgagal", "Terjadi Kesalahan");
        }

        if (!$this->validate("produksi")) {
            return redirect()->to("/barang/$barang/produksi/$id/edit")->withInput();
        }

        $produksiModel = new ProduksiModel();

        $data = $this->request->getVar();
        $produksiModel->update($id, $data);
        return redirect()->to("/barang/$barang/produksi")->with("pberhasil", "Telah Berhasil Diubah");
    }

    public function produksidelete($barang, $id = null)
    {
        if ($id === null) {
            return redirect()->to("/barang/$barang/produksi")->with("pgagal", "Terjadi Kesalahan");
        }

        $produksiModel = new ProduksiModel();

        $produksiModel->delete($id);
        return redirect()->to("/barang/$barang/produksi")->with("pberhasil", "Telah Berhasil Dihapus");
    }

    public function produksi2($barang)
    {
        $produksiModel = new Produksi2Model();
        $data = [
            "data"  => $produksiModel->where('id_barang', $barang)->findAll(),
            "no"    => 1,
            "menu"  => "barang",
            "barang" => $this->model->find($barang)
        ];

        return view("barang/produksi2/list", $data);
    }

    public function produksi2new($barang)
    {
        $data = [
            "validation"    => \Config\Services::validation(),
            "menu"          => "barang",
            "barang" => $this->model->find($barang)
```

```
        ];


        return view("barang/produksi2/baru", $data);
    }


    public function produksi2edit($barang, $id = null)
    {
        if ($id === null) {
            return redirect()->to("/barang/$barang/produksi2")->with("pgagal", "Terjadi Kesalahan");
        }


        $produksiModel = new Produksi2Model();


        $data = [
            "validation"    => \Config\Services::validation(),
            "data"  =>  $produksiModel->find($id),
            "menu" => "barang",
            "barang" =>  $this->model->find($barang)
        ];


        return view("barang/produksi2/ubah", $data);
    }


    public function produksi2show($barang, $id = null)
    {
        if ($id === null) {
            return redirect()->to("/barang/$barang/produksi2")->with("pgagal", "Terjadi Kesalahan");
        }


        $produksiModel = new Produksi2Model();


        $data = [
            "data"  =>  $produksiModel->find($id),
            "menu"  =>   "barang"
        ];


        return view("barang/produksi2/lihat", $data);
    }


    public function produksi2create($barang)
    {
        if (!$this->validate("produksi2")) {
            return redirect()->to("/barang/$barang/produksi2/new")->withInput();
        }


        $produksiModel = new Produksi2Model();


        $data = $this->request->getVar();
        $data["id_barang"] = $barang;
        $produksiModel->insert($data);
        return redirect()->to("/barang/$barang/produksi2")->with("pberhasil", "Telah Berhasil Ditambahkan");
    }
```

```
    public function produksi2update($barang, $id = null)
    {
        if ($id === null) {
            return redirect()->to("/barang/$barang/produksi2")->with("pgagal", "Terjadi Kesalahan");
        }

        if (!$this->validate("produksi2")) {
            return redirect()->to("/barang/$barang/produksi2/$id/edit")->withInput();
        }

        $produksiModel = new Produksi2Model();

        $data = $this->request->getVar();
        $produksiModel->update($id, $data);
        return redirect()->to("/barang/$barang/produksi2")->with("pberhasil", "Telah Berhasil Diubah");
    }

    public function produksi2delete($barang, $id = null)
    {
        if ($id === null) {
            return redirect()->to("/barang/$barang/produksi2")->with("pgagal", "Terjadi Kesalahan");
        }

        $produksiModel = new Produksi2Model();
        $produksiModel->delete($id);
        return redirect()->to("/barang/$barang/produksi2")->with("pberhasil", "Telah Berhasil Dihapus");
    }
}
```

Home.*php*

```
<?php

namespace App\Controllers;

use App\Models\AdminModel;
use App\Models\TransaksiModel;

class Home extends BaseController
{
        public function index()
        {
                $data = [
                        "contoh"=> "Contoh",
                        "menu" => "beranda"
                ];

                return view('contohisi', $data);
        }

        public function logout()
        {
                $simpan = ["sisdifferensial_pengguna", "sisdifferensial_level", "sisdifferensial_nama"];
```

```
                $this->session->remove($simpan);
                return redirect()->to("/")->with("pberhasil", "Anda telah berhasil logout");
        }

        public function login()
        {
                $data = [
                        "menu"  =>      "login",
                        "validation"    => \Config\Services::validation()
                ];

                return view("login", $data);
        }

        public function loginproses()
        {
                $simpan = array("sisdifferensial_level" => "admin");
                $this->session->set($simpan);

                if (!$this->validate('login')) {
                        return redirect()->to('login')->withInput();
                }

                $id = $this->request->getVar("id");
                $password = md5($this->request->getVar("password") . "sisdifferensial");
                $model = new AdminModel();

                if ($model->login($id, $password)) {
                        $akun = $model->find($id);
                        $simpan = array(
                "sisdifferensial_pengguna"  => $id,
                "sisdifferensial_level"     => "admin",
                "sisdifferensial_nama"      => $akun->nama
                        );
                        $this->session->set($simpan);

                        return redirect()->to("/")->with("pberhasil", "Selamat datang $akun->nama");
                } else {
                        return redirect()->to("/login")->withInput()->with("pgagal", "ID atau Password yang anda masukkan salah");
                }
        }

        public function Transaksi($status = 'belum')
        {
                $transaksiModel = new TransaksiModel();
                if ($status == "belum")
```

```
                $transaksi = $transaksiModel->where('status', 'B')->findAll();
            elseif ($status == "terima")
                $transaksi = $transaksiModel->where('status', 'TE')->findAll();
            elseif ($status == "tolak")
                $transaksi = $transaksiModel->where('status', 'TO')->findAll();

            $data = [
                'data'      => $transaksi,
                'no'        => 1,
                'menu'      => 'transaksilihat'
            ];

            return view("transaksi/$status", $data);
        }

        public function TransaksiSimpan($id, $status)
        {
            $transaksiModel = new TransaksiModel();
            $transaksi = $transaksiModel->find($id);
            $statusSebelum = $transaksi->status;
            $link = status($statusSebelum);
            if ($status == "belum")
                $simpan = "B";
            elseif ($status == "terima")
                $simpan = "TE";
            elseif ($status == "tolak")
                $simpan = "TO";
            $data = [
                'status'   => $simpan
            ];
            $transaksiModel->update($id, $data);
            return redirect()->to("/transaksi/$link")->with("pberhasil", "Telah Berhasil Diubah");
        }
}
```

Transaksi.*php*

```
<?php

namespace App\Controllers;

use App\Models\BarangModel;
use App\Models\Produksi2Model;
use App\Models\ProduksiModel;
use App\Models\TransaksiBarang2Model;
use App\Models\TransaksiBarangModel;

class Transaksi extends BaseResource
{

    protected $modelName = "App\Models\TransaksiModel";

    public function index()
    {
        $data = [
            "data"  =>  $this->model->findAll(),
```

```
            "no"    =>  1,
            "menu"  =>  "transaksi"
        ];

        return view("transaksi/list", $data);
    }

    public function new()
    {
        $data = [
            "validation"    =>
\Config\Services::validation(),
            "menu"          =>   "transaksi"
        ];

        return view("transaksi/baru", $data);
    }

    public function edit($id = null)
    {
        if ($id === null) {
            return redirect()->to("/transaksi")-
>with("pgagal", "Terjadi Kesalahan");
        }

        $data = [
            "validation"    =>
\Config\Services::validation(),
            "data"  =>  $this->model->find($id),
            "menu"  =>  "transaksi"
        ];

        return view("transaksi/ubah", $data);
    }

    public function show($id = null)
    {
        if ($id === null) {
            return redirect()->to("/transaksi")-
>with("pgagal", "Terjadi Kesalahan");
        }

        $produksiModel = new
Produksi2Model();
        $transaksiBarangModel = new
TransaksiBarang2Model();

        $data = [
            "data" => $this->model->find($id),
            "barang" =>
$transaksiBarangModel-
>where("id_transaksi", $id)->findAll(),
            "produksiModel" =>
$produksiModel,
            "menu"  =>   "transaksi"
        ];

        return view("transaksi/lihat", $data);
    }

    public function create()
    {
        if (!$this->validate("transaksi")) {
            return redirect()-
>to("/transaksi/new")->withInput();
        }

        $data = $this->request->getVar();
        $this->model->insert($data);
```

```
        return redirect()->to("/transaksi")->with("pberhasil", "Telah Berhasil Ditambahkan");
    }

    public function update($id = null)
    {
        if ($id === null) {
            return redirect()->to("/transaksi")->with("pgagal", "Terjadi Kesalahan");
        }

        if (!$this->validate("transaksi")) {
            return redirect()->to("/transaksi/$id/edit")->withInput();
        }

        $data = $this->request->getVar();
        $this->model->update($id, $data);
        return redirect()->to("/transaksi")->with("pberhasil", "Telah Berhasil Diubah");
    }

    public function delete($id = null)
    {
        if ($id === null) {
            return redirect()->to("/transaksi")->with("pgagal", "Terjadi Kesalahan");
        }

        $this->model->delete($id);
        return redirect()->to("/transaksi")->with("pberhasil", "Telah Berhasil Dihapus");
    }

    public function produksi($transaksi)
    {
        $produksiModel = new TransaksiBarangModel();
        $barangModel = new BarangModel();

        $data = [
            "data"  =>  $produksiModel->where("id_transaksi", $transaksi)->findAll(),
            "barang" =>  $barangModel->findAll(),
            "no"    =>  1,
            "menu" => "transaksi",
            "transaksi" =>  $transaksi
        ];

        return view("transaksi/produksi/list", $data);
    }

    public function produksinew($transaksi, $barang)
    {
        $barangModel = new BarangModel();
        $produksiModel = new ProduksiModel();
        $bara = $barangModel->find($barang);
        $hargaproduksi = $produksiModel->hargaproduksi($barang);

        $data = [
            "validation"    => \Config\Services::validation(),
            "menu"          => "transaksi",
            "transaksi" =>  $transaksi,
            "hargajual"  =>  $bara->harga_jual,
```

```
            "hargaproduksi" =>
$hargaproduksi[0],
            "hargaproduksitetap" =>
$hargaproduksi[1],
            "barang"   =>  $barang
        ];

        return view("transaksi/produksi/baru",
$data);
    }

    public function produksiedit($transaksi,
$id = null)
    {
        if ($id === null) {
            return redirect()->to("/transaksi")-
>with("pgagal", "Terjadi Kesalahan");
        }

        $produksiModel = new
TransaksiBarangModel();

        $data = [
            "validation"    =>
\Config\Services::validation(),
            "data"  =>  $produksiModel-
>find($id),
            "menu"  =>  "transaksi",
            "transaksi" =>  $transaksi
        ];

        return view("transaksi/produksi/ubah",
$data);
    }

    public function produksishow($transaksi,
$id = null)
    {
        if ($id === null) {
            return redirect()->to("/transaksi")-
>with("pgagal", "Terjadi Kesalahan");
        }

        $produksiModel = new
TransaksiBarangModel();

        $data = [
            "data"  =>  $produksiModel-
>find($id),
            "menu"  =>   "transaksi"
        ];

        return view("transaksi/produksi/lihat",
$data);
    }

    public function produksicreate($transaksi)
    {
        if (!$this->validate("produksi")) {
            return redirect()-
>to("/transaksi/$transaksi/produksi")-
>withInput();
        }

        $produksiModel = new
TransaksiBarangModel();

        $data = $this->request->getVar();
        $produksiModel->insert($data);
        return redirect()-
>to("/transaksi/$transaksi/produksi")-
>with("pberhasil", "Telah Berhasil
Ditambahkan");
    }
```

```
    public function produksiupdate($transaksi, $id = null)
    {
        if ($id === null) {
            return redirect()->to("/transaksi")->with("pgagal", "Terjadi Kesalahan");
        }

        if (!$this->validate("transaksi")) {
            return redirect()->to("/transaksi/$id/edit")->withInput();
        }

        $produksiModel = new TransaksiBarangModel();

        $data = $this->request->getVar();
        $produksiModel->update($id, $data);
        return redirect()->to("/transaksi/$transaksi/produksi")->with("pberhasil", "Telah Berhasil Diubah");
    }

    public function produksidelete($transaksi, $id = null)
    {
        if ($id === null) {
            return redirect()->to("/transaksi/$transaksi/produksi")->with("pgagal", "Terjadi Kesalahan");
        }

        $produksiModel = new TransaksiBarangModel();
        $produksiModel->delete($id);
        return redirect()->to("/transaksi/$transaksi/produksi")->with("pberhasil", "Telah Berhasil Dihapus");
    }

    public function produksi2($transaksi)
    {
        $produksiModel = new TransaksiBarang2Model();
        $barangModel = new BarangModel();

        $data = [
            "data"  =>  $produksiModel->where("id_transaksi", $transaksi)->findAll(),
            "barang" =>  $barangModel->findAll(),
            "no"    =>  1,
            "menu" => "transaksi",
            "transaksi" =>  $transaksi
        ];

        return view("transaksi/produksi2/list", $data);
    }

    public function produksi2new($transaksi, $barang)
    {
        $barangModel = new BarangModel();
        $produksiModel = new Produksi2Model();
        $bara = $barangModel->find($barang);
        $produksi = $produksiModel->where("id_barang", $barang)->findAll();
```

```
        $data = [
            "validation"    => \Config\Services::validation(),
            "menu"          => "transaksi",
            "transaksi" => $transaksi,
            "barang"  =>  $bara,
            "produksi"  =>  $produksi
        ];

        return view("transaksi/produksi2/baru", $data);
    }

    public function produksi2edit($transaksi, $id = null)
    {
        if ($id === null) {
            return redirect()->to("/transaksi2")->with("pgagal", "Terjadi Kesalahan");
        }

        $produksiModel = new TransaksiBarang2Model();

        $data = [
            "validation"    => \Config\Services::validation(),
            "data"  =>  $produksiModel->find($id),
            "menu" => "transaksi",
            "transaksi" =>  $transaksi
        ];

        return view("transaksi/produksi2/ubah", $data);
    }

    public function produksi2show($transaksi, $id = null)
    {
        if ($id === null) {
            return redirect()->to("/transaksi2")->with("pgagal", "Terjadi Kesalahan");
        }

        $produksiModel = new TransaksiBarang2Model();

        $data = [
            "data"  =>  $produksiModel->find($id),
            "menu"  =>   "transaksi"
        ];

        return view("transaksi/produksi2/lihat", $data);
    }

    public function produksi2create($transaksi)
    {
        if (!$this->validate("produksi3")) {
            return redirect()->to("/transaksi/$transaksi/produksi2")->withInput();
        }

        $produksiModel = new TransaksiBarang2Model();

        $data = $this->request->getVar();
```

```
        $produksiModel->insert($data);

        return redirect()->to("/transaksi/$transaksi/produksi2")->with("pberhasil", "Telah Berhasil Ditambahkan");

    }


    public function produksi2update($transaksi, $id = null)

    {

        if ($id === null) {

            return redirect()->to("/transaksi2")->with("pgagal", "Terjadi Kesalahan");

        }


        if (!$this->validate("transaksi")) {

            return redirect()->to("/transaksi/$transaksi/produksi2/$id/edit")->withInput();

        }


        $produksiModel = new TransaksiBarang2Model();


        $data = $this->request->getVar();

        $produksiModel->update($id, $data);

        return redirect()->to("/transaksi/$transaksi/produksi2")->with("pberhasil", "Telah Berhasil Diubah");

    }


    public function produksi2delete($transaksi, $id = null)

    {

        if ($id === null) {

            return redirect()->to("/transaksi/$transaksi/produksi2")->with("pgagal", "Terjadi Kesalahan");

        }


        $produksiModel = new TransaksiBarang2Model();


        $produksiModel->delete($id);

        return redirect()->to("/transaksi/$transaksi/produksi2")->with("pberhasil", "Telah Berhasil Dihapus");

    }

}
```

Models

AdminModel.*php*

```
<?php


namespace App\Models;


use CodeIgniter\Model;


class AdminModel extends Model

{

    protected $table      = 'admin';

    // Uncomment below if you want add primary key

    protected $primaryKey = 'id_admin';

    protected $returnType = 'object';


    protected $allowedFields = ['id_admin', 'nama', 'password'];


    public function login($id, $pass)

    {

        $builder = $this->builder();
```

```
        $builder->where("id_admin", $id);
        $builder->where("password", $pass);
        if (count($builder->get()->getResult()) != 0) {
            return true;
        } else {
            return false;
        }
    }
}
```

BarangModel.*php*

```
<?php

namespace App\Models;

use CodeIgniter\Model;

class BarangModel extends Model
{
    protected $table      = 'barang';
    // Uncomment below if you want add primary key
    protected $primaryKey = 'id_barang';
    protected $returnType = 'object';

    protected $allowedFields = ['id_barang', 'nama', 'harga_jual'];
}
```

TransaksiModel.*php*

```
<?php

namespace App\Models;

use CodeIgniter\Model;

class TransaksiModel extends Model
{
    protected $table      = 'transaksi';
    // Uncomment below if you want add primary key
    protected $primaryKey = 'id_transaksi';
    protected $returnType = 'object';

    protected $allowedFields = ['id_transaksi', 'tanggal', 'status'];
}
```

TransaksiBarangModel.*php*

```
<?php

namespace App\Models;

use CodeIgniter\Model;

class TransaksiBarangModel extends Model
{
    protected $table      = 'transaksi_barang';
    // Uncomment below if you want add primary key
    protected $primaryKey = 'id_transaksi_barang';
    protected $returnType = 'object';

    protected $allowedFields = ['id_transaksi_barang', 'id_transaksi', 'id_barang', 'banyak', 'harga_jual', 'harga_produksi'];
}
```

TransaksiBarang2Model.*php*

```
<?php
```

```
namespace App\Models;

use CodeIgniter\Model;

class TransaksiBarang2Model extends Model
{
    protected $table      = 'transaksi_barang2';
    // Uncomment below if you want add primary key
    protected $primaryKey = 'id_transaksi_barang';
    protected $returnType = 'object';

    protected $allowedFields = ['id_transaksi_barang', 'id_transaksi', 'id_barang', 'banyak', 'sebelum_pesanan', 'sesudah_pesanan', 'biaya_differensial'];
}
```

ProduksiModel.php

```
<?php

namespace App\Models;

use CodeIgniter\Model;

class ProduksiModel extends Model
{
    protected $table      = 'produksi';
    // Uncomment below if you want add primary key
    protected $primaryKey = 'id_produksi';
    protected $returnType = 'object';

    protected $allowedFields = ['id_produksi', 'id_barang', 'nama', 'biaya', 'biaya_tetap'];

    public function hargaproduksi($idbarang)
    {
        $builder = $this->builder();
        $builder2 = $this->builder();

        $builder->selectSum("biaya");
        $builder->where("id_barang", $idbarang);
        $builder->where("biaya_tetap", "T");
        $query = $builder->get();
        $kembali[0] = $query->getRowObject()->biaya;

        $builder2->selectSum("biaya");
        $builder2->where("id_barang", $idbarang);
        $builder2->where("biaya_tetap", "Y");
        $query2 = $builder2->get();
        $kembali[1] = $query2->getRowObject()->biaya;

        return $kembali;
    }
}
```

Produksi2Model.*php*

```
<?php

namespace App\Models;

use CodeIgniter\Model;

class Produksi2Model extends Model
{
    protected $table      = 'produksi2';
```

```
    // Uncomment below if you want add primary key

    protected $primaryKey = 'id_produksi';

    protected $returnType = 'object';


    protected $allowedFields = ['id_produksi', 'id_barang', 'nama', 'sebelum_pesanan', 'sesudah_pesanan'];

}
```

Index.*php*

```
<?php


// Valid PHP Version?

$minPHPVersion = '7.2';

if (phpversion() < $minPHPVersion)

{

            die("Your PHP version must be {$minPHPVersion} or higher to run CodeIgniter. Current version: " . phpversion());

}

unset($minPHPVersion);


// Path to the front controller (this file)

define('FCPATH',__DIR__. DIRECTORY_SEPARATOR);


// Location of the Paths config file.

// This is the line that might need to be changed, depending on your folder structure.

$pathsPath = realpath(FCPATH . 'app/Config/Paths.php');

// ^^^ Change this if you move your application folder


/*

 *---------------------------------------------------------------

 * BOOTSTRAP THE APPLICATION

 *---------------------------------------------------------------

 * This process sets up the path constants, loads and registers

 * our autoloader, along with Composer's, loads our constants

 * and fires up an environment-specific bootstrapping.

 */


// Ensure the current directory is pointing to the front controller's directory

chdir(__DIR__);


// Load our paths config file

require $pathsPath;

$paths = new Config\Paths();


// Location of the framework bootstrap file.

$app = require rtrim($paths->systemDirectory, '/ ') . '/bootstrap.php';


/*

 *---------------------------------------------------------------

 * LAUNCH THE APPLICATION

 *---------------------------------------------------------------

 * Now that everything is setup, it's time to actually fire

 * up the engines and make this app do its thang.

 */

$app->run();
```

Welcome_message.*php*

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Welcome to CodeIgniter 4!</title>
    <meta  name="description" content="The small framework with powerful features">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="shortcut icon" type="image/png" href="/favicon.ico"/>

    <!-- STYLES -->

    <style {csp-style-nonce}>
        * {
            transition: background-color 300ms ease, color 300ms ease;
        }
        *:focus {
            background-color: rgba(221, 72, 20, .2);
            outline: none;
        }
        html, body {
            color: rgba(33, 37, 41, 1);
            font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Helvetica, Arial, sans-serif, "Apple Color Emoji", "Segoe UI Emoji";
            font-size: 16px;
            margin: 0;
            padding: 0;
            -webkit-font-smoothing: antialiased;
            -moz-osx-font-smoothing: grayscale;
            text-rendering: optimizeLegibility;
        }
        header {
            background-color: rgba(247, 248, 249, 1);
            padding: .4rem 0 0;
        }
        .menu {
            padding: .4rem 2rem;
        }
        header ul {
            border-bottom: 1px solid rgba(242, 242, 242, 1);
            list-style-type: none;
            margin: 0;
            overflow: hidden;
            padding: 0;
            text-align: right;
        }
        header li {
            display: inline-block;
        }
        header li a {
            border-radius: 5px;
            color: rgba(0, 0, 0, .5);
```

```
                display: block;
                height: 44px;
                text-decoration: none;
        }
        header li.menu-item a {
                border-radius: 5px;
                margin: 5px 0;
                height: 38px;
                line-height: 36px;
                padding: .4rem .65rem;
                text-align: center;
        }
        header li.menu-item a:hover,
        header li.menu-item a:focus {
                background-color: rgba(221, 72, 20, .2);
                color: rgba(221, 72, 20, 1);
        }
        header .logo {
                float: left;
                height: 44px;
                padding: .4rem .5rem;
        }
        header .menu-toggle {
                display: none;
                float: right;
                font-size: 2rem;
                font-weight: bold;
        }
        header .menu-toggle button {
                background-color: rgba(221, 72, 20, .6);
                border: none;
                border-radius: 3px;
                color: rgba(255, 255, 255, 1);
                cursor: pointer;
                font: inherit;
                font-size: 1.3rem;
                height: 36px;
                padding: 0;
                margin: 11px 0;
                overflow: visible;
                width: 40px;
        }
        header .menu-toggle button:hover,
        header .menu-toggle button:focus {
                background-color: rgba(221, 72, 20, .8);
                color: rgba(255, 255, 255, .8);
        }
        header .heroe {
                margin: 0 auto;
                max-width: 1100px;
                padding: 1rem 1.75rem 1.75rem 1.75rem;
        }
        header .heroe h1 {
                font-size: 2.5rem;
                font-weight: 500;
```

```
}
header .heroe h2 {
    font-size: 1.5rem;
    font-weight: 300;
}
section {
    margin: 0 auto;
    max-width: 1100px;
    padding: 2.5rem 1.75rem 3.5rem 1.75rem;
}
section h1 {
    margin-bottom: 2.5rem;
}
section h2 {
    font-size: 120%;
    line-height: 2.5rem;
    padding-top: 1.5rem;
}
section pre {
    background-color: rgba(247, 248, 249, 1);
    border: 1px solid rgba(242, 242, 242, 1);
    display: block;
    font-size: .9rem;
    margin: 2rem 0;
    padding: 1rem 1.5rem;
    white-space: pre-wrap;
    word-break: break-all;
}
section code {
    display: block;
}
section a {
    color: rgba(221, 72, 20, 1);
}
section svg {
    margin-bottom: -5px;
    margin-right: 5px;
    width: 25px;
}
.further {
    background-color: rgba(247, 248, 249, 1);
    border-bottom: 1px solid rgba(242, 242, 242, 1);
    border-top: 1px solid rgba(242, 242, 242, 1);
}
.further h2:first-of-type {
    padding-top: 0;
}
footer {
    background-color: rgba(221, 72, 20, .8);
    text-align: center;
}
footer .environment {
    color: rgba(255, 255, 255, 1);
    padding: 2rem 1.75rem;
}
```

```
                footer .copyrights {
                        background-color: rgba(62, 62, 62, 1);
                        color: rgba(200, 200, 200, 1);
                        padding: .25rem 1.75rem;
                }
                @media (max-width: 559px) {
                        header ul {
                                padding: 0;
                        }
                        header .menu-toggle {
                                padding: 0 1rem;
                        }
                        header .menu-item {
                                background-color: rgba(244, 245, 246, 1);
                                border-top: 1px solid rgba(242, 242, 242, 1);
                                margin: 0 15px;
                                width: calc(100% - 30px);
                        }
                        header .menu-toggle {
                                display: block;
                        }
                        header .hidden {
                                display: none;
                        }
                        header li.menu-item a {
                        background-color: rgba(221, 72, 20, .1);
                        }
                        header li.menu-item a:hover,
                        header li.menu-item a:focus {
                        background-color: rgba(221, 72, 20, .7);
                                color: rgba(255, 255, 255, .8);
                        }
                }
        </style>
</head>
<body>

<!-- HEADER: MENU + HEROE SECTION -->
<header>

        <div class="menu">
                <ul>
                        <li class="logo"><a href="https://codeigniter.com" target="_blank"><img height="44" title="CodeIgniter Logo"

        alt="Visit CodeIgniter.com official website!"
```


src="
Rw0KGgoAAAANSUhEUgAAAlgAAACl
CAMAAAC3K3MAAAACJVBMVEUAA
ADdSBTdSBTdSBTdSBTdSBTdSBTdSBT
dSBTdSBTdSBTdSBTdSBTdSBTdSBTdSB
TdSBTdSBTdSBTdSBTdSBTdSBTdSBTdS
BTdSBTdSBTdSBTdSBTdSBTdSBTdSBT
dSBTdSBTdSBTdSBTdSBTdSBTdSBTdSB
TdSBTdSBTdSBTdSBTdSBTdSBTdSBTdS
BTdSBTdSBTdSBTdSBTdSBTdSBTdSBT
dSBTdSBTdSBTdSBTdSBTdSBTdSBTdSB
TdSBTdSBTdSBTdSBTdSBTdSBTdSBTdS
BTdSBTdSBTdSBTdSBTdSBTdSBTdSBT
dSBTdSBTdSBTdSBTdSBTdSBTdSBTdSB
TdSBTdSBTdSBTdSBTdSBTdSBTdSBTdS
BTdSBTdSBTdSBTdSBTdSBTdSBTdSBT
dSBTdSBTdSBTdSBTdSBTdSBTdSBTdSB
TdSBTdSBTdSBTdSBTdSBTdSBTdSBTdS
BTdSBTdSBTdSBTdSBTdSBTdSBTdSBT
dSBTdSBTdSBTdSBTdSBTdSBTdSBTdSB
TdSBTdSBTdSBTdSBTdSBTdSBQGpOIG
AAAAt3RSTlMAAwYlGxGPQwXR7ATQ/
wcBzci0GoP2UgA143tmAjyjECfato0IKmC
thAo0bXaqgQlH7VtIC1B0DokyoZEvSzOF
Tp6XeT2YORiKIn9MHDHk2VpEd0rHWT
tRiGUwRfVJHQ9BxnBGqSMevWxXb25ca
IZ6lLUpoC4mYxmOLCh1Laiml5zvj8+Qk
ANHzo2n7w3a10gogx8gmfPX7I4F6vYT4t
4JCtyWGScu84hjLNim2lqU02sYROAkFW
pUS6tAAAVU0lEQVR4Aeza+VITQRSF8Z
MRFQ2HcZQYhCwiokZFHUFxUVTEfX//l
xHKEkMW0pPc//x+jzD11dyu263/BAAAA
AAAAAAAAGqZFA84NScg3ukzZxUOm
D93Pr4soL5gLwoIll+wi0xA/B/LFy8JCD5j
+cBSLiA+rMblpoBAyw0fujKnOEC+4j9W
WwKCJ+GhtsIAbf/VURSgtuIjXQUBrq75y
LVcIYDmuvtcVwhgw/1uKAKQFe53s64A
wC0f19PsgNsecEfRwCA8cFfArLJNDyqaA
maT3/Ow+wJmkj8oPawnYLauGg4PC3hY
OjwsYKt0eFjAsh0eFrDlcTJNCcj/na/CFqT
A9qPS4zzWdICdJx7vqaYC1J55hLDFO7gf
HOF5rikALzZ9kpeaArDrk/UUB6zbeTSDu
OcMI7wSUNX269ITdAVU1HrjScp5AdW0
9jxRR0A19T1P9lZAJfUlJ9gXKmIOhocF1
N45yXsB6XbWnaT4ICBZ/tFp1j4JSPbZqdo
CUm2UTrWvIa1cwAi7pZOtakj25WtTwKB
v352uoyHznR8/MwHHLS64iq4GzRV28Ys
Pid/snf9fFEeax6snRLq3KesGaEel6aFxjHS
EYGM8XxBlXy9ss5c9meAXccWVcRskd4j
x2MSgwRzGDQaTze1ijCb3JcldvOSSve97d
3/fATPz9NT0U033dM8iC+/faNvqrqrPPFX
11FNPc0gQL1qryTpDVxkIb7S22XaMIpwl
PLJZvH7uPCObFLmMvhl6TC6jkmcXNmr
TIDTN7yM9Jfi4gH3hKNmU6D81ivzMIs8
+F40yY+TZ5VKwrn5+GUm8lh/PEECvtHg
Dhc257UBLKJtBWAYtc4U8s6R+QYOwz2
dc5PKel3aSIuogv3XdPEE2IVlaYlLaTMKy
r6JdOtVCNp4f00D6dOKiA+QbB8etFc4P7a
mW4iBJGssa/wt3jb+0LL2uwnI3w7idBvsq+
9vqktvTWXjmPaM7dFItLMBUVtCQcTJR
ZUnj066imGU9K0rXNYskTleNwtIthFz9x2
1cWKo14yo2XN5I1AM0CDNFQFgRSE5Z
O4+nsWQ3Y3UbXK5F/oqjn9N1H7fLTHL
m+7VyWzWpZKNx6fpHni2FRsQ+nND87
7roAW9KdRKWlYCwrPoLC7WvTvnyjQz
ZYNY5QpiW18z9X9Go2IcYiY0+kqZCZkc
ZSQ7ZrFEUv7Q3QFgDAmG9Vb7c+Gy73
GG7+e18dGU9F38mcTFQ9eZNkhxWrXl0
Gqmf/M4/1KJQG8Gvb7QTIrNLC1ZHeSoz
Q6MS359VeGO9J0h1ENYrEQeRV5UVbG
+trKzwzh/M26BY6HUzSzaWuT00EEMuD
0p7aWSadRIH9RZdj9Y6JPHtjvqa8gq34Zf
YKK+QInXm3VdLDHOP2ml7a8UNRb9Ig
zmjc5s2EbmcXH55c8BxnPZ2x3EMkwJ2ck
POPC0xH2synXyPbq7XgFiXCKGiNSirN1
4jAZ13JAL0nqTANZIU3eApiPWy72Wejd
0DtsFbmVFikKUbNCoHdFIrqqd5u0viFxx/j
T8gFt2xFnSHk3fbb+LXIJIZKbidTUVeG9b
uzToe4MbXFxJf11vxSjSS79FN/BrkTtRTE
7nWiNLqScX+8mZ+GPHGw2scSlpYthyn
R/ODz4SwtPMba7A66XrsYoRDHVTq6oB
HvohxlyC8D1PtpIVlkBrQO5+JkBu28a/hTf
VCuhsAecimEbinklrI3QO3kk4QxkXOAbn
wq8YSHwQFV+ry3GLpvsU5NRMgLKbK
g+Ui78tqTbFcTM5eKZdxEyJUny9dyWGv
d7/4b+1R4lk/DBdSJnsV+qCgrifW8s1LJDR
vhrA4b/vr/KCZhkf7iNTCDPhtx3EDgwrLO
ugqJgWUJndYxQMSZoYUb1DPN7VOvVz
+4+MqhR9qbVK0iiJnejPinyg+9FvTkxWvZ
StDMxZbueqWr+UIyd1111gqPnTm1wo8c
WiwUlp/7nKUk2gsuav0QKsPuRV8wlXob9
zKgBSzya3WdYtb5EWywmKXokWdtslhT
M9FxFufbYtgtGbVWElvZlloYeVmFH804s
Ip5D9DYwEm9Mltbi7X11RdVa3pmuzfcA
2YNB9zfa+lKdPWjFKZMn8w781pU4fvaV
wdpnVsrcxV36EBLFW20T3/oDLDG0XHq
4vsQvUjCGuYhiCtoyOVQcOSh56tKWIgS
1BS2RLPgxZ/k8eff7qqBtLusAfb9N/iRaZ9
VRoQtn7qBShDxPGKEJNlQiy/b7FN90wjL
qyPQ52o0i/jL7NjDhPWAhusuN1ujO65CaR
NEBSRpiE5w0hkGqNNpYM3Bs7gH9wQ8
DBEkWZv2GV+RwjbblUIy2BomFC3SFgv

wguE+KnI4gq9hgjrR2crX16xoi/o1wv0Q0m
10XAYcozTaG0kJJ8G1KA3QjRHmoXZaV
gOGcvVYVIERDQuPB+vQk4gLAsXFmq
wcgEvs5cA8jIFahLWOMVB7DCKPvWGF
kqZHSQqBTNiWpvgLfJOrwZHByonL8oqg
m4I3hud4N1qXkdH1hUdwYMFFc7W3YE
xFxWWaq7vitTRNZd/ainjIl3QSUiu0ZBcEt
q8R3toCI6QqDyA3+9ceDc9TK5b3VXuaY
gM2BEKKO6gtYrrNtmIsD6rnGv7ikyrIdz2s
kkBs1hEa0WL5SfXlmeWX1jmpHvQmqh8
noFbpnzJkhUCTHBLSVdtvjZqfaxxPz5UW
JqyRvi5e6aVhuTcOBHAxsO4S5dJVJyIw+i
pvPeyu9WiO0DtP0d9vrAxkJD9xCta7fgcW
vhn5SLtiiJlVrzvRa/I3/LCQp1uL3i28US2W
ASbO+G9lSTLxx60s2phzV7JFotRp+G17J
KC9j9Y5dV81dzr5bXLXyyU9fbBqw/KdJT
G9ikKNPcX2ygj7drj/0kM2xUKP9m4W17j/
tXQLsgmGpYmcWZI+UYdksJLEIh1gZEQ
qAveuP23BGhJ+1ptB3QUH9ast1YNHOrfe
Q6Xn/BFIv6zGfRqDuSebtC9R7Uh5m13h
W1yVO/eLu9etORuPBq4OzDLepv3gEzD3
5evvgC/ak/hF7ISiUTU8xEndLEI/sGkQuD
XFg3ZiJad2VsVf6lzhoyWmSleeGjDBV6x+
q+rnthPy9ziilyqHISAeYHcQFfcs6DBBpH
w5q9k9HHUQkuex/1H3UFtdKOyQpkRX5
wICKs5y0gNjMGTapvAAzdnk/7wTks6Uth
8ZgFdwSJeAPi7RxL4zcyviyOWqMgMeuSi
G4tszDUJEqh85vdNNOJKISlcWC561XuN
9wM8zqaE+wagrIsxIyRcGoW9gW7yhIXlR
IuDlBVRkE4BBvPetZkITHkGRUUYcpU5
PytyhU5goWMWNiSkVcFbuX73ihMmSky
dxK5iNwPv2qInzOOei3oLC/jH4K9ZbKSw
FpFdAnRvGEzFkEp4nrM9YfFupVSIzRt8U
QhldBGhsHw/jfYwwvJkbwU7PQD2RLgc+
ieInK0OvfmmLsKy37P5FbBa+/d3npJofAV
2Uo+0r3gRjUIFYTGIEuoTanOfxHtR9xFcF
biw7J1YAxfCCys9F0lYoZwevHIvVjfpQRg
/kQig5IVl9zEDdQniqIH+7H+uNQ6yMdJIa
A+jJUEj5cQND8JyxBZELKwpdP0rFNZtX
xFZU2BPJHSQnTLR9bbFW27UImu+Npq
GGX8y2ZzYtzQA8xJjnVE+Wy+d3DBh9W
tYryDCWhKGeGXu8sL6qFzkbIFU8RIiLB
cTFvtWJCzYMpnG/XbiU7To84Dz+GXx5
AJd0WZhXlrbCSj9OyqmOZshvdFO3Ej7N
kpYju+oGsC4oRCa8E99BhcWcKP8Is1+dI
1n+kdBwhqofPafCISVsiHUzF8FJhBWJ8O
EdR0fgwxx52i+CoGLdL5KWK2ZxIXV3A
B1Cp+O4KZJRUQ8Fwz2375JcPBGc/CoL
RBWNxefhHsb1kSgBjtQxMK6je5sXCYcM
/6fqiOqwnDwIJvFhdUmdgwGMCHO5hRf
WLASii4siBCJvSp8OdKi0Gu0B6SagiescH
NbRYY/12MacVhxFXXxKc+gPxZGXcaFh
RshUbCatCBs77k0xUH61+ArGBm2INSVS
moSlv5pQsI6GklY/2LC3WJhPU5VVsh34yj
/xKt2mH5AVv9H8dXRWTy5z5j/t/GJSFiH
UWEV8K2ULDJbiC4sK+G0WPZEVRqA0
A9S71GcQj2F1Y7ejay/pkLMbW8w+LMG
YaUlwZ7Z8rAsZUhGlTtuea3aw3hhIVVgra
AV1JtL0OfZvTGEJZv1EtZTwVGLAypZjx
FNPLTWTVgOFeewW64UlhtCWI2kBmF
NgHdV6NyzjY+POO8McGknHvLTU6zCv
agR+iXyPMQJEVFYB2Cgqo+wBsCcw44t
7H6vh94ljm6ov7DuZsTLyxFs7QZI3wuEpT
3+TsRjdd3V2FJwXjqkCj9IRGCEcuK4bfFr
AF9CYvXvhPyuOgKIkdo4z5sXJK8SJxMb
N1hhmnIHiUavXZOwFv1js42FldOfCuf/2j
Bf5BNJFyEhPfolNunE0Q4x3GDiwjIIJqwL
uLCWxT+wVl2ICl2IREjED5u5yyqTgHiW
u7MjZCIPBKfm8+rjZH3ewYXFm/Uc6glH
5jhIR4dfBjmhjwOlK3VFLoqe1we+X1SvDi
6sI3Hy9s7XR1iv8wvY0ZJDx76RjRwiHCO
hoyHSCjB8EAzov4pv7uPMulhYd3gTqf9Z
9C0lpKPVR3kq4NYphtb3vmi6MoA/D186
OeIG/TciBo8Aig57j/JgitaPXjaMrmwqtFrxU
zpJe95Tj+mBO+sPhfPeyT2xsJD5v1OjsL4I
FUxkvnVUtPEki4TlCJ6HXA4U1vW6ZnM
Sz96VXhITI4GRkDzFZ+98CK79SBILC1v
ghBCWS+IIy5CR6MN8d/cBCuS731+Cu9
YVlt4jEBY8D7uc/om4V/593fktjS+sY5g3O
fmvp+Rbaj9LYaMzuw8HSuNDB6u8eUgn
HOwRf1bQFYaWnQkvLP2URKq4gphmCF
h4vNLLzAJykVbBnhEaFZ80EV9Gfqmuv0
I3uWazas/7jOSYAsbqkMDmU51ExTuysO
8o0g+weF6Wgxyk469zIyFx8bQfyC4G9NF
Jn4oup7/vVzP4qe19kt9v60ZpswUmEFZ6D
lPQWyryGiAsVHRdrFpXfWbbmIrnxKiZeZ
9xUZMXlvk8wQkXKfGl/x8hOFi7tNrDhc7
yn/2CuCA7xUdNzeoCYZlTpcm8JkpqPZ5f
PZT3m+fRHnWQvuxiMb4O9TwapgUqOZ
JBX2MZFxbaG2z1gJk2ewWOTYwkISxw
WcQuDMnQJPyNRAqxovZ9XgVs/2Mo+g
cddnD9eeXZLq1KnBYVRDdIs1WhbbKCG
iHCBs+V+mfMq5XaDMJCqqA9eVeWa/06
1CJmhNQd6PNQi6XrJel2gmeOcRX6D61U
of+EiXf8hHYQhAocSiynHGAukUhAfBQw
NCx51/sXbC+4p6ijzBG48rm3ek31ga7Mq6
XqvgJnKd7mchT2UBBWdYS43ZciQMo7P
3oHnwhhVbAVxXW/sSwWvOCBXVpMK
2cYFs3RpqM328dgXJtsVavSBWh9KgEaH
mnVvi8X//FF5DNk+yvhZWGXTmogM2F
TIL8wY62x5A7lK1xuDd40uUzPcG5NGNa
hHq+AI+VeOQuXHpdzmenWSMXHFifLjb
7fhl7q6c8VZ6TWtR7NM2R4LBdSBTin3uo
esnpBIMIwV9EgiwjL7nJdN+e7mTZbxRd2
Fao9Ynz4BrUnT/eS0r+/TqFCH5aM97eJaK
HXrLew0qm6fVS/EQ8Aml/hv+AvbgKeqqj
uK/OHLev9+VdoJS76+Hz3KkiaE9ZrrfAU
Lv935bpPP4Hu9HaftaqXW7IoyFxWcGHhf
fYB9eheIV98+Smwnx6+CjWp2PmfGBxP
VFhI2pPdBCd2AoC0jHQAxmMJqy6Oi5w

```
bDkglJyviMjpmqRDjcgqduzflcGHxHhu9D
U+kj74NeGymAis0hUYAxUA+l6CwkFXh
m6RmxvZQMTaf6nNYfO+3b0dIujpCgG+o
kKbxgK5UrDD5i9LfZ5l4UYjHtQIOvt7Kv
KQJzi8UnXoaFfHGMClzGo/Iic43dj2F9Ys
UqZ1h8WhojsikErZX9Hsc4m9MNaM3fe6v
v7RgU5yFY3wWL0xYoKufTzYpqOo7R9
m63ssOPMqjZQ8qLEg0zaO1tgQfKraHUsh
ZsLjCUnckLKw7la98msRBemLjhnuvL1lF
ZgodB5RRnfAU7mq+hl3Us53++rP9eJG/8o
q8TwXC0mEcnGaqfGpxsUkxxfFY+JF2NE
wLHCnAXd7JVo02u7vcVvoVtDlf369j23w/
jm1hzESFBa0EmYJiwL7elfYZK8Np0LFB/
Uxndc8tX5CRModv2dxdN57zXGE5vshd/i
KPyPgXMPkvND+pdgioctZx9hkmuq6BJps
KjmsFWP8OvMtO7a0acZf7VeLx9Ve+Cu1
oL+ARQFkSEzZhx59qe8h2op/uZS1Om2F
AOxlvHemQRbdmnVuGJ78dzrCKP1899o7
RWS6w7Zi0+n+vfrTKF8xX5D4jDQ8f+N0
YX+TvP/LTANmrfJlqJPk158JsZbLkIs+V/2
911Qrlf/i9rw7OvFHE4o38gxOGXQ6GHnB
OVZWor7aRDW207BxTq2p8u/zIXPy+e5S
k532QAv/DSBLostzurNE+J6uZ4C9SfuIUu
SqrRExGLow6q7TIOglGkuecIi3Yw3FGxD
nyWeGincg0JiMX0X3NdcxZ446s4m10B9p
IJvUBSU8dW6eed+RwhmxRpAU8aTcemv
5HjHogsT0dCx9VtxZooDrSRmbmj15ZYL
N6VBIHOKVjDxIR28LaGhaLd+/Yl0gM4J
Rv8wTZeoR1Mo5vIWGRwkDZCRvHZG
WLfnztZIFsXXAnI/7PW4CjF+yiKA7WPv
Dre0tuBomQbYvF78Bj/vHPyFaA9RWbY0
9DzboqRkA1jzGytcES4wK6t2eXJVuDXN
EVuKzG+SC+eVwnZFtYwrXx3C0+8cCW
QL1uQtau6Fxe29TqJdsQlwIvWDoBmHU2j
ZyK2wKk/hcONUbl+mrw3NK2uSp/1QKY
NQaeFla4PQC7Q3DkYeugL3XlYes0Amob
zQ8NbssKOwONc65hqzXK4FCe9kWTSK
bhluLCPvo24HEODhbcauinGpUbhSj/4fKni
zLZBk1OjvPDONmSFEb/76EeOhVt4TmJb
MMjQSwXgtGub92GyeVYyAm/jNy4Dcvu
Mmw0Jnlv+7Z53yYWDw8bvN0yjLMFiW
yzTWzYTssjtd0e/98eHAsAAAAADPK3ns
WuagEAAAAAAAAAAAAAAABA2mzF
N1m8MFwAAAAASUVORK5CYII="></a
>
```

```
                    </li>

                    <li class="menu-
toggle">

                        <button
onclick="toggleMenu();">&#9776;</button
>

                    </li>

                    <li class="menu-
item hidden"><a href="#">Home</a></li>

                    <li class="menu-
item hidden"><a
href="https://codeigniter4.github.io/userguid
e/" target="_blank">Docs</a>

                    </li>

                    <li class="menu-
item hidden"><a
href="https://forum.codeigniter.com/"
target="_blank">Community</a></li>

                    <li class="menu-
item hidden"><a

        href="https://github.com/codeignite
r4/CodeIgniter4/blob/master/CONTRIBUTI
NG.md" target="_blank">Contribute</a>

                    </li>

                </ul>

            </div>


            <div class="heroe">


                <h1>Welcome to
CodeIgniter <?=
CodeIgniter\CodeIgniter::CI_VERSION
?></h1>


                <h2>The small framework
with powerful features</h2>


            </div>


</header>


<!-- CONTENT -->


<section>
```

<h1>About this page</h1>

The page you are looking at is being generated dynamically by CodeIgniter.

If you would like to edit this page you will find it located at:

<pre><code>app/Views/welcome_message.php</code></pre>

The corresponding controller for this page can be found at:

<pre><code>app/Controllers/Home.php</code></pre>

</section>

<section>

<h1>Go further</h1>

<h2>

<svg xmlns='http://www.w3.org/2000/svg' viewBox='0 0 512 512'><rect x='32' y='96' width='64' height='368' rx='16' ry='16' style='fill:none;stroke:#000;stroke-linejoin:round;stroke-width:32px'/><line x1='112' y1='224' x2='240' y2='224' style='fill:none;stroke:#000;stroke-linecap:round;stroke-linejoin:round;stroke-width:32px'/><line x1='112' y1='400' x2='240' y2='400' style='fill:none;stroke:#000;stroke-linecap:round;stroke-linejoin:round;stroke-width:32px'/><rect x='112' y='160' width='128' height='304' rx='16' ry='16' style='fill:none;stroke:#000;stroke-linejoin:round;stroke-width:32px'/><rect x='256' y='48' width='96' height='416' rx='16' ry='16' style='fill:none;stroke:#000;stroke-linejoin:round;stroke-width:32px'/><path d='M422.46,96.11l-40.4,4.25c-11.12,1.17-19.18,11.57-17.93,23.1l34.92,321.59c1.26,11.53,11.37,20,22.49,18.84l40.4-4.25c11.12-1.17,19.18-11.57,17.93-23.1L445,115C443.69,103.42,433.58,94.94,422.46,96.11Z' style='fill:none;stroke:#000;stroke-linejoin:round;stroke-width:32px'/></svg>

Learn

</h2>

The User Guide contains an introduction, tutorial, a number of "how to"

guides, and then reference documentation for the components that make up

the framework. Check the <a href="https://codeigniter4.github.io/userguide"

target="_blank">User Guide!

<h2>

<svg xmlns='http://www.w3.org/2000/svg' viewBox='0 0 512 512'><path d='M431,320.6c-1-3.6,1.2-8.6,3.3-12.2a33.68,33.68,0,0,1,2.1-3.1A162,162,0,0,0,464,215c.3-92.2-77.5-167-173.7-167C206.4,48,136.4,105.1,120,180.9a160.7,160.7,0,0,0-3.7,34.2c0,92.3,74.8,169.1,171,169.1,15.3,0,35.9-4.6,47.2-7.7s22.5-7.2,25.4-8.3a26.44,26.44,0,0,1,9.3-1.7,26,26,0,0,1,10.1,2L436,388.6a13.52,13.52,0,0,0,3.9,1,8,8,0,0,0,8-8,12.85,12.85,0,0,0-

.5-2.7Z' style='fill:none;stroke:#000;stroke-linecap:round;stroke-miterlimit:10;stroke-width:32px'/><path d='M66.46,232a146.23,146.23,0,0,0,6.39,152.67c2.31,3.49,3.61,6.19,3.21,8s-11.93,61.87-11.93,61.87a8,8,0,0,0,2.71,7.68A8.17,8.17,0,0,0,72,464a7.26,7.26,0,0,0,2.91-.6l56.21-22a15.7,15.7,0,0,1,12,.2c18.94,7.38,39.88,12,60.83,12A159.21,159.21,0,0,0,284,432.11' style='fill:none;stroke:#000;stroke-linecap:round;stroke-miterlimit:10;stroke-width:32px'/></svg>

Discuss

</h2>

CodeIgniter is a community-developed open source project, with several

venues for the community members to gather and exchange ideas. View all

the threads on <a href="https://forum.codeigniter.com/"

target="_blank">CodeIgniter's forum, or <a href="https://codeigniterchat.slack.com/"

target="_blank">chat on Slack !

<h2>

<svg xmlns='http://www.w3.org/2000/svg' viewBox='0 0 512 512'><line x1='176' y1='48' x2='336' y2='48' style='fill:none;stroke:#000;stroke-linecap:round;stroke-miterlimit:10;stroke-width:32px'/><line x1='118' y1='304' x2='394' y2='304' style='fill:none;stroke:#000;stroke-linecap:round;stroke-miterlimit:10;stroke-width:32px'/><path d='M208,48v93.48a64.09,64.09,0,0,1-9.88,34.18L73.21,373.49C48.4,412.78,76.63,464,123.08,464H388.92c46.45,0,74.68-51.22,49.87-90.51L313.87,175.66A64.09,64.09,0,0,1,304,141.48V48' style='fill:none;stroke:#000;stroke-linecap:round;stroke-miterlimit:10;stroke-width:32px'/></svg>

Contribute

</h2>

CodeIgniter is a community driven project and accepts contributions

of code and documentation from the community. Why not

join us ?

</section>

<!-- FOOTER: DEBUG INFO + COPYRIGHTS -->

<footer>

Page rendered in {elapsed_time} seconds

Environment: <?= ENVIRONMENT ?>

```
                    <p>&copy; <?= date('Y')
?> CodeIgniter Foundation. CodeIgniter is
open source project released under the MIT

                            open source
licence.</p>


        </div>


</footer>


<!-- SCRIPTS -->


<script>

        function toggleMenu() {

                var menuItems =
document.getElementsByClassName('menu-
item');

                for (var i = 0; i <
menuItems.length; i++) {

                        var menuItem =
menuItems[i];


        menuItem.classList.toggle("hidden"
);

                }

        }

</script>


<!-- -->


</body>

</html>
```