L A M P I R A N

```
<?php
session_start();
if ( !isset($_SESSION['username']) ) {
   header('location:login.php');
}
else {
   $usr = $_SESSION['username'];
}
require_once('koneksi.php');
$query = mysqli_query($konek,"SELECT * FROM pengguna WHERE username = '$usr'");
$hasil = mysqli_fetch_array($query);
if (empty($hasil['username'])) {
   header('Location: ./login.php');
}
function TanggalIndo($date){
        $BulanIndo = array("Januari", "Februari", "Maret", "April", "Mei", "Juni", "Juli", "Agustus", "September", "Oktober", "November", "Desember");
        $tahun = substr($date, 0, 4);
        $bulan = substr($date, 5, 2);
        $tgl   = substr($date, 8, 2);
        $result = $tgl . " " . $BulanIndo[(int)$bulan-1] . " ". $tahun;
        return($result);
}
$timezone = "Asia/Jakarta";
if(function_exists('date_default_timezone_set')) date_default_timezone_set($timezone);
$date=date('Y-m-d');
@ini_set('display_errors', 0);
?>
<!DOCTYPE html>
<html>
   <head>
      <meta charset="utf-8">
      <meta name="viewport" content="width=device-width, initial-scale=1.0">
      <meta name="description" content="A fully featured admin theme which can be used to build CRM, CMS, etc.">
      <meta name="author" content="Coderthemes">
      <link rel="shortcut icon" href="images/favicon_1.ico">
      <title>Aplikasi Laundry</title>
     <link href="css/bootstrap.min.css" rel="stylesheet" />
      <link href="assets/font-awesome/css/font-awesome.min.css" rel="stylesheet" />
      <link href="assets/ionicon/css/ionicons.min.css" rel="stylesheet" />
      <link href="css/material-design-iconic-font.min.css" rel="stylesheet">
      <link href="css/animate.css" rel="stylesheet" />
      <link href="css/waves-effect.css" rel="stylesheet">
      <link href="assets/tagsinput/jquery.tagsinput.css" rel="stylesheet" />
      <link href="assets/toggles/toggles.css" rel="stylesheet" />
      <link href="assets/timepicker/bootstrap-timepicker.min.css" rel="stylesheet" />
      <link href="assets/timepicker/bootstrap-datepicker.min.css" rel="stylesheet" />
```

```
        <link
href="assets/colorpicker/colorpicker.css"
rel="stylesheet" type="text/css" />

        <link href="assets/jquery-multi-
select/multi-select.css"  rel="stylesheet"
type="text/css" />

        <link href="assets/select2/select2.css"
rel="stylesheet" type="text/css" />

        <link href="css/helper.css"
rel="stylesheet" type="text/css" />

        <link href="css/style.css"
rel="stylesheet" type="text/css" /><script
src="js/modernizr.min.js"></script>
</head>

        <link
href="assets/datatables/jquery.dataTables.mi
n.css" rel="stylesheet" type="text/css" />

    <body class="fixed-left">


        <!-- Begin page -->

        <div id="wrapper">


            <!-- Top Bar Start -->

            <div class="topbar">

                <!-- LOGO -->

                <div class="topbar-left">

                    <div class="text-center">

                        <a href="index.html"
class="logo"><span>Aplikasi Laundry
</span></a>

                    </div>

                </div>

                <!-- Button mobile view to
collapse sidebar menu -->

                <div class="navbar navbar-
default" role="navigation">

                    <div class="container">

                        <div class="">

                            <div class="pull-left">

                                <button class="button-
menu-mobile open-left">

                                    <i class="fa fa-
bars"></i>

                                </button>

                                <span
class="clearfix"></span>

                            </div>




                            <ul class="nav navbar-nav
navbar-right pull-right">


                                <li class="dropdown">

                                    <a href=""
class="dropdown-toggle profile" data-
toggle="dropdown" aria-
expanded="true">Selamat Datang, <?php
echo $hasil['username']; ?> <img
src="images/user.png" alt="user-img"
class="img-circle"> </a>

                                    <ul class="dropdown-
menu">


                                        <li><a
href="logout.php"><i class="md md-
settings-power"></i> Logout</a></li>

                                    </ul>

                                </li>

                            </ul>

                        </div>

                        <!--/.nav-collapse -->

                    </div>

                </div>

            </div>

            <!-- Top Bar End -->
```

```
        <!-- ========== Left Sidebar Start ========== -->


        <div class="left side-menu">

            <div class="sidebar-inner slimscrollleft">

                <div class="user-details">

                    <div class="pull-left">

                        <img src="images/user.png" alt="" class="thumb-md img-circle">

                    </div>

                    <div class="user-info">

                        <div class="dropdown">

                            <a href="#" class="dropdown-toggle" data-toggle="dropdown" aria-expanded="false"><?php echo $hasil['nama']; ?> <span class="caret"></span></a>

                            <ul class="dropdown-menu">

                                <li><a href="logout.php"><i class="md md-settings-power"></i>&amp;amp; Logout</a></li>

                            </ul>

                        </div>



                        <p class="text-muted m-0"><?php echo $hasil['level']; ?></p>

                    </div>

                </div>

                <!--- Divider -->

                <div id="sidebar-menu">

                    <ul>

                        <li>

                            <a href="?p=home" class="waves-effect"><i class="md md-home"></i><span> Dashboard </span></a>

                        </li>

<li>

                            <a href="?p=tambaht" class="waves-effect"><i class="fa fa-plus"></i><span> Buat Transaksi </span></a>

                        </li>


                         <li>

                            <a href="?p=riwayatt" class="waves-effect"><i class="fa fa-clock-o"></i><span> Riwayat Transaksi </span></a>

                        </li>

                        <?php if ($hasil['level']!=='Konsumen') { ?>


                                                <li>

                            <a href="?p=tambahko" class="waves-effect"><i class="fa fa-user-plus"></i><span> Tambah Konsumen </span></a>

                        </li>


                            <li class="has_sub">

                            <a href="#" class="waves-effect"><i class="fa fa-list"></i> <span> Data </span> <span class="pull-right"><i class="md md-add"></i></span></a>

                            <ul class="list-unstyled">

                                <li><a href="?p=barang">Barang</a></li>

                                <li><a href="?p=datako">Konsumen</a></li>


                                                                <li><a href="?p=datas">Supplier</a></li>
```

```
                                    <li><a
href="?p=datak">Karyawan</a></li>

                                    <li><a
href="?p=jenis">Jenis *Laundry*</a></li>

                                    <li><a
href="?p=beli">Pembelian</a></li>

                                    <li><a
href="?p=pakai">Pemakaian</a></li>

                                </ul>

                            </li>


                            <?php if
($hasil['level']=='Administrator') { ?>


                                <li class="has_sub">

                                <a href="a"
class="waves-effect"><i class="fa fa-
user"></i> <span> Admin Menu </span>
<span class="pull-right"><i class="md md-
add"></i></span></a>

                                <ul class="list-
unstyled">

                                    <li><a
href="?p=tambahk">Tambah
Karyawan</a></li>


                                    <li><a
href="?p=tambahs">Tambah
Supplier</a></li>


                                    <li><a
href="?p=olahk">Olah Karyawan</a></li>


                                    <li><a
href="?p=olahs">Olah Supplier</a></li>

                                </ul>

                            </li>

<?php } ?>

<?php } ?>
```

```
                        </ul>

                        <div class="clearfix"></div>

                    </div>

                    <div class="clearfix"></div>

                </div>

            </div>

            <div class="content-page">


                <div class="content">

                    <div class="container">

                        <div class="row">

                            <div class="col-sm-12">

                                <h4 class="pull-left
page-title">Aplikasi *Laundry* V2.0</h4>


                            </div>

                        </div>


                            <?php include
"konten.php"; ?>




                    </div>


                </div>


                <footer class="footer text-right">

                    copyright &amp;copy; 2016 Ahmad
Gunawan | Theme by Moltran.

                </footer>


            </div></div>
```

```
        <script>
            var resizefunc = [];
        </script>
        <script src="js/jquery.min.js"></script>
        <script
src="js/bootstrap.min.js"></script>
        <script src="js/waves.js"></script>
        <script src="js/wow.min.js"></script>
        <script src="js/jquery.nicescroll.js"
type="text/javascript"></script>
        <script
src="js/jquery.scrollTo.min.js"></script>
        <script src="assets/jquery-
detectmobile/detect.js"></script>
        <script
src="assets/fastclick/fastclick.js"></script>
        <script src="assets/jquery-
slimscroll/jquery.slimscroll.js"></script>
        <script src="assets/jquery-
blockui/jquery.blockUI.js"></script>
        <script src="js/jquery.app.js"></script>
        <script
src="assets/tags-input/jquery.tags-input.min.js
"></script>
        <script
src="assets/toggles/toggles.min.js"></script
>
        <script
src="assets/timepicker/bootstrap-
timepicker.min.js"></script>
        <script
src="assets/timepicker/bootstrap-
datepicker.js"></script>
        <script type="text/javascript"
src="assets/colorpicker/bootstrap-
colorpicker.js"></script>
        <script type="text/javascript"
src="assets/jquery-multi-select/jquery.multi-
select.js"></script>
        <script type="text/javascript"
src="assets/jquery-multi-
select/jquery.quicksearch.js"></script>
        <script src="assets/bootstrap-
input-mask/bootstrap-input-mask.min.js"
type="text/javascript"></script>
        <script type="text/javascript"
src="assets/spinner/spinner.min.js"></script
>
        <script
src="assets/select2/select2.min.js"
type="text/javascript"></script>
        <script
src="assets/datatables/jquery.dataTables.min
.js"></script>
        <script
src="assets/datatables/dataTables.bootstrap.j
s"></script>
        <script type="text/javascript">
            $(document).ready(function() {
                $('#datatable').dataTable();
            } );
        </script>
            </body>
</html>
<!DOCTYPE html PUBLIC "-//W3C//DTD
XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml
1-transitional.dtd">
<html
xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type"
content="text/html; charset=utf-8" />
<title>Untitled Document</title>
</head>
<body>
                                <?php
```

```
$p=isset($_GET['p'])?$_GET['p']:null;
                switch($p){
                  default:
echo'<div class="panel panel-border panel-primary">
                        <div class="panel-heading">
                          <h3 class="panel-title"><i class="fa fa-home"></i> Dashboard</h3>
                        </div>
                        <div class="panel-body">

<Center><h2><b>Hai '.$hasil['nama'].', Selamat Datang di Aplikasi *Laundry* </b></h2></center>
                        </div>
                      </div>';
                    break;
                case "barang":

include "barang/index.php";
                    break;
                case "datak":

include "karyawan/data.php";
break;
                case "tambahk":

include "karyawan/tambah.php";
break;
                case "datako":

include "konsumen/data.php";
break;
                case "tambaht":

include "transaksi/index.php";
break;
                case "riwayatt":

include "transaksi/data.php";
break;
                case "datas":

include "supplier/data.php";
break;
                case "tambahs":

include "supplier/tambah.php";
break;
                case "olahk":

include "user/karyawan.php";
break;
                case "olahko":

include "user/konsumen.php";
break;
                case "olahs":

include "user/supplier.php";
break;
                case "tambahko":

include "konsumen/tambah.php";
break;
                case "jenis":

include "jenis/index.php";
                    break;
                case "beli":

include "pembelian/data.php";
```

```
break;
                    case "pakai":

include "pemakaian/data.php";
            }


            ?>
</body>
</html>
<?php
session_start();
if( isset($_SESSION['userid']) ) {
   header('location:index.php');
}
require_once('koneksi.php');
$userfail = isset($_GET['userfail']);
$passwordfail =
isset($_GET['passwordfail']);
$logout = isset($_GET['logout']);
?>



<!DOCTYPE html>
<html>
   <head>
      <meta charset="utf-8">
      <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
      <meta name="description" content="A
fully featured admin theme which can be
used to build CRM, CMS, etc.">
      <meta name="author"
content="Coderthemes">
      <link rel="shortcut icon"
href="images/favicon_1.ico">

      <title>Aplikasi Laundry -
Masuk</title>

      <!-- Base Css Files -->
      <link href="css/bootstrap.min.css"
rel="stylesheet" />

      <!-- Font Icons -->
      <link href="assets/font-
awesome/css/font-awesome.min.css"
rel="stylesheet" />
      <link
href="assets/ionicon/css/ionicons.min.css"
rel="stylesheet" />
      <link href="css/material-design-iconic-
font.min.css" rel="stylesheet">

      <!-- animate css -->
      <link href="css/animate.css"
rel="stylesheet" />

      <!-- Waves-effect -->
      <link href="css/waves-effect.css"
rel="stylesheet">

      <!-- Custom Files -->
      <link href="css/helper.css"
rel="stylesheet" type="text/css" />
      <link href="css/style.css"
rel="stylesheet" type="text/css" />

      <!-- HTML5 Shim and Respond.js IE8
support of HTML5 elements and media
queries -->
      <!-- WARNING: Respond.js doesn't
work if you view the page via file:// -->
```

```
        <!--[if lt IE 9]>
        <script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
        <script src="https://oss.maxcdn.com/libs/respond.js/1.3.0/respond.min.js"></script>
        <![endif]-->

        <script src="js/modernizr.min.js"></script>

    </head>
    <body>
        <div class="wrapper-page">
            <div class="panel panel-color panel-primary panel-pages">
                <div class="panel-heading bg-img">
                    <div class="bg-overlay"></div>
                    <h3 class="text-center m-t-10 text-white"> Masuk Untuk Melanjutkan </h3>
                </div>

                <div class="panel-body">
                    <?php
 if ($userfail) {
echo '                    <div class="alert alert-warning alert-dismissable">
                                <button class="close" data-dismiss="alert">&times;</button>
            <p>Username / Password Salah !</p>
                            </div>';
}
 else if ($passwordfail) {
echo '                    <div class="alert alert-warning alert-dismissable">
                                <button class="close" data-dismiss="alert">&times;</button>
                <p>Username / Password Salah !</p>
                            </div>';
}
 else if ($logout) {
echo '                    <div class="alert alert-warning alert-dismissable">
                                <button class="close" data-dismiss="alert">&times;</button>
                    <p>Anda telah berhasil logout</p>
                            </div>';
}
?>
                    <form class="form-horizontal m-t-20" id="form-login" action="proseslogin.php" method="POST">
                        <div class="form-group ">
                            <div class="col-xs-12">
                                <input class="form-control input-lg " name="username" type="text" required="" placeholder="Username">
                            </div>
                        </div>

                        <div class="form-group">
```

```
                    <div class="col-xs-12">
                        <input class="form-control input-lg" name="password" type="password" required="" placeholder="Password">
                    </div>
                </div>

                <div class="form-group ">
                    <div class="col-xs-12">
                        <div class="checkbox checkbox-primary">
                            <input id="checkbox-signup" type="checkbox">
                            <label for="checkbox-signup">
                                Remember me
                            </label>
                        </div>
                    </div>
                </div>

                <div class="form-group text-center m-t-40">
                    <div class="col-xs-12">
                        <button class="btn btn-primary btn-lg w-lg waves-effect waves-light" type="submit">Log In</button>
                    </div>
                </div>

                <div class="form-group m-t-30">
                    </div>
                </form>
                </div>
            </div>
        </div>


        <script>
            var resizefunc = [];
        </script>
        <script src="js/jquery.min.js"></script>
        <script src="js/bootstrap.min.js"></script>
        <script src="js/waves.js"></script>
        <script src="js/wow.min.js"></script>
        <script src="js/jquery.nicescroll.js" type="text/javascript"></script>
        <script src="js/jquery.scrollTo.min.js"></script>
        <script src="assets/jquery-detectmobile/detect.js"></script>
        <script src="assets/fastclick/fastclick.js"></script>
        <script src="assets/jquery-slimscroll/jquery.slimscroll.js"></script>
        <script src="assets/jquery-blockui/jquery.blockUI.js"></script>


        <!-- CUSTOM JS -->
        <script src="js/jquery.app.js"></script>

    </body>
</html>
        <!-- CUSTOM JS -->
        <script src="js/jquery.app.js"></script>
```

```
 </body>
</html>
<script type="text/javascript">
function startCalculate(){
interval=setInterval("Calculate()",10);
}
function Calculate(){
var a=document.form1.stok.value;
var b=document.form1.jumlah.value;
document.form1.stokk.value=(a-b);
}
function stopCalc(){
clearInterval(interval);
}
</script>
<?php

$aksi="barang/proses.php";

$p=isset($_GET['aksi'])?$_GET['aksi']:null;
                switch($p){
default:
echo "<div class='panel panel-border panel-primary'>
                        <div class='panel-heading'>
                          <h3 class='panel-title'><i class='fa fa-list'></i> Data Barang</h3>
                        </div>  <div class='panel-body'>

                                        <p align='right'><a class='btn btn-primary' href='?p=barang&aksi=tambah'><i class='icon-plus'></i>Tambah Barang</a></p>
                        <hr>
                        <table id='datatable' class='table table-hover'>
                          <thead>
                            <tr>
                              <th><i class='icon-terminal'></i> No</th>
                              <th><i class='icon-time'></i> Nama</th>
                              <th><i class='icon-signal'></i> Stok</th>

          <th><i class='icon-chevron-right'></i> Tanggal Update Stok</th>

          <th><i class='icon-chevron-right'></i> Aksi</th>
                            </tr>
                          </thead>
                          <tbody>";

        $i=1;

        $tp=mysqli_query($konek,"SELECT * FROM barangg ORDER BY id");

        while($r=mysqli_fetch_array($tp))
{

            //$hargaa = $r['harga'];
                echo"<tr>
                    <td>$i</td>

                <td>$r[nama]</td>
        <td>$r[stok]</td>

<td>".TanggalIndo($r['tgl_update'])."</td>
                    <td>
```

```
                                    <a class='btn
btn-primary'
href='?p=barang&aksi=edit&id=$r[id]'><i
class='icon-edit'></i>Update Stok</a>
                                <a class='btn btn-success'
href='?p=barang&aksi=pakai&id=$r[id]'><i
class='icon-edit'></i>Pakai</a>

<a class='btn btn-danger'
href='$aksi?act=hapus&id=$r[id]'><i
class='icon-trash'></i>Hapus</td>

                                </tr>";
                                        $i=$i+1;


                                }

                            echo"</tbody>

                            </table>

                                        </div><!-- /.box-
body -->

                    </div><!-- /.box -->   ";

break;

case "edit":

                    $edit =
mysqli_query($konek,"SELECT * FROM
barangg WHERE id='$_GET[id]'");

                $r    = mysqli_fetch_array($edit);

echo "<form method='post'
action='barang/proses.php?act=update'
enctype='multipart/form-data'>";

echo "<div class='panel panel-border panel-
primary'>

                                    <div class='panel-
heading'>

                                        <h3 class='panel-
title'><i class='fa fa-list'></i> Tambah Stok
Barang</h3>

                                    </div>  <div
class='panel-body'>


                    <input type='hidden' name='id'
value='$r[id]'>


<div class='control-group'>

<div class='form-group'>

                            <label>Supplier</label>

                            <div class='span9'><input
class='form-control' value='$r[supplier]'
type='text' name='supplier' readonly/></div>

                        </div>


<div class='form-group'>

                            <label>Nama
Barang</label>

                            <div class='span9'><input
class='form-control' value='$r[nama]'
type='text' name='nama' readonly/></div>

                        </div>



<div class='form-group'>

                            <label>Harga</label>

                            <div class='span9'><input
class='form-control' size='16' type='number'
value='$r[harga]' name='harga'
readonly/></div>

                        </div>



                    <div class='form-group'>

                            <label>Jumlah
Barang</label>

                            <div class='span9'><input
class='form-control' size='16' type='number'
placeholder='Masukan Jumlah Barang'
name='jumlah' /></div>

                        </div>

                            <Br>

                                    <input
type='submit' class='btn btn-primary'
value='Update'> <a class='btn btn-danger'
href='?p=barang'>Batal</a>

                            </form>

                        </div>
```

```
                </div></div>
                        ';
echo "";
break;
case "tambah":
echo "<form method='post' action='barang/proses.php?act=input' enctype='multipart/form-data'>";
echo '<div class="panel panel-border panel-primary">
                                <div class="panel-heading">
                                    <h3 class="panel-title"><i class="fa fa-list"></i> Tambah Barang</h3>
                                </div>  <div class="panel-body">
<div class="control-group">
                <div class="form-group">
                        <label>Supplier</label>
                                <select class="form-control" name="supplier">
                        ';

            $tp=mysqli_query($konek,"SELECT * FROM supplier ORDER BY id");

            while($r=mysqli_fetch_array($tp))
{
                                    echo"<option value='$r[nama]'>$r[nama]</option>";
                        }
                        echo'
                        </select>
                        </div>
<div class="form-group">
                        <label>Nama Barang</label>
                        <div class="span9"><input class="form-control" placeholder="Masukan Nama Barang"  type="text" name="nama" /></div>
                    </div>

<div class="form-group">
                        <label>Harga</label>
                        <div class="span9"><input class="form-control" size="16" type="number" placeholder="Masukan Harga Barang" name="harga" /></div>
                    </div>
                <div class="form-group">
                        <label>Jumlah Barang</label>
                        <div class="span9"><input class="form-control" size="16" type="number" placeholder="Masukan Jumlah Barang" name="jumlah" /></div>
                    </div>
                        <Br>
                                <input type="submit" class="btn btn-primary" value="Tambah"> <a class="btn btn-danger" href="?p=barang">Batal</a>
                        </form>
                        <br>
                    </div>
                </div></div> ';
echo "";
break;
case "pakai":
            $edit = mysqli_query($konek,"SELECT * FROM barangg WHERE id='$_GET[id]'");
    $r    = mysqli_fetch_array($edit)
```

```
echo "<form method='post'  name='form1' action='barang/proses.php?act=pakai' enctype='multipart/form-data'>";

echo "<div class='panel panel-border panel-primary'>

                        <div class='panel-heading'>

                          <h3 class='panel-title'><i class='fa fa-list'></i> Pakai Barang</h3>

                        </div>  <div class='panel-body'>


          <input type='hidden' name='id' value='$r[id]'>


<div class='control-group'>


<div class='form-group'>

                    <label>Nama Barang</label>

                    <div class='span9'><input class='form-control' value='$r[nama]' type='text' name='nama' readonly/></div>

                </div>


<div class='form-group'>

                    <label>Stok</label>

                    <div class='span9'><input class='form-control' size='16' type='number' value='$r[stok]' name='stok' readonly/></div>

                </div>

            <div class='form-group'>

                    <label>Jumlah Barang</label>

                    <div class='span9'><input onchange='startCalculate()' class='form-control' size='16' type='number' placeholder='Masukan Jumlah Barang yang akan dipakai' name='jumlah' /></div>

                </div>

            <div class='form-group'>

                    <label>Sisa Stok</label>

                    <div class='span9'><input class='form-control' size='16' type='number' name='stokk'/></div>

                </div>

                    <Br>

                        <input type='submit' class='btn btn-primary' value='Submit'> <a class='btn btn-danger' href='?p=barang'>Batal</a>

                    </form>

                </div>

            </div></div>

                    ";

echo "";

break;

                        }//penutup switch

?>

</body>

</html>                     <?php

$timezone = "Asia/Jakarta";

if(function_exists('date_default_timezone_set')) date_default_timezone_set($timezone);

$date=date('Y-m-d');

                        $harga = $_POST['harga'];

                        $jumlah = $_POST['jumlah'];

                        $harga2 = $harga*$jumlah;

                        include "../koneksi.php";


$p=isset($_GET['act'])?$_GET['act']:null;

                switch($p){
```

```
default:


    break;

case "input":


mysqli_query($konek,"INSERT INTO
barangg VALUES
('','$_POST[nama]','$_POST[jumlah]','$date'
,'$_POST[supplier]','$_POST[harga]')");

mysqli_query($konek,"INSERT INTO
pembelian VALUES
('','$date','$_POST[jumlah]','$_POST[suppli
er]','$_POST[nama]','$harga2')");


header('location:../index.php?p=barang');


                break;

case "hapus":

mysqli_query($konek,"DELETE FROM
barangg WHERE id='$_GET[id]'");

header('location:../index.php?p=barang');

                break;

case "update":

mysqli_query($konek,"UPDATE barangg
SET
stok=stok+$_POST[jumlah],tgl_update='$da
te' WHERE id='$_POST[id]'");

mysqli_query($konek,"INSERT INTO
pembelian VALUES
('','$date','$_POST[jumlah]','$_POST[suppli
er]','$_POST[nama]','$harga2')");


header('location:../index.php?p=barang');

                break;

case "pakai":

mysqli_query($konek,"UPDATE barangg
SET
stok=$_POST[stokk],tgl_update='$date'
WHERE id='$_POST[id]'");

mysqli_query($konek,"INSERT INTO
pemakaian VALUES
('','$date','$_POST[nama]','$_POST[jumlah]'
)");


header('location:../index.php?p=barang');

    }

        ?>


<div class='panel panel-border panel-
primary'>

                <div class='panel-
heading'>

                    <h3 class='panel-
title'><i class='fa fa-user-plus'></i> Tambah
Karyawan</h3>

                </div>  <div
class='panel-body'> <?php

if(isset($_POST['username'])){

$passasli=$_POST['password'];

$password=md5($passasli);

$username                =
$_POST['username'];

$nama          = $_POST['nama'];

$nik           = $_POST['nik'];

$telp          = $_POST['telp'];

$gender        = $_POST['gender'];

$alamat        = $_POST['alamat'];

$cekuser = mysqli_query($konek, "SELECT
* FROM pengguna WHERE username =
'$username'");

 if(mysqli_num_rows($cekuser) <> 0) {

echo "ERROR : Username sudah terdaftar";

 }else{


    $input = mysqli_query($konek,
"INSERT INTO pengguna
VALUES(NULL, '$nama','$username',
'$password', 'Karyawan', '$nik', '$alamat',
'$telp', '$gender')") or die(mysqli_error());

    if($input){
```

```
                    echo '<div class="alert
alert-success alert-dismissable">

                      <button type="button"
class="close" data-dismiss="alert" aria-
hidden="true">&times;</button><h4><b>T
ambah Karyawan Berhasil!</b></h4>';
          //Pesan jika proses tambah sukses

                    echo '


          ========================
===<Br>

                    <b>Info
Karyawan</b><br>

                    NIK : <b>'.$nik.'</b><br>

                    Nama :
<b>'.$nama.'</b><br>

                    Alamat :
<b>'.$alamat.'</b><br>

                    Telp :
<b>'.$telp.'</b><br>

                    Gender :
<b>'.$gender.'</b><br>


          ========================
===<Br>

                    <b>Info Akun </b><br>

                    Username :
<b>'.$username.'</b><br>

                    Password :
<b>'.$passasli.'</b><br>

                    </div>


                    ';


          }else{


                    echo 'Gagal menambahkan
data! ';

                    echo '<a
href="tambah.php">Kembali</a>';


          }
  }
}
?>


                              <form
method="post">



                    <div
class="form-group">

<label>NIK</label>

                              <input
type="text" class="form-control"
name="nik" placeholder="Masukan Nomor
Induk Karyawan" required>

                    </div>


                              <div
class="form-group">

<label>Nama</label>

                              <input
type="text" class="form-control"
name="nama" placeholder="Masukan Nama
Karyawan" required>

                    </div>


          <div class="form-group">

<label>Alamat</label>

                              <input
type="text" class="form-control"
name="alamat" placeholder="Alamat
Karyawan" required>

                    </div>
```

```
<div class="form-group">

<label>Telp</label>

<input type="text" class="form-control" name="telp" placeholder="Masukan No. Telepon Karyawan" required>

</div>

<div class="form-group">

<label>Gender</label>

<select class="form-control" name="gender">

<option value="Laki laki">Laki laki</option>

<option value="Perempuan">Perempuan</option>

</select>

</div>

<div class="form-group">

<label>Username</label>

<input type="text" class="form-control" name="username" placeholder="Masukan Username" required>

</div>

<div class="form-group">

<label>Password</label>

<input type="password" class="form-control" name="password" placeholder="Masukan Password" required>

</div>

<button type="submit" class="btn btn-primary waves-effect waves-light">Tambah</button>

</form> </div>

</div>

<div class='panel panel-border panel-primary'>

<div class='panel-heading'>

<h3 class='panel-title'><i class='fa fa-user'></i> Data Karyawan</h3>

</div> <div class='panel-body'>

<table id='datatable' class='table table-hover'>

<thead>

<tr>

<th><i class='icon-terminal'></i> NIK</th>

<th><i class='icon-terminal'></i> Nama</th>

<th><i class='icon-time'></i> Username</th>

<th><i class='icon-signal'></i> Alamat</th>

<th><i class='icon-signal'></i> Telp</th>

<th><i class='icon-signal'></i> Gender</th>

</tr>
```

```
                    </thead>
                    <tbody>
                                <?php
                $i=1;

        $tp=mysqli_query($konek,"SELECT * FROM pengguna WHERE level='Karyawan' ORDER BY id ");

        while($r=mysqli_fetch_array($tp))
{
                ?>
                <tr>
                 <td><?php echo $r['nik'];?></td>
                    <td><?php echo $r['nama'];?></td>

        <td><?php echo$r['username'];?></td>

        <td><?php echo$r['alamat'];?></td>

        <td><?php echo$r['telp'];?></td>

        <td><?php echo$r['gender'];?></td>

                </tr>
                <?php $i=$i+1;?>
                <?php } ?>

                </tbody>
            </table>
                    </div><!-- /.box-body -->
        </div><!-- /.box –
            <div class='panel panel-border panel-primary'>
                    <div class='panel-heading'>
                        <h3 class='panel-title'><i class='fa fa-user'></i> Data Konsumen</h3>
                    </div>  <div class='panel-body'>
                    <table id='datatable' class='table table-hover'>
                    <thead>
                        <tr>

        <th><i class='icon-terminal'></i> No</th>

        <th><i class='icon-terminal'></i> Nama</th>

        <th><i class='icon-signal'></i> Alamat</th>

        <th><i class='icon-signal'></i> Telp</th>
                        </tr>
                    </thead>
                    <tbody>
                                <?php
```

```
                    $i=1;


          $tp=mysqli_query($konek,
"SELECT * FROM konsumen ORDER BY
id ");


          while($r=mysqli_fetch_array($tp))
{

                    ?>


                    <tr> <td><?php echo
$i;?></td>

                         <td><?php echo
$r['nama'];?></td>


          <td><?php
echo$r['alamat'];?></td>


          <td><?php echo$r['telp'];?></td>



                    </tr>


                    <?php $i=$i+1;?>


                    <?php } ?>


                    </tbody>

                  </table>

                         </div><!-- /.box-
body -->

        </div><!-- /.box -->   <div
class='panel panel-border panel-primary'>

                         <div class='panel-
heading'>

                              <h3 class='panel-
title'><i class='fa fa-user-plus'></i> Tambah
Konsumen</h3>

                                   </div>  <div
class='panel-body'> <?php

if(isset($_POST['nama'])){

$nama              = $_POST['nama'];

$telp              = $_POST['telp'];

$alamat            = $_POST['alamat'];


          $input = mysqli_query($konek,
"INSERT INTO konsumen
VALUES(NULL, '$nama','$alamat',
'$telp')") or die(mysqli_error());

          if($input){


                    echo '<div class="alert
alert-success alert-dismissable">

                         <button type="button"
class="close" data-dismiss="alert" aria-
hidden="true">&times;</button><h4><b>T
ambah Konsumen Berhasil!</b></h4>';
          //Pesan jika proses tambah sukses

                    echo '


          ==========================
===<Br>

                    <b>Info
Konsumen</b><br>

                    Nama :
<b>'.$nama.'</b><br>

                    Alamat :
<b>'.$alamat.'</b><br>

                    Telp :
<b>'.$telp.'</b><br>

                    </div>


                    ';


          }else{
```

```
                    echo 'Gagal menambahkan data! ';
                    echo '<a href="tambah.php">Kembali</a>';

            }
}
?>

                                    <form method="post">

                                    <div class="form-group">

<label>Nama</label>
                                <input type="text" class="form-control" name="nama" placeholder="Masukan Nama Konsumen" required>
                            </div>

            <div class="form-group">

<label>Alamat</label>
                                <input type="text" class="form-control" name="alamat" placeholder="Masukan Alamat Konsumen" required>
                            </div>

            <div class="form-group">

<label>Telp</label>
                                <input type="text" class="form-control" name="telp" placeholder="Masukan No. Telepon Konsumen" required>
                            </div>

<button type="submit" class="btn btn-primary waves-effect waves-light">Tambah</button>

</form>

                        </div>

</div> <div class='panel panel-border panel-primary'>

                    <div class='panel-heading'>

                        <h3 class='panel-title'><i class='fa fa-list'></i> Data Pemakaian Barang</h3>

                    </div>  <div class='panel-body'>

                    <table id='datatable' class='table table-hover'>

                    <thead>

                        <tr>

            <th><i class='icon-terminal'></i> No</th>

                            <th><i class='icon-terminal'></i> Nama Barang</th>

                            <th><i class='icon-time'></i> Jumlah</th>

            <th><i class='icon-signal'></i> Tanggal Pakai</th>

                        </tr>

                    </thead>

                    <tbody>

                                <?php

                $i=1;

            $tp=mysql_query("SELECT * FROM pemakaian ORDER BY id ");
```

```
        while($r=mysql_fetch_array($tp)){

                ?>

                <tr>

                 <td><?php echo $i;?></td>

                    <td><?php echo $r['barang'];?></td>

          <td><?php echo$r['jumlah'];?></td>

          <td><?php echo TanggalIndo($r['tgl_pakai']);?></td>

                </tr>

          <?php $i=$i+1;?>

                <?php } ?>

                </tbody>

              </table>

                    </div><!-- /.box-body -->

      </div><!-- /.box -->

<div class='panel panel-border panel-primary'>

                    <div class='panel-heading'>

                      <h3 class='panel-title'><i class='fa fa-user-plus'></i> Tambah Supplier</h3>

                    </div>  <div class='panel-body'>

                                <?php

if(isset($_POST['nama'])){

$nama       = $_POST['nama'];

$telp       = $_POST['telp'];

$alamat     = $_POST['alamat'];

        $input = mysqli_query($konek, "INSERT INTO supplier VALUES(NULL, '$nama','$alamat', '$telp')") or die(mysql_error());

        if($input){

                echo '<div class="alert alert-success alert-dismissable">

                  <button type="button" class="close" data-dismiss="alert" aria-hidden="true">&times;</button><h4><b>Tambah Supplier Berhasil!</b></h4>';
        //Pesan jika proses tambah sukses

                echo '

        ==========================<Br>

                <b>Info Supplier</b><br>

                Nama : <b>'.$nama.'</b><br>

                Alamat : <b>'.$alamat.'</b><br>

                Telp : <b>'.$telp.'</b><br>

                </div>

                ';

        }else{

                echo 'Gagal menambahkan data! ';
```

```
                    echo '<a href="tambah.php">Kembali</a>';
  }
}
?>

                                    <form method="post">

                                     <div class="form-group">

<label>Nama</label>

                                <input type="text" class="form-control" name="nama" placeholder="Masukan Nama Supplier" required>

                            </div>


          <div class="form-group">

<label>Alamat</label>

                                <input type="text" class="form-control" name="alamat" placeholder="Masukan Alamat Supplier" required>

                            </div>


          <div class="form-group">

<label>Telp</label>

                                <input type="text" class="form-control" name="telp" placeholder="Masukan No. Telepon Supplier" required>

                            </div>


<button type="submit" class="btn btn-primary waves-effect waves-light">Tambah</button>
</form>
                        </div>
</div>
<div class='panel panel-border panel-primary'>
                        <div class='panel-heading'>
                            <h3 class='panel-title'><i class='fa fa-clock-o'></i> Riwayat Transaksi</h3>
                        </div>  <div class='panel-body'>
                        <table id='datatable' class='table table-hover'>
                            <thead>
                                <tr>

          <th><i class='icon-terminal'></i> No</th>

          <th><i class='icon-signal'></i> Konsumen</th>

          <th><i class='icon-terminal'></i> Jenis</th>

          <th><i class='icon-signal'></i> Tarif</th>

          <th><i class='icon-signal'></i> Berat</th>

          <th><i class='icon-signal'></i> Tanggal Transaksi</th>

          <th><i class='icon-signal'></i> Tanggal Ambil</th>
```

```
<th><i class='icon-signal'></i> Kwitansi</th>
</tr>
</thead>
<tbody>
<?php
$i=1;
$tp=mysqli_query($konek,"SELECT * FROM transaksi WHERE pengguna='$usr' ORDER BY tgl_transaksi");
while($r=mysqli_fetch_array($tp))
{
?>
<tr>
<td><?php echo $i;?></td>
<td><?php echo $r['konsumen'];?></td>
<td><?php echo $r['jenis'];?></td>
<td><?php echo'Rp.' . number_format( $r['tarif'], 0 , '' , '.' ) . ',-'?></td>
<td><?php echo $r['berat']?> Kg</td>
<td><?php echo TanggalIndo($r['tgl_transaksi']);?></td>
<td><?php echo TanggalIndo($r['tgl_ambil']);?></td>
<td><a href="transaksi/kwitansi.php?id=<?php echo $r['id'];?>" target="_blank">Lihat Kwitansi</a></td>
</tr>
<?php $i=$i+1;?>
<?php } ?>
</tbody>
</table>
</div><!-- /.box-body -->
</div><!-- /.box --> <div class='panel panel-border panel-primary'>
<div class='panel-heading'>
<h3 class='panel-title'><i class='fa fa-user-plus'></i> Buat Transaksi</h3>
</div> <div class='panel-body'>
<?php
if(isset($_POST['jenis'])){
$jeniss = $_POST['jenis'];
$query = mysqli_query($konek,"SELECT * FROM jenis WHERE jenis = '$jeniss'");
$hasil = mysqli_fetch_array($query);
$harga= $hasil['harga'];
$berat = $_POST['berat'];
```

```
$konsumen = $_POST['konsumen'];
if ($berat>10){
$tarif = $berat*$harga*90/100;
}else{
$tarif = $berat*$harga;
}
$tgl_ambil = $_POST['tgl_ambil'];
$timezone = "Asia/Jakarta";
if(function_exists('date_default_timezone_set')) date_default_timezone_set($timezone);
$tgl_transaksi=date('Y-m-d');

    $input = mysqli_query($konek,"INSERT INTO transaksi VALUES(NULL, '$jeniss','$tarif', '0', '$tgl_transaksi', '$tgl_ambil', '$berat','$usr','$konsumen')") or die(mysqli_error());
    if($input){

        echo '<div class="alert alert-success alert-dismissable">
<button type="button" class="close" data-dismiss="alert" aria-hidden="true">&times;</button><h4><b>
Transaksi Berhasil!</b></h4>';
        echo '
        <b>Rincian Transaksi</b><br>

    ==========<Br>
        Konsumen : <b>'.$konsumen.'</b><br>
        Jenis Laundry : <b>'.$jeniss.'</b><br>
        Berat : <b>'.$berat.' Kg</b><br>
        Tarif : <b>Rp. ' . number_format( $tarif, 0 , '' , '.' ) . ',-</b><br>
        Tanggal Transaksi : <b>'.TanggalIndo($tgl_transaksi).'</b><br>
        Tanggal Ambil : <b>'.TanggalIndo($tgl_ambil).'</b><br>

    ==========
        </div>

        ';

    }else{

        echo 'Gagal menambahkan data! ';
        echo '<a href="tambah.php">Kembali</a>';

    }
  }
?>

                <form method="post">

    <div class="form-group">

<label>Konsumen</label>
                <select class="form-control" name="konsumen">
body ul{list-style: none;}
table{
```

```
        text-align: left;
        border: 0px;
        width: 100%;
}
table tr{
        margin-bottom: 3px;
        cursor: default;
}
table.arsip-hover tr:hover{
        background-color: #cacaff
}
table td{
        max-width: 200px;
        overflow: hidden;
        padding: 2px;
}
.kotak{
        height: 400px;
        overflow: scroll;
        display: block;
        border:1px solid #999;
}
.arsip, .cetak{
        font-size: 12pt;
        color:#0084f3;
}
a:hover{
        text-decoration: none;
}
.tbl{
        display: block;
        height: 50px;
        line-height: 25px;
        vertical-align: middle;
        font-size: 25px;
        color: white;
        background-color: #229d15;
        margin-bottom: 5px;
}
.tbl:hover{
        color: white;
        background-color: #208618;
}
```

```
                <?php

        $tp=mysqli_query($konek,"SELEC
T * FROM konsumen ORDER BY id");

        while($r=mysqli_fetch_array($tp))
{

                ?>

                <option value="<?php
echo $r['nama'];?>"><?php echo
$r['nama'];?></option>

                <?php } ?>

                </select>

                 </div>


                        <div
class="form-group">

<label>Jenis</label>

                                <select
class="form-control" name="jenis">
```

```
<?php

$tp2=mysqli_query($konek,"SELECT * FROM jenis ORDER BY id");

while($r2=mysqli_fetch_array($tp2)){

?>

<option value="<?php echo $r2['jenis'];?>"><?php echo $r2['jenis'];?></option>

<?php } ?>

</select>

</div>

<div class="form-group">

<label>Berat (Dalam Kilogram)</label>

<input type="number" class="form-control" name="berat" placeholder="Masukan Berat Pakaian" required>

</div>

//$hargaa = $r['harga'];

<?php

$aksi="user/prosesko.php";

$p=isset($_GET['aksi'])?$_GET['aksi']:null;

switch($p){

default:

echo "<div class='panel panel-border panel-primary'>

<div class='panel-heading'>

<h3 class='panel-title'><i class='fa fa-list'></i> Olah Konsumen</h3>

</div> <div class='panel-body'>

<hr>

<table id='datatable' class='table table-hover'>

<thead>

<tr>

<th><i class='icon-terminal'></i> No.</th>

<th><i class='icon-terminal'></i> Nama</th>

<th><i class='icon-signal'></i> Alamat</th>

<th><i class='icon-signal'></i> Telp</th>

<th><i class='icon-chevron-right'></i> Aksi</th>

</tr>

</thead>

<tbody>";

$i=1;

$tp=mysqli_query($konek, "SELECT * FROM konsumen ORDER BY id");
```

```
        while($r=mysqli_fetch_array($tp))
{

            //$hargaa = $r['harga'];

                echo"<tr>

                  <td>$i</td>

                    <td>$r[nama]</td>

                      <td>$r[alamat]</td>


        <td>$r[telp]</td>

                        <td><a class='btn btn-
primary'
href='?p=olahko&aksi=edit&id=$r[id]'><i
class='icon-edit'></i>Edit</a>

                                        <a
class='btn btn-danger'
href='$aksi?act=hapus&id=$r[id]'><i
class='icon-trash'></i>Hapus</td>


                    </tr>";

                        $i=$i+1;

                }


            echo"</tbody>

            </table>

                    </div><!-- /.box-
body -->

      </div><!-- /.box -->   ";


break;

case "edit":

        $edit = mysqli_query($konek,
"SELECT * FROM konsumen WHERE
id='$_GET[id]'");

   $r    = mysqli_connect()
_fetch_array($edit);

echo "<form method='post'
action='user/prosesko.php?act=update'
enctype='multipart/form-data'>";

echo "<div class='panel panel-border panel-
primary'>

                <div class='panel-
heading'>

          <h3 class='panel-title'><i
class='fa fa-list'></i> Edit Konsumen</h3>

                </div>  <div
class='panel-body'>


        <input type='hidden' name='id'
value='$r[id]'>


<div class='control-group'>


<div class='form-group'>

            <label>Nama</label>

            <div class='span9'><input
class='form-control' value='$r[nama]'
type='text' name='nama' /></div>

          </div>



        <div class='form-group'>

            <label>Alamat</label>

            <div class='span9'><input
class='form-control' size='16' type='text'
value='$r[alamat]' name='alamat' /></div>

          </div>


        <div class='form-group'>

            <label>Telp</label>
```

```
                    <div class='span9'><input
class='form-control' size='16' type='text'
value='$r[telp]' name='telp' /></div>

                </div>



        <Br>


                                <input
type='submit' class='btn btn-primary'
value='Update'> <a class='btn btn-danger'
href='?p=olahko'>Batal</a>

                    </form>

                </div>



            </div></div>


                ";

echo "";

break;

                            }

?>

</body>


</html>                     <?php

                            include
"../koneksi.php";

$p=isset($_GET['act'])?$_GET['act']:null;

            switch($p){

                default:


                            break;

                case "hapus":
mysqli_query($konek, "DELETE FROM
pengguna WHERE id='$_GET[id]'");

 header('location:../index.php?p=olahk');

                            break;

                case "update":

   mysqli_query($konek, "UPDATE
pengguna SET
nama='$_POST[nama]',alamat='$_POST[ala
mat]',telp='$_POST[telp]',gender='$_POST[
gender]' WHERE id='$_POST[id]'");



 header('location:../index.php?p=olahk');

        }

            ?>

                            <?php

                            include
"../koneksi.php";

$p=isset($_GET['act'])?$_GET['act']:null;

            switch($p){

                default:


                            break;

                case "hapus":

mysqli_query($konek, "DELETE FROM
konsumen WHERE id='$_GET[id]'");

 header('location:../index.php?p=olahko');

                            break;

                case "update":

   mysqli_query($konek, "UPDATE
konsumen SET
nama='$_POST[nama]',alamat='$_POST[ala
mat]',telp='$_POST[telp]' WHERE
id='$_POST[id]'");



 header('location:../index.php?p=olahko');

        }
```

```
?>


<?php
include "../koneksi.php";

$p=isset($_GET['act'])?$_GET['act']:null;
switch($p){
default:


break;
case "hapus":
mysqli_query($konek, "DELETE FROM supplier WHERE id='$_GET[id]'");
header('location:../index.php?p=olahs');
break;
case "update":
mysqli_query($konek, "UPDATE supplier SET nama='$_POST[nama]',alamat='$_POST[alamat]',telp='$_POST[telp]' WHERE id='$_POST[id]'");


header('location:../index.php?p=olahs');
}
?>



<?php

$aksi="user/prosess.php";

$p=isset($_GET['aksi'])?$_GET['aksi']:null;
switch($p){
default:
```

```
echo "<div class='panel panel-border panel-primary'>
<div class='panel-heading'>
<h3 class='panel-title'><i class='fa fa-list'></i> Olah Supplier</h3>
</div> <div class='panel-body'>
<hr>
<table id='datatable' class='table table-hover'>
<thead>
<tr>

<th><i class='icon-terminal'></i> No.</th>
<th><i class='icon-terminal'></i> Nama</th>

<th><i class='icon-signal'></i> Alamat</th>

<th><i class='icon-signal'></i> Telp</th>

<th><i class='icon-chevron-right'></i> Aksi</th>
</tr>
</thead>
<tbody>";

$i=1;

$tp=mysqli_query($konek, "SELECT * FROM supplier ORDER BY id");
```

```
        while($r=mysqli_fetch_array($tp))
{

            //$hargaa = $r['harga'];

                echo"<tr>

                  <td>$i</td>

                    <td>$r[nama]</td>

                      <td>$r[alamat]</td>


        <td>$r[telp]</td>

                        <td><a class='btn btn-
primary'
href='?p=olahs&aksi=edit&id=$r[id]'><i
class='icon-edit'></i>Edit</a>

                                        <a
class='btn btn-danger'
href='$aksi?act=hapus&id=$r[id]'><i
class='icon-trash'></i>Hapus</td>


                    </tr>";

                        $i=$i+1;

                }


            echo"</tbody>

            </table>

                    </div><!-- /.box-
body -->

      </div><!-- /.box -->   ";


break;

case "edit":

        $edit = mysqli_query($konek,
"SELECT * FROM supplier WHERE
id='$_GET[id]'");

   $r    = mysqli_fetch_array($edit);

echo "<form method='post'
action='user/prosess.php?act=update'
enctype='multipart/form-data'>";

echo "<div class='panel panel-border panel-
primary'>

                <div class='panel-
heading'>

          <h3 class='panel-title'><i
class='fa fa-list'></i> Edit Supplier</h3>

                </div>  <div
class='panel-body'>


        <input type='hidden' name='id'
value='$r[id]'>


<div class='control-group'>


<div class='form-group'>

            <label>Nama</label>

            <div class='span9'><input
class='form-control' value='$r[nama]'
type='text' name='nama' /></div>

          </div>



      <div class='form-group'>

            <label>Alamat</label>

            <div class='span9'><input
class='form-control' size='16' type='text'
value='$r[alamat]' name='alamat' /></div>

          </div>


      <div class='form-group'>

            <label>Telp</label>
```

```
                    <div class='span9'><input class='form-control' size='16' type='text' value='$r[telp]' name='telp' /></div>

                </div>



        <Br>


                            <input type='submit' class='btn btn-primary' value='Update'> <a class='btn btn-danger' href='?p=olahs'>Batal</a>

                    </form>

                </div>



            </div></div>


                ";

echo "";

break;

                        }

?>

</body>


</html>


        <div class="form-group">

<label>Tanggal Ambil</label>

                            <input type="date" class="form-control" name="tgl_ambil" required>

                            </div>


        <pre>

*Setiap transaksi lebih dari 10kg akan mendapatkan potongan harga 10%</pre>

<button type="submit" class="btn btn-primary waves-effect waves-light">Buat Transaksi</button>

</form>

                            </div>


        </div>


<?php

@ini_set('display_errors', 0);

session_start();

if ( !isset($_SESSION['username']) ) {

    header('location:login.php');

}

else {

    $usr = $_SESSION['username'];

}

require ("lib/fpdf/fpdf.php");

require("lib/lib-function.php");

require("../koneksi.php");

$query = mysqli_query($konek,"SELECT * FROM transaksi WHERE id='$_GET[id]'");

$hasil = mysqli_fetch_array($query);

$hhh=$hasil['pengguna'];

$query2 = mysqli_query($konek,"SELECT * FROM pengguna WHERE username='$hhh'");

$hasil2 = mysqli_fetch_array($query2);


function TanggalIndo($date){

        $BulanIndo = array("Januari", "Februari", "Maret", "April", "Mei", "Juni", "Juli", "Agustus", "September", "Oktober", "November", "Desember");
```

```
        $tahun = substr($date, 0, 4);
        $bulan = substr($date, 5, 2);
        $tgl   = substr($date, 8, 2);

        $result = $tgl . " " . $BulanIndo[(int)$bulan-1] . " ". $tahun;

        return($result);
}
Class Kwitansi extends FPDF
{
        /*Format Kwitansi Sederhana oleh : Ahyarudin -- www.ayayank.com*/
        var $tanggal,$kwnums,$admins,$notevalid,$headerCo,$headerAddr,$headerTel;
        /* Header Kwitansi */
        function Header(){
                $this->SetFont('Arial','B',12);
                $this->Cell(40,7,$this->headerCo,0,1,'L');
                $this->SetFont('Arial','B',11);
                $this->Cell(0,7,$this->headerAddr,0,1,'L');
                $this->Cell(120,7,$this->headerTel,0,0,'L');
                $this->SetFont('Arial','',12);
                $this->Cell(28,7,'',0,0,'L');
                $this->SetFont('Courier','',12);
                $this->Cell(0,7,'',0,1,'L');
                $this->SetFillColor(95, 95, 95);
                $this->Rect(5, 27.5, 198, 3, 'FD');
        }
        /* Footer Kwitansi*/
        function Footer(){
                $this->SetY(-40);
                $this->Ln(18);
                $this->Cell(130);
                $this->SetFont('Courier','B',12);
                $this->Cell(0,6,$this->admins,0,1,'C');
                $this->Ln(3);
                $this->SetFont('Arial','I',10);
                $this->Cell(0,6,$this->notevalid,0,1,'R');
        }
        function setHeaderParam($pt,$jl,$tel){
                $this->headerCo=$pt;
                $this->headerAddr=$jl;
                $this->headerTel=$tel;
                }
        function setAdmins($admins){$this->admins=$admins;}
        function setValidasi($word){$this->notevalid=$word;}
}
/*Deklarasi variable untuk cetak*/
$pt='AHMAD LAUNDRY';
$jl='Jl. Helmarte Port No. 2 - Saint Heaven';
$tel='021 - 9997724';
$cash=$hasil['tarif'];
$pembayar=$hasil['konsumen'];
$tglambil= TanggalIndo($hasil['tgl_ambil']);
$tgltransaksi= TanggalIndo($hasil['tgl_transaksi']);
```

```
$admins='Admin';
$payment='Jasa *Laundry*';
$notevalid='validasi pembayaran dianggap
sah bila disertai tanda tangan dan stempel';
/*parameter kertas*/
$pdf=new Kwitansi('L','mm','A5');
$fungsi=new Fungsi();
/* Retrieve No. Kwitansi*/
/*Persiapan Parameter*/
$pdf->setAdmins($admins);
$pdf->setValidasi($notevalid);
$pdf->setHeaderParam($pt,$jl,$tel);
/* Bagian di mana inti dari kwitansi berada*/
$pdf->setMargins(5,5,5);
$pdf->AddPage();
$pdf->SetLineWidth(0.6);
$pdf->Ln(10);
$pdf->Cell(20);
$pdf->SetFont('Arial','B',14);
$pdf->Cell(40,8,'Terima Dari  : ',0,0,'R');
$pdf->SetFont('Courier','',14);
$pdf->Cell(16,8,$pembayar,0,1,'L');
$pdf->SetFont('Arial','B',14);
$pdf->Cell(20);
$pdf->Cell(40,8,'Uang Sejumlah  : ',0,0,'R');
$pdf->SetFillColor(255, 255, 255);
$pdf->SetFont('Courier','',12);
$pdf->MultiCell(120,8,'###'.$fungsi-
>Terbilang($cash).' RUPIAH ###',0,'L');
$pdf->SetFont('Arial','B',14);
$pdf->SetY(-90);
$pdf->Cell(20);
$pdf->Cell(40,8,'Untuk Pembayaran  :
',0,0,'R');
$pdf->SetFont('Courier','',12);
$pdf->MultiCell(120,8,$payment,0,'L');
$pdf->SetFont('Arial','B',14);
$pdf->SetY(70);
$pdf->Cell(20);
$pdf->Cell(40,8,'Tanggal Ambil  : ',0,0,'R');
$pdf->SetFont('Courier','',12);
$pdf->MultiCell(120,8,$tglambil,0,'L');
$pdf->SetY(-50);
$pdf->SetFont('Courier','B','16');
$pdf->Cell(60,12,'Rp '.$fungsi-
>Ribuan($cash),1,0,'C');
$pdf-
>SetAuthor('http://www.ayayank.com',true);
$pdf->SetY(-40);
$pdf->SetFont('Courier','',12);
$pdf->Cell(130);
$pdf->Cell(0,6,$tgltransaksi,0,1,'C');
$pdf->Ln(10);
$pdf->Output();
?>
<title>Kwitansi Pembayaran</title>
```