

## **LAMPIRAN**

```

<!DOCTYPE html>

<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport"
content="width=device-width,
initial-scale=1.0" />
    <title>Document</title>
  </head>
  <body>
    <h1>Javascript & PHP push
notification</h1>
    <script>

      navigator.serviceWorker.register("serviceWorker.js");

      function enableNotif() {

        Notification.requestPermission()
          .then((permission) => {
            if (permission ===
"granted") {

              navigator.serviceWorker.ready.
              then((sw) => {
                sw.pushManager
                  .subscribe({


                    userVisibleOnly: true,


                    applicationServerKey:
                      "BKUF9wT-
uQHh-
QlJbtDIGSLlPwNNCaY98idD6RD_nob
INCzU-B9_3Zy-
ugpAoMeHbHV0GhZkcd3PA2SHx_Chb7
0",
                  })
                .then((subscription) => {

                  console.log(JSON.stringify(sub
cription));
                  });
                });
              });
            }
          );
        }

        console.log(location.pathname);
      ;
    </script>
  </body>
</html>

<button
  onclick="enableNotif()">Enable
</button>
</body>
</html>

@import
url('https://fonts.googleapis.
com/css2?family=Caveat:wght@40
0;500;600;700&family=Covered+B
y+Your+Grace&family=Oswald:wgh
t@200;300;400;500;600;700&fami
ly=Quicksand:wght@300;400;500;
600;700&Rajdhani:wght@300;400;
500;600;700&family=Roboto+Cond
ensed:ital,wght@0,300;0,400;0,
700;1,300;1,400;1,700&family=R
oboto+Slab:wght@100;200;300;40
0;500;600;700;800;900&family=Y
uji+Boku&family=Philosopher:it
al,wght@0,400;0,700;1,400;1,70
0&display=swap');

@tailwind base;
@tailwind components;
@tailwind utilities;

@layer components {
  .btn {
    @apply flex items-
    center justify-center text-
    slate-50 px-4 py-1.5 text-
    center shadow-md font-semibold
    rounded-md cursor-pointer;
  }
  .btn.btn-sm{
    @apply py-1 px-2 font-
    medium text-sm
  }
  .btn.btn-xs{
    @apply py-0.5 px-1
    font-medium text-xs
  }
  .input-group {
    @apply relative flex
    flex-col justify-center my-2;
  }
  .input-group.input-sm {
    @apply !my-1;
  }
  .input-group label {

```

```

        @apply font-bold ml-
0.5 text-base text-primary
capitalize;
    }

    .input-group
:is(input:not([type=file],[typ
e=checkbox]), textarea){
    @apply w-full shadow
relative outline-none
focus:ring-1 ring-primary/30
px-2 py-0.5 border rounded-md
text-slate-500 bg-white font-
semibold border-slate-400;
}
    .input-group.input-sm
input:not([type=file],[type=ch
eckbox]){
    @apply !px-2 !py-0
!text-sm;
}
    .input-group > input:read-
only{
    @apply bg-slate-200
border-slate-400 text-slate-
700
}
    .input-group >
input:is([type=file]) {
    @apply w-full relative
outline-none focus:ring-1
ring-primary/30 border border-
slate-400 rounded-md text-
slate-500 file:py-1
}
/* .input-group >
input[type="file"]{
    @apply w-full shadow
relative outline-none
focus:ring-1 ring-primary/30
px-2 py-0.5 border border-
slate-400 rounded-md text-
slate-500 bg-white font-
semibold;
} */
    .input-group select{
    @apply w-full shadow
relative outline-none
focus:ring-1 ring-primary/30
px-2 py-0.5 border border-
slate-400 rounded-md text-
slate-500 bg-white font-
semibold;
}
    .input-group.input-sm
select{
        @apply font-bold ml-
0.5 text-base text-primary
capitalize;
    }

    .input-group
input[currency]{
    @apply !font-robotoSlab
}
    :is(input,select,
textarea).profil {
    @apply border-0 border-b
focus:!ring-0 focus:!border-
slate-400 focus:!text-slate-
500 p-0 w-full border-black;
}
/* navbar */
.navbar {
    @apply flex flex-col
items-center justify-center w-
full px-5 py-2 bg-white
shadow-md lg:justify-center
lg:px-20 lg:items-center;
}
.navbar .navbar-nav{
    @apply items-center
gap-4 overflow-x-auto text-lg
font-medium tracking-wide
lg:flex first-line:text-slate-
700 whitespace nowrap;
}

.navbar .navbar-nav .nav-
link{
    @apply flex items-
center gap-2 font-semibold
text-black transition-colors
cursor-pointer max-md:text-
black hover:text-indigo-400
hover:border-indigo-400;
}

.nav-link.aktiv {
    @apply !text-indigo-400
}

/* table */
table {
    @apply w-full text-xs
!border-separate md:text-base
border-spacing-0;
}
/* table :is(thead, tbody)
tr{
    @apply text-black bg-
white border border-slate-300;
}

```

```

} */
table tbody tr:nth-child(odd) {
    @apply bg-white text-slate-800
}
table tbody tr:nth-child(odd) {
    @apply bg-slate-100 text-slate-800
}
td, th {
    @apply px-4 py-1 border-b border-l border-slate-300;
}
th {
    @apply border-t;
}

:is(td,th):last-child {
    @apply border-r
}

table.transparent {
    @apply w-max
}
table.transparent thead tr{
    @apply bg-transparent text-slate-800;
}
table.transparent tbody tr {
    @apply bg-transparent text-slate-800
}
.transparent td,
.transparent th {
    @apply border-none px-2 !w-max;
}

/* modal */
.modal {
    @apply fixed top-0 left-0 z-[60] flex items-start justify-center w-full max-h-screen min-h-screen px-5 transition-all duration-500 opacity-0 pointer-events-none bg-white/70 py-14 backdrop-blur-sm;
}

.modal-dialog {
    @apply grid grid-rows-[0fr] transition-all duration-500;
}
.modal-content {
    @apply w-full flex flex-col overflow-hidden bg-white rounded-md shadow-lg md:max-w-xl max-h-[35rem];
}
.modal-header {
    @apply py-4 px-5 border-b flex items-center justify-between w-full min-w-max
}
.modal-header .title {
    @apply text-xl font-semibold tracking-wider
}
.modal-body{
    @apply overflow-x-hidden overflow-y-auto leading-relaxed;
}

.modal.active{
    @apply opacity-100 pointer-events-auto
}

.modal.active .modal-dialog {
    @apply grid-rows-[1fr]
}
.modal.active .modal-dialog .modal-content{
    @apply border
}
.modal .close{
    @apply relative h-[25px] w-[25px] cursor-pointer
}
.modal .close::after {
    @apply content-[""] h-[2px] w-full bg-black absolute top-0 left-0 rotate-[45deg] origin-top-left translate-x-1 translate-y-[3px]
}
.modal .close::before {
    @apply content-[""] h-[2px] w-full bg-black absolute bottom-0 left-0 -rotate-[45deg] origin-bottom-left
}

```

```

translate-x-1 -translate-y-
[3px]
}

/* card */
.card {
    @apply w-full rounded
shadow-sm bg-gray-50;
}

.card .header {
    @apply flex items-
center justify-between flex-
wrap gap-y-1.5 gap-x-2 p-5
border-b rounded-t
dark:border-gray-600;
}
.card .header .title {
    @apply text-xl font-
semibold text-gray-900
capitalize dark:text-white;
}
.card .body {
    @apply p-5 ;
}
/* end card */

/* sidebar */
.sidebar-item {
    @apply flex items-center
p-2 text-gray-900 rounded-lg
dark:text-white hover:bg-gray-
100 dark:hover:bg-gray-700;
}

.sidebar-icon {
    @apply w-5 h-5 text-
gray-500 transition duration-
75 dark:text-gray-400 group-
hover:text-gray-900
dark:group-hover:text-white;
}

.sidebar-item.active {
    @apply text-gray-200;
}

.image .action {
    @apply w-full absolute
bottom-0 justify-center flex
items-center bg-transparent
hover:bg-black/80 transition-
all duration-[0.6s] ease-
linear py-2
}
#image-container {
    @apply [<img>]:h-[25rem]
[<img>]:object-contain border
bg-black shadow-lg relative;
}

.menu-card {
    @apply bg-white py-5
shadow-md px-2 border-2
}

.menu-header {
    @apply font-bold text-lg
lg:!text-xl uppercase mb-5
text-center
}

.menu-body {
    @apply flex flex-wrap
gap-2 w-full items-stretch
!justify-center
}

.menu-items {
    @apply text-xs lg:!text-
lg w-full p-4 gap-2 relative
}

.menu-title, .menu-items >
.title {
    @apply font-semibold
whitespace-normal h-8 lg:h-12
line-clamp-2 transition-all
}
.menu-price, .menu-items >
.price {
    @apply mt-4 font-bold
text-lime-600 transition-all
}

.menu-price > .sold,
.menu-items > .price > .sold {
    @apply text-xs font-
normal text-black transition-
all
}

.menu-umkm, .menu-items >
.umkm{
    @apply font-bold
transition-all
}
.menu-items > .deskripsi {
    @apply text-xs lg:!text-
sm bg-white translate-y-[100%]
font-semibold duration-500
}

```

```

border-t shadow-md w-full
!absolute left-0 transition-
all bottom-0 overflow-hidden
flex justify-center items-
center h-[2.7rem]
}
.menu-items:hover >
.deskripsi {
    @apply -translate-y-[0%]
}
.card-slider-item {
    @apply transition-all
ease-linear
}

.card-slider-
item:has(>.menu-items:hover) {
    @apply -translate-y-2
}

.options {
    @apply bg-white absolute
z-50 border rounded divide-y-2
overflow-y-auto max-h-[200px]
hidden !capitalize
}

.options > li {
    @apply p-2 cursor-
pointer select-none hover:bg-
slate-200;
}

.group-floating {
    @apply relative flex
gap-2 pt-4 pb-1 overflow-auto
bg-white border shadow-md ps-2
pe-4 ;
}

.group-floating > input {
    @apply border-0 px-0 py-
0 focus:border-0
placeholder:text-transparent
focus:ring-0 max-md:w-full
}

.group-floating >
input:placeholder-shown ~
label {
    @apply top-3 text-black
text-base
}
.group-floating > label,
.group-floating > input:focus ~
label {
    @apply absolute text-xs
transition-all duration-500
left-7 text-slate-400 top-1;
}

.filter > .title {
    @apply font-bold text-lg
uppercase
}
.filter > .list {
    @apply text-sm font-
semibold
}

.filter .list-item {
    @apply flex items-center
gap-x-4
}

.filter
input[type="checkbox"] {
    @apply border-slate-300
}
main .content {
    @apply border w-full px-
4 py-4 grid grid-cols-3
transition-all duration-300
}

main .content >
:is(.title, .destinations) {
    @apply !flex flex-col
}
main .content > .title >
h4 {
    @apply font-bold text-lg
font-quickSand capitalize
}
main .content > .title >
span {
    @apply text-sm font-
quickSand capitalize
}

main .destinations >
:is(.time){
    @apply font-bold text-lg
}

/* #toggle-rotate.aktiv {
    @apply rotate-180
} */

```

```

button#submit:disabled {
    @apply bg-red-600
cursor-not-allowed
}

.message-error {
    @apply text-red-400
text-sm ms-1 mt-0.5 font-
medium
}

.container-alert{
    @apply fixed top-0
right-0 flex flex-col items-
end mt-3 mr-3 z-20
}
.alert .content {
    @apply px-3 py-1.5
font-semibold min-h-0 flex
items-center justify-between
gap-x-4 rounded-md border
shadow transition-all
duration-500 overflow-hidden
}

.alert.danger .content{
    @apply bg-red-100 text-
red-800 border-red-800
}

.alert .dialog {
    @apply min-h-0
}

.alert {
    @apply grid grid-rows-
[0fr] overflow-hidden
transition-all duration-500
mb-0;
}

.alert:has(.show),
.alert.show{
    @apply !grid-rows-[1fr]
!mb-3
}

.alert.success .content{
    @apply bg-indigo-100
border-indigo-800 text-indigo-
800
}

.notif {
    @apply relative flex
items-center w-12 overflow-
hidden h-6 bg-red-700 rounded-
full transition-all
}

.notif label {
    @apply w-4 h-4
transition-all duration-300
rounded-full bg-white absolute
translate-x-1 cursor-pointer
}

input#notif:checked +
.notif{
    @apply bg-indigo-600
}
input#notif:checked +
.notif label{
    @apply translate-x-
[calc(100%+12px)]
}

.progress-seat {
    @apply relative flex
items-center justify-center h-
2 overflow-hidden bg-indigo-
600 rounded-full w-28 ;
}

.progress-seat::after{
    @apply bg-slate-200;
}

main .content:hover {
    box-shadow: 6px 5px 11px
rgb(199, 195, 195);
    /* animation: hover_animate
1s; */
}

@keyframes hover_animate {
    0% {
        background: linear-
gradient(90deg, rgba(2,0,36,1)
0%, rgba(9,9,121,1) 35%,
rgba(0,212,255,1) 100%);
    }
    100% {
        background: linear-
gradient(1200deg,
rgba(2,0,36,1) 0%,
rgba(9,9,121,1) 35%,
rgba(0,212,255,1) 100%);
    }
}
```

```

}

#toggle-rotate.aktiv {
    animation: rotate .8s;
}
@keyframes rotate {
    100% {
        transform: rotate(180deg)
translateX(0.25rem);
    }
}

#tooltip::after {
    content: "";
    position: absolute;
    top: 100%;
    left: 50%;
    margin-left: -5px;
    border-width: 5px;
    border-style: solid;
    border-color: black transparent transparent transparent;
}

.i.fas {
    cursor: pointer;
}

/* Next & previous buttons */
#image-container :is(.prev,
.next) {
    cursor: pointer;
    position: absolute;
    top: 50%;
    width: auto;
    padding: 16px;
    margin-top: -22px;
    color: rgba(255, 255, 255, .3);
    font-weight: bold;
    font-size: 18px;
    transition: 0.6s ease;
    border-radius: 0 3px 3px 0;
    user-select: none;
}

/* Position the "next button"
to the right */
#image-container .next {
    right: 0;
    border-radius: 3px 0 0 3px;
}

/* On hover, add a black
background color with a little
bit see-through */
/* .prev:hover, .next:hover {
    background-color:
rgba(0,0,0,0.8);
    color: white;
} */

.image {
    display: none;
    position: relative;
    justify-content: center;
    align-items: center;
    flex-direction: column;
}

/* .image .action {

width: 100%;
position: absolute;
bottom: 0px;
display: flex;
justify-content: center;
align-items: center;
background-color:
transparent;
transition: all ease 150ms;
} */

/* .numbertext:has(+ .action:hover),
.image:hover :is(.numbertext,
.action),
.image:hover ~ :is(.prev,
.next),
:is(.next, .prev):hover {
    background-color:
rgba(0,0,0,0.8);
    color: white;
} */

.image .delete {
    color: rgb(239 68 68);
    opacity: 0.2;
    transition: all ease 0.6s;
}

.image .update {
    color: rgb(59 130 246);
    opacity: 0.2;
    transition: all ease 0.6s;
}

div:has(> .image):hover
:is(.prev, .next, .action,
.numbertext) {
    background-color:
rgba(0,0,0,0.8);
}

```

```

        color: white;
    }
    div:has(> .image):hover
    :is(.update, .delete){
        opacity: .6;
    }

    :is(.update, .delete):hover{
        opacity: 1 !important;
    }

    .numbertext {
        color: #f2f2f2;
        font-size: 12px;
        padding: 8px 12px;
        position: absolute;
        top: 0;
        border-radius: 3px 0 0 3px;
        transition: 0.6s ease;
    }

    .image:nth-child(1) {
        display: flex;
    }

    .fade {
        animation-name: fade;
        animation-duration: 1.5s;
    }

    @keyframes fade {
        from {
            opacity: .4;
        }
        to {
            opacity: 1;
        }
    }

    #copy {
        position: relative;
        color: rgba(0,0,0,.8)
    !important;
    }

    #copy::after {
        content: "dicopy";
        position: absolute;
        font-size: .9rem;
        font-family: cursive;
        top: -16px;
        left: -12px;
        white-space: nowrap;
        color: rgba(0,0,0,.8);
        display: none;
    }

    #copy.active::after{
        display: inline;
    }

    .tooltip {
        position: relative;
        display: inline-block;
    }

    .tooltip .tooltiptext {
        visibility: hidden;
        background-color: black;
        color: #fff;
        text-align: center;
        border-radius: 6px;
        padding: 3px 4px 6px 4px;
        position: absolute;
        z-index: 1;
        top: -4px;
        left: 160%;
        font-size: .9rem;
        font-family: "'Quicksand',
        sans-serif";
    }

    .tooltip .tooltiptext::after {
        content: "";
        position: absolute;
        top: 50%;
        right: 100%;
        margin-top: -5px;
        border-width: 5px;
        border-style: solid;
        border-color: transparent
        black transparent transparent;
    }

    .tooltip.active .tooltiptext {
        visibility: visible;
    }

    @keyframes ldio-qexq6n0axc {
        0% {
            opacity: 1;
            backface-visibility:
            hidden;
            transform: translateZ(0)
            scale(1.5,1.5);
        } 100% {
            opacity: 0;
            backface-visibility:
            hidden;
            transform: translateZ(0)
            scale(1,1);
        }
    }

```

```

}

.ldio-qexq6n0axc div > div {
  position: absolute;
  width: 12px;
  height: 12px;
  border-radius: 50%;
  background: #1d0e0b;
  animation: ldio-qexq6n0axc
  1s linear infinite;
}.ldio-qexq6n0axc div:nth-child(1) > div {
  left: 74px;
  top: 44px;
  animation-delay: -0.875s;
}
.ldio-qexq6n0axc > div:nth-child(1) {
  transform: rotate(0deg);
  transform-origin: 80px 50px;
}.ldio-qexq6n0axc div:nth-child(2) > div {
  left: 65px;
  top: 65px;
  animation-delay: -0.75s;
}
.ldio-qexq6n0axc > div:nth-child(2) {
  transform: rotate(45deg);
  transform-origin: 71px 71px;
}.ldio-qexq6n0axc div:nth-child(3) > div {
  left: 44px;
  top: 74px;
  animation-delay: -0.625s;
}
.ldio-qexq6n0axc > div:nth-child(3) {
  transform: rotate(90deg);
  transform-origin: 50px 80px;
}.ldio-qexq6n0axc div:nth-child(4) > div {
  left: 23px;
  top: 65px;
  animation-delay: -0.5s;
}
.ldio-qexq6n0axc > div:nth-child(4) {
  transform: rotate(135deg);
  transform-origin: 29px 71px;
}.ldio-qexq6n0axc div:nth-child(5) > div {
  left: 14px;
  top: 44px;
  animation-delay: -0.375s;
}

.ldio-qexq6n0axc > div:nth-child(5) {
  transform: rotate(180deg);
  transform-origin: 20px 50px;
}.ldio-qexq6n0axc div:nth-child(6) > div {
  left: 23px;
  top: 23px;
  animation-delay: -0.25s;
}
.ldio-qexq6n0axc > div:nth-child(6) {
  transform: rotate(225deg);
  transform-origin: 29px 29px;
}.ldio-qexq6n0axc div:nth-child(7) > div {
  left: 44px;
  top: 14px;
  animation-delay: -0.125s;
}
.ldio-qexq6n0axc > div:nth-child(7) {
  transform: rotate(270deg);
  transform-origin: 50px 20px;
}.ldio-qexq6n0axc div:nth-child(8) > div {
  left: 65px;
  top: 23px;
  animation-delay: 0s;
}
.ldio-qexq6n0axc > div:nth-child(8) {
  transform: rotate(315deg);
  transform-origin: 71px 29px;
}
.loadingio-spinner-spin-t6woujb5b7 {
  width: 30px;
  height: 30px;
  display: inline-block;
  overflow: hidden;
  background: none;
}
.ldio-qexq6n0axc {
  width: 100%;
  height: 100%;
  position: relative;
  transform: translateZ(0)
  scale(0.3);
  backface-visibility: hidden;
  transform-origin: 0 0; /* see note above */
}
.ldio-qexq6n0axc div { box-sizing: content-box; }

```

```

/* generated by
https://loading.io/ */

.box-shadow {
    box-shadow: -5px -5px 9px
rgb(255 255 255 / 45%), 5px
5px 9px rgb(94 104 121 / 30%);
}

/* slider card */
div:has(> .card-slider){
    width: 100%;
    position: relative;
    display: flex;
    flex-direction: column;
    align-items: start;
    justify-content: center;
    -webkit-user-select: none;
/* Safari */
    -ms-user-select: none; /* IE 10 and IE 11 */
    user-select: none; /* Standard syntax */
}
/* div{
    width: 100%;
} */

.card-slider {
    position: relative;
    display: inline-block;
    width: 100%;
    overflow: hidden;
    white-space: nowrap;
    margin: 0px;
    padding: 0 5px 10px 5px;
    cursor: pointer;
    scroll-behavior: smooth;
    -webkit-user-select: none;
/* Safari */
    -ms-user-select: none; /* IE 10 and IE 11 */
    user-select: none; /* Standard syntax */
}

.card-slider-item {
    width: calc(100% / 5);
    display: inline-flex;
    position: relative;
    align-items: start;
    justify-content: start;
    flex-direction: column;
    /* border: 1px solid
    rgb(101 163 13); */
    background-color: white;
    box-shadow: 1px 1px 5px
rgb(102, 100, 100);
    padding-bottom: 0px;
    cursor: pointer;
    border-radius: 5px;
    overflow: hidden;
    -webkit-user-select: none;
/* Safari */
    -ms-user-select: none; /* IE 10 and IE 11 */
    user-select: none; /* Standard syntax */
}

.card-slider-item:first-child {
    margin-left: 0px;
}

.card-slider-item > img {
    height: 200px;
    width: 100%;
    object-fit: cover;
    aspect-ratio: 3/2;
}

.dragging {
    scroll-behavior: auto;
    cursor: grab;
    scroll-snap-type: none;
}

div:has(>.card-slider)
:is(.next, .prev){
    position: absolute;
    background-color: white;
    font-weight: 700;
    color: black;
    height: 2rem;
    width: 2rem;
    border-radius: 100%;
    display: flex;
    align-items: center;
    justify-content: center;
    border: 0;
    transition: .2s ease-in;
    cursor: pointer;
    font-size: 1.1rem;
}

div:has(>.card-slider) .prev{
    left: -15px;
    box-shadow: -2px 2px 5px
rgb(197, 188, 188);
    padding-right: 3px;
    display: none;
}

```

```

}

div:has(>.card-slider) .next{
    right: -15px;
    box-shadow: 2px 2px 5px
rgb(197, 188, 188);
}

div:has(>.card-slider)
:is(.prev, .next):hover {
    transform: scale(1.5);
}

@media screen and (max-width:
780px) {
    .card-slider-item{
        width: calc(100% / 2);
    }
    div:has(>.card-slider)
:is(.next, .prev){
    display: none;
}
    .card-slider-item > img {
        height:150px;
        width: 100%;
        object-fit: cover;
        aspect-ratio: 3/2;
    }
    div:has(>.card-slider)
:is(.prev, .next):hover {
        transform: scale(1.2);
    }
}

/* end slider card */

/* Chrome, Safari, Edge, Opera */
input::-webkit-outer-spin-button,
input::-webkit-inner-spin-button {
    -webkit-appearance: none;
    margin: 0;
}

/* Firefox */
input[type=number] {
    -moz-appearance: textfield;
}

/* .alert{
    animation: shake 600ms;
} */

@keyframes shake {
/* 0% {
    transform: scale(0.9);
}
25% {
    transform: scale(1);
}
50% {
    transform: scale(0.9);
}
100%{
    transform: scale(1);
} */
from {
    grid-template-rows: 0fr;
}
to {
    grid-template-columns:
1fr;
}
}

/* label[for="notif"]{
background: white;
position: absolute;
height: 1rem;
width: 1rem;
left: 5px;
border-radius:9999px ;
} */

/* #bar::after {
    @apply absolute content-
""] w-[calc(38/60*100%)]
left-0 bg-indigo-500 top-0 h-2
} */
.progress-seat::after{
/* --width :calc(60/60); */
position: absolute;
content: "";
width: var(--progress);
top: 0;
left: 0;
height:0.5rem;
text-align: center;
}

<?php

namespace App\Controllers;

use App\Helpers\Auth;
use App\Helpers\Controllers;
use App\Models\Customer;
use
App\Models\CustomerAddress;

class CustomerController
extends Controllers

```

```

{
    public function
__construct()
{
    if
(is_null(Auth::customer()))
return $this->redirect("/");
}
public function index()
{
    $customer =
Customer::findWithAddress(Auth
::customer()->id);
    $this-
>view("customer.index",
compact("customer"));
}

// public function
update($request)
//{
//
Customer::update(Auth::custome
r()->id, (array)$request);
//      $customer =
Customer::find(Auth::customer(
)->id);
//
Auth::login($customer,
"customer");
//      $this-
>redirect("/profil", "profil
berhasil diubah");
//}

public function address()
{
    $address =
CustomerAddress::where("custom
er_id", Auth::customer()->id)-
>get();
    $this-
>view("customer.address",
compact("address"));
}
}

<?php

namespace App\Controllers;

use App\Helpers\Auth;
use App\Helpers\Controllers;
use App\Helpers\Database;
use App\Helpers\Request;
use App\Models\Bus;
use App\Models\BusType;
use App\Models\Customer;
use App\Models\Jadwal;
use App\Models\Menu;
use App\Models\Orders;
use App\Models\Province;
use App\Models\Regency;
use App\Models\Travel;
use App\Models\Tujuan;
use App\Models\Umkm;
use App\Models\Users;

class HomeController extends
Controllers
{

public function index()
{
    $this-
>view("home.index");
}

public function location()
{
    $q = Request::query()-
>q ?? "";
    if ($q == "") {
        http_response_code(400);
        return;
    }
    $q = "%$q%";
    $locations =
Regency::where("name", $q,
"like")->get();

// $this-
>dd($locations);
foreach ($locations as
$regency) {
    $province =
Province::find($regency-
>province_id);
    echo "<li
province_id='$regency-
>province_id'
regency_id='$regency->id'
class='option-item'>" .
strtolower($regency->name) .
", " . strtolower($province-
>name) . " </li>";
}

$locations =
Province::where("name", $q,
"like")->get();
}

```

```

        foreach ($locations as
$province) {
            $regencies =
Regency::where("province_id",
$province->id)->where("not
name", $q, "like")->get();
            foreach
($regencies as $regency) {
                echo "<li
province_id='$regency-
>province_id'
regency_id='$regency->id'
class='option-item'>" .
strtolower($regency->name) .
", " . strtolower($province-
>name) . " </li>";
            }
        }
        // $this-
>view("home.location");
    }

    public function search()
    {

extract(get_object_vars(Reques
t::query()));
        $day = $this-
>formatDayToInd(date("w",
strtotime($date)));
        $hometown = explode(",",
", $hometown);
        $destination_city =
explode(", ",
$destination_city);

        $home_regency =
Regency::where("name",
strtoupper($hometown[0]))-
>first();
        $home_province =
Province::where("name",
strtoupper($hometown[1]))-
>first();
        $destination_regency =
Regency::where("name",
strtoupper($destination_city[0
])->first();
        $destination_province
= Province::where("name",
strtoupper($destination_city[1
])->first();

        $destinations =
Tujuan::query("SELECT
tujuan.* , jadwal.hari,
jadwal.id as jadwal_id,
group_concat(jadwal.jam) as
jam, group_concat(jadwal.trip)
as trip FROM tujuan INNER JOIN
jadwal ON
tujuan.id=jadwal.tujuan_id
WHERE (
province_from_id=:home_provinc
e
        AND
tujuan.regency_from_id=:home_r
egency
        AND
province_to_id=:destination_pr
ovince
        AND
tujuan.regency_to_id=:destinat
ion_regency AND
jadwal.hari=:day AND
jadwal.trip='berangkat' AND
jadwal.archived=:archived)
        OR
(province_from_id=:destination
_province
        AND
tujuan.regency_from_id=:destin
ation_regency
        AND
province_to_id=:home_province
        AND
tujuan.regency_to_id=:home_reg
ency AND
pulang_pergi=:pulang_pergi AND
jadwal.hari=:day AND
jadwal.trip='pulang' AND
jadwal.archived=:archived)
        group
by(tujuan.id)
        ") ->bind(
        [
"home_province" =>
$home_province->id,
"home_regency" =>
$home_regency->id,
"destination_regency" =>
$destination_regency->id,
"destination_province" =>
$destination_province->id,
"pulang_pergi"
=> true,
        ]
    )
}

```

```

        "day" => $day,
"archived" => false
    ]
) ->get();

$destinations =
array_map(
    function
($destination) use
(&$hometown,
&$destination_city) {
    $destination-
>hometown = implode(", ",
$hometown);
    $destination-
>destination_city = implode(",",
", ", $destination_city);
    $destination-
>bus = Bus::where("tujuan_id",
$destination->id)->first();

    $type =
BusType::find($destination-
>bus->type_id);
    $destination-
>bus->type = $type;

    $destination-
>travel =
Travel::find($destination-
>bus->travel_id);
    $fasilitas_id
= array_filter(explode(",",
$destination->bus-
>fasilitas_id), "intval");
    $destination-
>test =
        date("Y-m-
d H:i:s",
strtotime(Request::query()-
>date . $destination->jam));
        foreach
($fasilitas_id as $id) {

$destination->fasilitas[] =
Database::find($id,
"fasilitas_bus");
    }

$destination-
>seats = Bus::seats(bus:
$destination->bus,
schedule_id: $destination-
>jadwal_id, date:
Request::query("date"));

```

```

        return
$destination;
},
array_filter(
$destinations,
fn
($destination) => date("Y-m-d
H:i:s", strtotime($date .
$destination->jam))) >=
date("Y-m-d H:i:s",
strtotime("now")))
)
);
// filter tipe bus
if (isset($tipe_bus)
&& $tipe_bus != "") {
    $tipe_bus =
array_values(array_filter(expl
ode(",", $tipe_bus), fn ($arr)
=> $arr != ""));
    $destinations =
array_filter($destinations, fn
($destination) =>
in_array($destination->bus-
>type->tipe, $tipe_bus));
}

if (isset($fasilitas)
&& $fasilitas != "") {
    $fasilitas_name =
array_values(array_filter(expl
ode(",", $fasilitas), fn
($arr) => $arr != ""));
    $destinations =
array_filter($destinations,
function ($destination) use
(&$fasilitas_name) {
        if
(isset($destination-
>fasilitas))
            foreach
($destination->fasilitas as
$fasilitas) {
                if
(in_array($fasilitas->name,
$fasilitas_name)) return
$destination;
            }
        });
}

// filter jam
berangkat
if
(isset($jam_berangkat) &&
$jam_berangkat != "") {

```

```

        $jam_berangkat =
array_values(array_filter(explode(", ", $jam_berangkat)), fn
($arr) => $arr != ""));
}

$destinations =
array_filter($destinations,
function ($destination) use
(&$jam_berangkat, &$date) {
    foreach
($jam_berangkat as $jam) {
        [$start,
$end] = explode(" - ", $jam);
        $start =
date("Y-m-d H:i:s",
strtotime("$date.$start"));
        $end =
date("Y-m-d H:i:s",
strtotime("$date.$end"));

$destination_jam = date("Y-m-d
H:i:s", (strtotime($date .
$destination->jam)));
        if ($start
<= $destination_jam && $end >=
$destination_jam) return
$destination;
    }
});
}

$hometown =
$hometown[0];
$destination_city =
$destination_city[0];
$filters = [
    "jam_berangkat" =>
[
    "06:00 -
11:59", "12:00 - 17:59",
"18:00 - 23:59", "00:00 -
05:59"
],
    "tipe_bus" =>
BusType::all(),
    "fasilitas" =>
Database::all(table:
"fasilitas_bus"),
];

$date = $this-
>formatDate((strtotime($date)))
;
if (
isset($_SERVER["CONTENT_TYPE"])
) && $_SERVER["CONTENT_TYPE"]
== "application/json"
) {
    $this-
>single("home.content",
compact("destinations",
"hometown",
"destination_city", "filters",
"date")));
    return;
}

$this-
>view("home.search",
compact("destinations",
"hometown",
"destination_city", "filters",
"date"));
}

public function profil()
{
    $user =
Customer::find(Auth::customer(
)->id);
    // $this->dd($user);
    $this-
>view("home.profil",
compact("user"));
}

public function
profil_update($request, $id)
{
    try {
Customer::update($id,
(array)$request);
    $this-
>redirect("/profil", [
    "message" =>
"Porilf berubah"
]);
    } catch (\Throwable
$th) {
        //throw $th;
    }
}

<?php

namespace App\Controllers;

use App\Helpers\Auth;
use App\Helpers\Controllers;

```

```

use App\Helpers\Database;
use App\Helpers\Request;
use App\Models\Notification;
use App\Models\Orders;
use App\Models\Subscription;

class NotificationController extends Controllers
{
    // public function
    __construct()
    {
        // if
        // is_null(Auth::customer())
        return $this->redirect("/");
        public function
        add_time($notif)
        {
            $strtotime      =
            strtotime($notif->updated_at);
            $notif->time      =
            $this->formatDate($strtotime)
            . date("H:i:s", $strtotime);
            return $notif;
        }
        // }
        public function index()
        {

            $this-
            >view("notification.index");
        }

        public function content()
        {
            $notifications =
            array_map(array:
            Notification::where("customer_
            id", Auth::customer()->id)-
            >orderBy("be_read, updated_at
            desc")->get(), callback:
            array($this, "add_time"));
            $this-
            >single("notification.content"
            , compact("notifications"));
        }

        public function
        subscription($request)
        {
            $content = $request-
            >content;
            $is_customer =
            boolval($request-
            >is_customer);
            $user_id = ($request-
            >is_customer ?
            Auth::customer()->id :
            Auth::user()->id);
            if
            (!Subscription::where("content
            ", $content)->first())

            Database::insert(table:
            "subscription", columns: [
                "user_id" =>
                $user_id,
                "content" =>
                $content,
                "is_customer" =>
                $is_customer
            ]);
            return;
        }

        public function show()
        {

            extract((array)Request::query
            ());
            $link      =
            "/notifikasi/detail?order_id="
            . $order_id;
            $notif =
            Notification::where("link",
            $link)->first();
            if (!$notif->be_read)
            {

                Notification::update(compact(
                "link"), ["be_read" => true]);
            }

            if (isset($read) &&
            $read) return $this-
            >redirect("/notifikasi");

            $order = $this-
            >order_detail(Orders::find($or
            der_id));
            $status = $this-
            >message($order->status);

            $strtotime =
            strtotime($notif->updated_at);
            $notif->time = $this-
            >formatDate($strtotime) .
            date("H:i:s", $strtotime);

            $this-
            >view("notification.show",

```

```

compact("order", "notif",
"status"));
}
}

<?php

namespace App\Controllers;

use App\Helpers\Auth;
use App\Helpers\Controllers;
use App\Helpers\Database;
use App\Helpers\Request;
use App\Models\Bus;
use App\Models\BusType;
use App\Models\Cart;
use App\Models\Jadwal;
use App\Models\Menu;
use App\Models\Notification;
use App\Models\OrderItems;
use App\Models\Orders;
use App\Models\Travel;
use App\Models\Tujuan;
use App\Models\Umkm;

class OrderController extends
Controllers
{
    public function
__construct()
{
    if
(is_null(Auth::customer()))
return $this->redirect("/");
}

public function index()
{
    // $this->dd($orders);
$orders = [];
$this-
>view("order.index",
compact("orders"));
}

public function content()
{
    $status =
Request::query()->q ???
"waiting";
$date =
Request::query()->date ?? "";
// $this->dd("okle");
if ($status != "waiting") {
    $orders =
Orders::where("customer_id",
Auth::customer()->id)-
>where("status", "$status")-
>orderBy("updated_at desc")-
>get();
} else {
    $orders =
Orders::where("customer_id",
Auth::customer()->id)-
>whereGroup("status",
"$status")-
>endWhereGroup("status",
"otw")->orderBy("status,
updated_at desc")->get();
}
// $this->dd($orders);
$orders =
array_filter(array: $orders,
callback: function ($order)
use (&$date) {
    if
(!str_contains($order-
>tanggal, $date))
        return false;
}

$order->bus =
Bus::__first($order->bus_id);
$order->bus->type
= BusType::find($order->bus-
>type_id);
$order->bus-
>fasilitas =
array_map(function ($id) {
    return
Database::find($id,
"fasilitas_bus");
},
array_filter(explode(",", $order->bus->fasilitas_id),
"intval"));
$order->schedule =
Jadwal::find($order-
>jadwal_id);
$order->bus-
>tujuan =
Tujuan::__first($order->bus-
>tujuan_id, $order->schedule-
>trip);
$order->travel
= Travel::find($order->bus-
>travel_id);
$order->date
= $this-

```

```

>formatDate(strtotime:
strtotime($order->tanggal));
                     $order->time
= $this-
>formatDate(strtotime:
strtotime($order->updated_at))
. date("H:i:s",
strtotime($order-
>updated_at));
                     $order->message
= $this->message($order-
>status);
                     $order->color
= $this->color($order-
>status);
                     return $order;
                );
$this-
>single("order.content",
compact("orders"));
}

public function create()
{
    extract($_GET);
    $schedule =
Jadwal::find($schedule_id);
    $destination_id =
$schedule->tujuan_id;
    $destination =
Tujuan::first($destination_id
);
    $bus =
Bus::where("tujuan_id",
$destination_id)->first();
    $bus->type =
BusType::find($bus->type_id);
    $bus->travel =
Travel::find($bus->travel_id);
    $strtotime =
strtotime($date . $schedule-
>jam);

    $bus->seats =
Bus::seats(bus: $bus,
schedule_id: $schedule_id,
date: $date);

    $departure = $this-
>formatDate($strtotime);
    // $this-
>dd($departure);
    // $this->dd([
    //     $schedule,
$destination, $bus
    // ]);
                     $this-
>view("order.create",
compact("schedule",
"destination", "bus",
"hometown",
"destination_city",
"departure"));
}

public function
store($request)
{
    $request->customer_id
= Auth::customer()->id;
    $request->total
= Bus::find(request-
>query("bus_id"))->harga *
$request->kursi;
    $request->jam
= Jadwal::find(request-
>query("jadwal_id"))->jam;

    $request =
(object) [...(array)$request,
...(array)request->query()];
    Orders::insert(
Orders::data($request)
);
    $this->redirect("/", [
        "message" =>
"Order berhasil, mohon
menunggu admin untuk
konfirmasi order"
]);
}

public function
update_address($request)
{
    try {
        $id = request-
>query("id");
    Orders::update($id, [
        "alamat" =>
$request->alamat
    ]);
        echo json_encode([
            "message" =>
"berhasil mengubah alamat",
        ]);
    } catch (\Throwable
$th) {
        echo json_encode([

```

```

        "something
wrong"
    ]);
}
}

public function cancel()
{
    try {
        $id = request-
>query("id");

Orders::update($id, [
    "status" =>
"cancelled"
]);
if
(isset($_SERVER["CONTENT_TYPE"]
) && $_SERVER["CONTENT_TYPE"]
 === "application/json") {
    echo
json_encode([
    "message"
=> "berhasil membatalkan
order",
]);
return;
}
$this-
>redirect("/admin/orders");
} catch (\Throwable
$th) {
    echo json_encode([
        "something
wrong"
    ]);
}
}

<?php

namespace App\Controllers;

use App\Helpers\Controllers;
use App\Models\Province;

class WilayahController
extends Controllers
{
    public function
provinces()
{
    echo
json_encode(Province::get_all(
));
}





    public function
regencies($id)
{
    echo
json_encode(Province::regency(
$id));
}
}

```

**KARTU MONITORING BIMBINGAN**  
 MAHASISWA PROGRAM STUDI TEKNIK INFORMATIKA  
 FAKULTAS TEKNIK  
 UNIVERSITAS MUHAMMADIYAH PAREPARE

**SKRIPSI**

Mahasiswa : HENRIANI	Pembimbing I : Ade Hastuty, S.T.,S.Kom.,M.T
: 219280081	Pembimbing II : Marlina, S.Kom.,M.Kom.
Skripsi : E - BOOKING KENDARAAN BUS PARIWISATA BERBASIS WEB	

ARAHAN PEMBIMBING I	HARI/TGL & PARAF PEMBIMBING	ARAHAN PEMBIMBING II	HARI/TGL & PARAF PEMBIMBING
si 1 Jurnal	24/7/2023 	Konsultasi 1 Tambahkan Desain sistem sesuai dg	20/7/2023 
si 2 ngka berpikurnya	27/7/2023 	Konsultasi 2 Caril penelitian Terkait yg ada di UMPAR.	21/7/2023 
si 3 in istemnya baiknya	28/7/2023 	Konsultasi 3 Sesuaikan dg Isi pok Penelitian Terkait.	21/7/2023 
si 4		Konsultasi 4 ACC Ujian Proposal	29/7/2023 
si 5		Konsultasi 5	

Lanjut ke halaman sebelah...

1:  
 siswa wajib konsultasi minimal 5 kali  
 ini wajib dibawa oleh mahasiswa disetiap konsultasi dan diisi oleh Pembimbing  
 ini wajib dilampirkan pada laporan skripsi dan menjadi salah satu persyaratan untuk ikut seminar proposal/ujian skripsi  
 ini dicetak di atas kertas karton berwarna hijau muda dan dicetak timbal balik

**KARTU MONITORING BIMBINGAN**  
 MAHASISWA PROGRAM STUDI TEKNIK INFORMATIKA  
 FAKULTAS TEKNIK  
 UNIVERSITAS MUHAMMADIYAH PAREPARE

**HASIL**

: HENRIANI : 219280081	Pembimbing I : Ade Hastuty, ST., S.Kom., MT. Pembimbing II : Marlina, S.Kom., M.Kom.
G KENDARAAN BUS PARIWISATA BERBASIS WEB	

ARAHAN PEMBIMBING I	HARI/TGL & PARAF PEMBIMBING	ARAHAN PEMBIMBING II	HARI/TGL & PARAF PEMBIMBING
bakan Uitur tarif gambar ab 1 Sampai 5.	AH	Konsultasi 1 - Semua Bahasa Asing dicetak Miring - Sertifikat Daftar pustaka dg isi Skripsi nya	MH
track dan Flowchart	AH	Konsultasi 2	MH
par Seminar hasil 29/07/2024	AH	Konsultasi 3	MH
		Konsultasi 4  Acc Ujian Hasil	MH
		Konsultasi 5	

Lanjut ke halaman sebelah...

an :

tu ini wajib konsultasi minimal 5 kali

tu ini wajib dibawa oleh mahasiswa disetiap konsultasi dan diisi oleh Pembimbing

tu ini wajib dilampirkan pada laporan skripsi dan menjadi salah satu persyaratan untuk ikut seminar proposal/ujian skripsi

tu ini dicetak di atas kertas karton berwarna hijau muda dan dicetak timbal balik

**KARTU MONITORING BIMBINGAN**  
MAHASISWA PROGRAM STUDI TEKNIK INFORMATIKA  
FAKULTAS TEKNIK  
UNIVERSITAS MUHAMMADIYAH PAREPARE

**SKRIPSI**

Na : HENRIANI	Pembimbing I : Ade Hastuty, ST., S.Kom., MT.
: 219280081	Pembimbing II : Marlina, S.Kom., M.Kom.
TING KENDARAAN BUS PARIWISATA BERBASIS WEB	

ARAHAN PEMBIMBING I	HARI/TGL & PARAF PEMBIMBING	ARAHAN PEMBIMBING II	HARI/TGL & PARAF PEMBIMBING
si 1 uan coding di lampiran.	A	Konsultasi 1 Tambahkan dikesimpulkan Hasil dari Pengujian Aplikasi	✓
si 2 hard disertakan sebelum diak Program.	A	Konsultasi 2	✓
si 3 pulan menjawab kuisan an.	A	Konsultasi 3 Acc Ujian Tutup	19/8/2020 ✓
si 4 benarkan sejauh aplikasi orang yang aplikasi	A	Konsultasi 4	
si 5 tar Ujian Skripsi	A	Konsultasi 5	

Lanjut ke halaman sebelah...

ian :  
Mahasiswa wajib konsultasi minimal 5 kali  
rtu ini wajib dibawa oleh mahasiswa disetiap konsultasi dan diisi oleh Pembimbing  
rtu ini wajib dilampirkan pada laporan skripsi dan menjadi salah satu persyaratan untuk ikut seminar proposal/ujian skripsi  
rtu ini dicetak di atas kertas karton berwarna hijau muda dan dicetak timbal balik



Nomor : 443/PRK/LB-TI/II.3.AU/D/2023



diberikan kepada :

**Henriani**

**NIM. 219280081**

telah menyelesaikan

**PRAKTIKUM V**

Laboratorium Teknik Informatika  
Program Studi Teknik Informatika Fakultas Teknik  
Universitas Muhammadiyah Parepare

Pada tanggal 16 Januari 2023 - 29 Maret 2023


Parepare, 4/12/2023

**KETUA PRODI  
TEKNIK INFORMATIKA**



MARLINA. S.Kom., M.Kom

**KEPALA  
LABORATORIUM**



Ir. UNTUNG SUWARDYO, S.Kom., MT., IPP.